

Hale Trailer Brake & Wheel

A004294-A004299

VIN: 078244-078249



ALUMINUM "BST" PLATFORM TRAILER

LENGTH:	53'	SUSPENSION:	AAT30K/E2-L-LIFT REAR AXLE SLIDER (2) FRONT AXLE LIFT
WIDTH:	102"	LOWERING KIT:	AUTOMATIC
NOSE:	SQUARE + EXTRA STD 7 WAY CONNECTOR (1)(4)	AXLE TO AXLE:	60" CLOSED AND 121" OPEN
KING PIN SETTING:	30" - 5/16" PLATE - NO ACCESS HOLES	AXLE TO REAR:	CALIFORNIA LEGAL
FLOOR:	KNURLED ALUMINUM 3 NAILERS INTEGRATED SIDE RAIL	LIFT / AXLE:	AXLE #1
XMEMBER SPACING:	16" SPACING	SPACING:	N/A
COIL PACKAGE:	YES (CENTER)-W/ 8 PCS BAR INSERT	F.W. HEIGHT:	49"
SPOOLS:	DOUBLE	CONTROLS:	FRAME SWITCH & ELEC CC WIRED TO AUX.
POCKETS:	HD FRONT TO ACCEPT AERO BH - SEE DWG	AXLES:	TP 23,000 GAWR
ROPE HOOKS:	NONE	AUTO SLACKS:	MERITOR
TIE DOWNS:	TWO TIE DOWN STORAGE PIPES D/S @ LG	BRAKES:	16 1/2" X 7"
MARKER LIGHTS:	LED - 7 PR EA. SIDE	ABS SYSTEM:	4S/2M
MID TURN SIGNAL:	MMTS BELOW RAIL - INBOARD	HUBS:	10 STUD LW STEEL LWBD
FLAT <input checked="" type="radio"/> ANGLED <input type="radio"/>		WHEELS:	8.25 X 22.5 8 HIGH POLISHED
LIGHT PANEL:	LED - 9 LIGHTS (OOO ooo OOO) 1/2 STEPS ON REAR FULL WIDTH BUMPER	TIRES:	11R 22.5 R196A BRIDGESTONE
BULKHEAD:	NONE TYPE: HEIGHT: RETURNS: MAT'L:	LANDING GEAR:	JOST AX150 ALUMILIGHT D/S CRANK FORWARD BRACING (3)
ACCENT TAPE:	BLACK	TIRE CARRIER:	ONE - P/S ACCESS MID TRAILER
PAINT:	BLACK SOFTCOAT BLACK ON SUSPENSION	TOOLBOX: QTY:	ONE
WINCH TRACK:	STANDARD INTEGRATED RAIL	SIZE:	24" X 24" X 60"
LOCATION:		LOCATION:	D/S-AHEAD OF AXLE #1
WINCHES:	12 - EA. EXTREME ZINC - D/S	MAT'L:	DOUBLE DOOR, SMOOTH ALUMINUM
WINCH CLIPS:	12 - EA. SLIDING CLIPS - P/S	MUDFLAPS:	STD
STRAPS:	NONE	TYPE:	SILVER PLASTIC
		LOCATION:	ON REAR OF SLIDER BOX + 3/16" ALUMINUM ON TOP OF SLIDER FLAP BENT TOWARD TIRE


REMARKS:

- EXTRA 7 WAY WIRED TO JUNCTION BOX D/S INSIDE FRAME IN FRONT OF AXLE #1.
- 2 POSITION REAR AXLE SLIDER - SLIDER BOX INSIDE MAIN FRAME RAILS. SLIDER BOX AND REAR HANGERS TO BE BLACK SOFTCOAT - GALVANIZED HANGERS ON FRONT AXLE ONLY.
- TRUCKLITE REGISTRATION HOLDER D/S @ LANDING GEAR
- WIRING BACK 3" FROM INSIDE NOSE

WEIGHT: +/-3%: 10720

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.



ELECTRICAL HARNESS TO BE BELOW OR ABOVE 1/2" HOLE




WIRING HARNESS TO BE LOCATED 3" REARWARD OF INSIDE 90 DEGREE ANGLE (STANDARD LOCATION OF HARNESS) ALL THE WAY ACROSS THE FRONT OF THE TRAILER

Hale Trailer
X J. Miles 4/25/18
X



SIZE	DRAWING NO.	SHEET	REV
A	0610-4810210-2	1	A

- NOTES:**
- DO NOT SCALE DRAWING.
 - REMOVE ALL BURRS AND SHARP EDGES.
 - INDUSTRY STANDARDS AND PRACTICES MUST BE APPLIED IN FABRICATION OF PARTS.
 - PART TO BE FREE FROM SURFACE IMPERFECTIONS OTHER THAN SURFACE FINISH REQUIREMENTS.
 - CRITICAL DIMENSIONS ARE INDICATED BY ●
 - THIS DRAWING WAS ORIGINATED BY AND IS THE EXCLUSIVE PROPERTY OF AERO INDUSTRIES, INC. AND/OR ITS OWNER. IT IS NOT AN AUTHORIZATION OR LICENSE TO MAKE THIS CONSTRUCTION OR TO FURNISH THIS INFORMATION TO OTHER PARTIES.

OUT SIDE VIEW



INSIDE VIEW



97.375 IN SIDE LEG
TO IN SIDE LEG

P:\INVENTOR 2012\0610\0610-4810210-2.idw

7	0611-960125	LEG ASSY BULKHEAD ALUM P.S	1
6	0611-960126	LEG ASSY BULKHEAD ALUM D.S	1
5	0611-960132	GUSSET BULKHEAD DOT	4
4	TOP RAIL ASSY 102W		1
3	BOTTOM RAIL ASSY 102W		1
2	860159		1
ITEM	PART NUMBER	DESCRIPTION	QTY

TOL DRAWING UNLESS OTHERWISE SPECIFIED:
DIMENSIONS IN INCHES
XX = ± .1216
X = ± .051
∅ = ± .020
∅∅ = ± .010
∅∅∅ = ± .005
ANGLE = ± .12°
SURFACE = 125

MATERIAL NOTE
USED ON
MATERIAL FINISH

Aero

TITLE: BULKHEAD ALUM 48"x102"
10" WRAP

SCALE: 1:1
DRAWN BY: MJB
APPROVED BY: [Signature]
DATE: 8/28/2017

REV: A
DRAWING NO: 0610-4810210-2
SHEET: 1 of 1
REV: A

REV	DESCRIPTION	BY	DATE
REVISIONS			