

HALE

TRAILER

BRAKE & WHEEL



Hale Trailer Brake & Wheel

A004720-A004728

VIN: 117913-117921

TK80ACS-34 Steel/Aluminum Combo Step Deck Trailer

13813-ACS-34

Overall Width: 102"
 Fully Loaded Deck Height: 34"
 Loaded Ground Clearance: 9"
 Capacity:
 2-axle: 80k Distributed
 3-axle: 85k Distributed

Upper Deck Crossmembers 18" O.C.
 Main Deck Crossmembers 12" O.C.
 Aluminum Rub Rail w/ Chain Spools
 Stake Pockets (24" O.C.)
 Full-Length Hook Track
 Anti-corrosion Barrier Between Aluminum & Steel
 Zinc Coated Steel Components
 Armor Coated Landing Gear
 12-1/4 X 7-1/2 Brakes
 Manual Raise/Lower w/ Pressure Gauge in Enclosure
 Dock Bumpers
 Sealed Electrical System
 LED Lights

Item #	Category	Description	Weight (lbs)	Qty
13813	Open Deck	TK80ACS-34 Steel/Aluminum Combo Step Deck Trailer	9,650	
13818	Overall Length	52'-10" Overall Length	509	
13821	Fifth Wheel / King Pin	14" Kingpin Setting (82"/88"/94" Swing Clearance w/ 10'/10'-6"/11' Upper Deck) ++		
13824	Fifth Wheel / King Pin	48 - 50" 5th-wheel Height		
13827	Upper Deck	10' Upper Deck Length		
15702	Upper Deck	Upper Deck Crossmembers 18" O.C.		

13878	Landing Gear	Standard Two-Speed Armor Coated Landing Gear (crank road side)		
13830	Main Deck	60k in 10' Concentrated Load Rating		
15703	Main Deck	Main Deck Crossmembers 12" O.C.		
13832	Decking	Aluminum Decking w/ Flush Apitong Nailers		
15704	Decking	Aluminum Rub Rail w/ Chain Spools		
13835	Tie Downs	No Sliding D-Rings on Upper Deck		
13837	Tie Downs	No Sliding Winches on Upper Deck		
13839	Tie Downs	No Sliding D-Rings on Main Deck		
13842	Tie Downs	Sliding Winches on Main Deck (each)	108	12
13843	Tie Downs	Winch Track Stops: Removeable		
13845	Tie Downs	No J-hooks		
13847	Tie Downs	No Stake Pockets on Rear		
15705	Tie Downs	Full-Length Hook Track		
15706	Tie Downs	Stake Pockets (24" O.C.) - Sides & Front		
13850	Suspensions / Axles	Tandem Axle: (1) 23k Air Ride w/ (1) 23k Air Ride Rear Slider	271	
13858	Suspensions / Axles	49" Closed / 121" Open (slider only)	(68)	
13956	Suspensions / Axles	Suspension Set Ahead 42" w/ Underride Guard	23	
13861	Suspensions / Axles	Standard Axle		
13867	Brakes	2S1M / 2S2M Anti-Lock Brake System		
13869	Brakes	20k Drum Brakes (per axle)		2
13871	Hub / Drum	Steel Hub-Piloted - Cast Drum (per axle)		2
08182	Wheels (inside)	6.75 x 17.5 8-hole steel disc wheel		4
15004	Wheels (outside)	6.75 x 17.5 8-hole polished (XP) aluminum wheel (per wheel) ILO Std 6.75 x 17.5 8-hole steel disc wheel	(96)	4
10058	Spare Wheel	No Spare Wheel		

07907	Tires	Continental 235/75R17.5 HTL2 - 18 ply	8
10059	Spare Tires	No spare tire	
13874	Spare Tire Carrier	No Spare Tire Carrier	
13876	Flaps, Mud Guards & Fenders	Mudflaps: Rear Axle Only (standard TK)	
13886	Lights / Electrical	LED Lights - DOT Required w/ Midturn & 3rd Taillight (XOX)	
13819	Aluminum Content	Standard Aluminum Content	
13879	Toolbox	No Toolbox	
13882	Bumper	No Non-Certified Bumper	
15707	Bumper	Dock Bumpers	
13884	Flagholders	Standard Flagholders (2 per side)	
13885	Document Holder	Document Holder: 4-1/2" Round	
08009	Paint	Epoxy primer	
08024	Paint	S7203 Black with white decals	

13813-Additional Options

Item #	Category	Description	Weight (lbs)	Qty
09999-01	Custom Options	40235 Custom Options 40235 Custom Options 40235 - (ACS) (2) Additional Clearance Lights Per Side		

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.