

HALE

TRAILER

BRAKE & WHEEL

Hale Trailer Brake & Wheel
A004893-A004894
VIN: 064446-064447



STEEL FRAMELESS HALF ROUND

Cubic Yards 87 Weight 20660 lbs. ***

BODY

| | |
|-------------------------------------|--|
| LOAD PROFILE | MATERIAL, 80K GVWR |
| LENGTH | 40 |
| WIDTH | 102 |
| BODY STYLE | FULL RADIUS HARDOX AR450 |
| FLOOR | 1/4 IN. FULL |
| FLOOR MATERIAL | HARDOX AR450F |
| BODY SEAMS | STRAPS ON BOTTOM |
| VIBRATOR | NONE |
| WALL HEIGHT | 100 |
| TOP RAIL | 5 1/2 IN. PIPE |
| TOP RAIL OPTION | 3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT) |
| | 3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT) |
| BOLSTER | (1) BOLSTER(s) 100" WH x 102" WIDE |
| | ADD SECOND BOLSTER BETWEEN SECOND BOLSTER AND REAR POCKET |
| REAR POCKET SLOPE | 0 |
| NO. OF INCHES TO EXTEND REAR POCKET | NONE |
| REAR SKIRTS | 10 GA. STEEL OVER SUSPENSION, WELD-ON |
| FRONT SKIRTS | NONE |
| HOIST | 8-5-265 - CUSTOM |
| REMOTE GREASE | NONE |
| BULKHEAD TYPE | FLAT SLOPE NOSE |
| BULKHEAD LADDER | NONE |
| BULKHEAD DOOR | NONE |
| SIDES STEPS D.S. | STEEL LADDERS AT FRONT AND REAR |
| SIDES STEPS C.S. | STEEL LADDER AT REAR |
| FOLD DOWN LADDERS D.S. | STEEL FOLD DOWN LADDER AT FRONT AND REAR |
| FOLD DOWN LADDERS C.S. | NONE |
| SHOVEL HANGER | NONE |
| FRONT CAB SHIELD | RECESSED CAB SHIELD |

LIGHTS

| | |
|-------------|-----------------------------------|
| LIGHT TYPE | GROTE L.E.D. W/ GROMMET |
| LIGHT PANEL | 3 LARGE - 3 LARGE - 3 LARGE |
| APRON | 3/8 IN. X 4 IN. FULL LIGHT SHIELD |

| | |
|--------------------|--------------------------|
| STD. MARKER LIGHTS | 3 EACH SIDE |
| MID-TURNS | (1) PAIR L.E.D. (COMBO) |
| BACK-UP LIGHTS | NONE |
| AUXILIARY CABLE | 7 WAY |
| BACK-UP LIGHT WIRE | NONE |
| REAR POCKET LIGHTS | PAIR OF SMALL (MODEL 30) |

GATE

| | |
|------------------------|------------------------------------|
| GATE SHEET THICKNESS | 3/16 IN. HARDOX AR450F |
| GATE OPERATION | MANUAL |
| HINGE TYPE | SIDE SWING ONLY |
| COAL DOOR | NONE |
| CHUTE | NONE |
| DOUBLE HANDLE DOOR | NONE |
| GATE BRACING | (9) PANEL |
| HALF ROUND ON GATE | NONE |
| ANGLE ON TOP OF GATE | NONE |
| SPREADER CHAINS | NONE |
| WINDERS / SAFETY LATCH | WINDERS (1) EACH SIDE (STEEL GATE) |
| TARP HOOKS | NONE |

PRIMARY AXLES

| | |
|------------------------------------|--|
| MODEL | CLOSED TANDEM |
| NO. OF PRIMARY AXLES | 2 |
| SUSPENSION | WATSON 50,000 SINGLE POINT - (HD SERIES) |
| | 26002081-102 suspension |
| AXLE SPACING | 50 |
| SUB-FRAME | HIGH PEDESTAL |
| AXLES | 77.5 IN., AXN 5/8 IN. WALL TP W/ 25K |
| | 27009193-77 – axles |
| BRAKES | 7 IN. XL, W/ 30-30 CHAMBERS |
| CAM GUARDS | NONE |
| HUB AND DRUM | CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN. |
| TIRES | GENERAL RA 11R 24.5 16 PLY |
| WHEELS | STEEL HP 24.5X8.25 - WHITE POWDER COATED |
| PRIMARY AXLE TIRE INFLATION SYSTEM | NONE |

LIFT AXLES

| | |
|---------------------------------|------|
| NO. OF LIFT AXLES | 0 |
| LIFT AXLE SUSPENSION | NONE |
| LIFT KIT | NONE |
| LIFT AXLE DISTANCE | N/A |
| LIFT AXLE | NONE |
| LIFT AXLE BRAKES | NONE |
| LIFT AXLE CAM GUARDS | NONE |
| LIFT AXLE HUB AND DRUM | NONE |
| LIFT AXLE TIRES | NONE |
| LIFT AXLE WHEELS | NONE |
| LIFT AXLE CONTROLS | NONE |
| FREE WHEEL VALVE | NONE |
| LIFT AXLE TIRE INFLATION SYSTEM | NONE |

STEERABLE LIFT AXLES

| | |
|------------------------------|------|
| NO. OF STEERABLE AXLES | 0 |
| STEERABLE AXLE SUSPENSION | NONE |
| STEERABLE AXLE DISTANCE | N/A |
| STEERABLE AXLES | NONE |
| STEERABLE AXLE BRAKES | NONE |
| STEERABLE AXLE HUB AND DRUMS | NONE |

| | |
|-------------------------|------|
| STEERABLE AXLE TIRES | NONE |
| STEERABLE AXLE WHEELS | NONE |
| STEERABLE AXLE CONTROLS | NONE |

CHASSIS

| | |
|---------------------------------------|---|
| PIN SETTING | 16 |
| 5TH WHEEL PLATE | BREAK-AWAY PIN |
| 5TH WHEEL PLATE HEIGHT | 49 IN. HIGH |
| GALVANIZED SUSPENSION HANGERS | NO |
| DRAFT ARM | 1/4 STEEL |
| SUSPENSION CONTROL | NONE |
| ABS | (1) 4S2M MERITOR / WABCO |
| SLACKS | AUTOMATIC |
| CHROME TOP HATS | NONE |
| AXLE LUBRICATION | HXL, SYNTHETIC SEMI-FLUID GREASE |
| HUBODOMETER | NONE |
| DUST COVERS | NONE |
| TIRE CARRIER(S) | NONE |
| DOLLIES - LANDING GEAR - LANDING LEGS | JOST A450 - (62,500 LB.) - 10 YEAR NO LUBE - STEEL - D.S. |
| REGISTRATION HOLDER | NONE |
| AIR GAUGE / SYSTEM | NONE |
| ENCLOSURE FOR SWITCHES | NONE |
| AIR TANKS | ALUMINUM TANK |
| HYDRAULIC HOSE FITTING | 1 IN. X 108 IN. HOSE W/ FEMALE QUICK CONNECT (PARKER) |
| FLAPS FRONT OF TIRES | SHORT FLAP IN FRONT OF FRONT AXLE |
| FLAPS REAR OF TIRES | STANDARD REAR OF REAR TIRES |
| TOW / PINTLE HOOKS | NONE |
| BUMPER | NONE |

TARP

| | |
|--------------------|---|
| TARP MANUFACTURER | AERO EASY COVER FLIP TARP - MESH |
| TARP CONFIGURATION | NONE |
| TARP CONTROL | ELECTRIC |
| TARP COLOR | BLACK |
| BOW HOLDERS | NONE |
| TARP BRACKET | TARP CENTER BRACKET FOR FRONT TO BACK FLIP TARP |

PAINT

| | |
|-----------------------|------------------------|
| HANGERS | OTHER (NON GALVANIZED) |
| SUSPENSION COLOR | BLACK PAINT |
| DOLLIES | BLACK (931716) |
| HOIST COLOR | BLACK (931716) |
| 5TH WHEEL PLATE COLOR | BLACK (931716) |
| BODY COLOR | BLACK |
| MAC LOGOS | MAC DECALS BLACK |
| OPTIONAL SIGNS | NONE |

ACCESSORIES

| | |
|----------------------|------|
| LOAD LEVEL INDICATOR | NONE |
|----------------------|------|

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.