
## **Hale Trailer Brake & Wheel**

A005495-A005509






**ALUMINUM "BST II" PLATFORM TRAILER** 



LENGTH:	48' - 24" BEAM	SUSPENSION:	AAT25K/E2-1 W/ 'K' BRACING
WIDTH:	102"		GALVANIZED HANGERS & SOFTCOAT PAINT
NOSE:	SQUARE + EXTRA 6 WAY PLUG (1)(3)	LOWERING KIT:	AUTOMATIC
		AXLE TO AXLE:	121"
KING PIN SETTING:	30" W/ 5/16" STEEL-NO ACCESS HOLES	AXLE TO REAR:	30"
FLOOR:	KNURLEDALUMINUM	LIFT / AXLE:	N/A
100000000000000000000000000000000000000	3 NAILERS	SPACING:	N/A
	INTEGRATED SIDE RAIL	F.W. HEIGHT:	49"
XMEMBER SPACING:	16"	CONTROLS:	N/A
COIL PACKAGE:	YES (CENTER)- 8 PCS BAR INSERTS	AXLES:	TP
SPOOLS:	DOUBLE		23,000 GAWR
POCKETS:	HD FRONT TO ACCEPT AERO BH-SEE DWG	AUTO SLACKS:	MERITOR
ROPE HOOKS:	NONE	BRAKES:	16 1/2" X 7"
		ABS SYSTEM:	4S/2M (SENSOR ALL)
TIE DOWNS:	10 PR J-HOOKS & 2 STORAGE PIPES @ D/S LG		
MARKER LIGHTS:	LED - 6 PR EACH SIDE ON RAIL	HUBS:	10 STUD LW STEEL
MID TURN SIGNAL:	LED- COMBO MARKER / MMTS BELOW RAIL	DRUMS:	LWBD
FLAT   ANGLED		WHEELS:	8.25 X 22.5 4HP / 4 MP
LIGHT PANEL:	LED - 9 LIGHTS (OOO ooo OOO)		
	1/2 STEPS ON REAR		
	FULL WIDTH BUMPER	TIRES:	11R 22.5 R196A 14 PLY BRIDGESTONE
BULKHEAD:	NONE	LANDING GEAR:	JOST AX150 ALUMILIGHT D/S CRANK
TYPE:			FORWARD BRACING (2)
HEIGHT		TIRE CARRIER:	BRACKETS ONLY - P/S ACCESS MID TRAILER
RETURNS	:	TOOLBOX: QTY:	ONE
MAT'L	:	SIZE:	24" X 24" X 60"
ACCENT TAPE:	EAST BLACK	LOCATION:	D/S-BETWEEN AXLES
PAINT:	EAST BLACK	MAT'L:	AERO DOUBLE DOOR-SMOOTH ALUM
	SOFT COAT BLACK ON SUSPENSION		LO-MOUNT FOR WINCH CLEARANCE
WINCH TRACK:	STANDARD INTEGRATED RAIL	MUDFLAPS:	STD
***************************************		TYPE:	SILVER PLASTIC
LOCATION:		LOCATION:	REAR
WINCHES:	12 - EA. STEEL SLIDING - D/S		
WINCH CLIPS:	12 - EA. SLIDING CLIPS - P/S		
STRAPS:	NONE		
REMARK REF E13246			
1. EXTRA 6 WAY PLUG WIR	ED TO JUNCTION BOX D/S INSIDE FRAME IN F	RONT OF MOST FORWARD.	AXLE.

LOCATION:		LOCATION:	REAR	
WINCHES:	12 - EA. STEEL SLIDING - D/S			
WINCH CLIPS:	12 - EA. SLIDING CLIPS - P/S			
STRAPS:	NONE			
REMARK REFE	13246			
1. EXTRA 6 WAY PLUC	WIRED TO JUNCTION BOX D/S INSIDE FRA	ME IN FRONT OF MOST FORWAR	RD AXLE.	
2. TRUCKLITE REGIST	RATION HOLDER D/S @ LANDING GEAR			
3. WIRING BACK 3" FF	ROM INSIDE NOSE - SEE PICTURE			
			WEIGHT: +/-3%:	9367



ELECTRICAL HARNESS TO BE BELOW OR ABOVE 1/2" HOLE

