



Hale Trailer Brake & Wheel

A007472-A007521
VINS: 5A1603-5A1652



XTP4880SS2 (Model: XCA4880SSXT848492)

Detailed Specifications		General	
SKU	XCA4880SSXT848492		
Capacity	80,000# Distributed - Self-Supporting, Properly Blocked		
Length	48 feet 0 inches		
Width	8 feet 6 inches		
Weight	Est. Configured Weight: 16230# +/- 3%		
Gooseneck			
Kingpin	24 inches		
Deck			
Loaded Fifth Wheel Height	49 inches		
Landing Gear	OEM Standard		
Bulkheads	None		
Bulkhead Pockets	4 - F-5 DOT-Type Steel		
Main Beams	Minimum Grade 80 Flanges		
Crossmembers	12 inch Centers - 4 in Jr I-Steel		
Deck Lock	Approx. Every 5 feet		
Front Corners	Tapered		
Side Rails	6 inch Structural Channel @ 6.5lbs/ft		
Stake Pockets	3/16 inch Steel on 24 inch Centers		
Pipe Spool	Single Pipe Spool		
Rubrail	2 1/2 inch x 3/8 inch Thick HD Mill Formed Steel		
Flooring	1 1/8 inch Wood		
Winch Track	Full-Length Steel on Roadside		
Sliding Winches	12 - without Straps		
Winch Straps	None		
Air and Electrical at Extension Locks	Inside Track System		
Toolbox	None		
Bumper	Meets Underride Requirements		
Mudflaps	1 Set - Fontaine		
VIN Plate	Bilingual VIN Plate		
Registration/Document Holder	Install Registration/Document Holder		
Rear Bridge: Axles			
Number of Axles	2		
Axle Spread	49 inches		
Brakes	Spring Brakes, Auto Slacks		
Dust Shield	None		
Hub and Drums	10-Hole Hub-Piloted with Outboard Cast Drums		
Rear Bridge: Suspension			
Suspension	Sliding Spring Tandem Hutch H-9700 3 Leaf Spring Slider - 96 inch Adjustable CAL LEGAL		
ABS	2S/1M - No Cable or Tool		
Manual Dump Valve	None		
Liquid Filled Gauge	None		
Load Scale	None		

Detailed Specifications


Wheels and Tires	
Wheels	22.5 x 8.25 Steel Disc Wheels - Pre-painted White
Tires	11R 22.5 OEM Economical
Hubodometer	None
Inflation	None
Wheel Ends	Grease in Hubs
Lighting	
Electrical System	Sealed Harness and LED Lights with 4 inch Flush Mounted Amber Strobes (No Battery Backup)
Tail Lights	3 Lights/Side, 3 Lights/Side on Rear
Paint	
Paint	Fontaine Black Polyurethane Enamel
Terms	
Please Note	Price Includes Commodity Surcharges
Commercial Terms	Ex Works- Springville, AL, USA
XTP4880SS2	



[XTP4880SS2 Base Model](#) (Note: Options not shown)

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.



FONTAINE HEAVY-HAUL
SPRINGVILLE, AL

MODEL: 1
XCALIBUR XTP4880SA2

DRAWING NUMBER
6383

THIS DRAWING IS THE PROPERTY OF FONTAINE HEAVY-HAUL, INC. IT IS TO BE USED ONLY FOR THE PROJECT AND LOCATION SPECIFICALLY IDENTIFIED HEREON. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF FONTAINE HEAVY-HAUL, INC.