

Hale Trailer Brake & Wheel A007643-A007657 VIN: A1668-A1682



Detailed Specifications

Detailed Specifications XTP5390SA3 (Model: XCA5390SAXT859603)	
ATP3390SA3 (Model: ACA539)	
	General
SKU	XCA5390SAXT859603
Capacity	100,000 lbs distributed - self-supporting, properly blocked
Length	53 feet 0 inches
Width	8 feet 6 inches
Weight	Est. Configured Weight: 20300# +/- 3%
	Gooseneck
Kingpin	24 inches
	Deck
Loaded Fifth Wheel Height	49 inches
Landing Gear	OEM Standard
Bulkheads	None
Bulkhead Pockets	4 - F-5 DOT-Type Steel
Main Beams	Minimum Grade 80 Flanges
Crossmembers	12 inch Centers - 4 in Jr I-Steel
Deck Lock	Approx. Every 5 feet
Front Corners	Tapered
Side Rails	6 inch Structural Channel @ 6.5lbs/ft
Stake Pockets	3/16 inch Steel on 24 inch Centers
Pipe Spool	Single Pipe Spool
Rubrail	2 1/2 inch x 3/8 inch Thick HD Mill Formed Steel
Flooring	1 1/8 inch Wood
Winch Track	Full-Length Steel on Roadside
Sliding Winches	12 - without Straps
Winch Straps	None
Air and Electrical at Extension Locks	Inside Track System
Toolbox	None
Bumper	Meets Underride Requirements
Mudflaps	1 Set - Fontaine
VIN Plate	Bilingual VIN Plate
Registration/Document Holder	Install Registration/Document Holder
	Rear Bridge: Axles
Number of Axles	3
Axle Spread	60 inches
Brakes	Spring Brakes, Auto Slacks
Dust Shield	None
Hub and Drums	10-Hole Hub-Piloted with Outboard Cast Drums
	Rear Bridge: Suspension
Suspension	Hendrickson Air Ride on Slide Box- 96 Inches Adjustable CAL Legal
ABS	2S/1M - No Cable or Tool
Manual Dump Valve	None
Liquid Filled Gauge	None
Load Scale	None



Detailed Specifications

Wheels and Tires	
22.5 x 8.25 Steel Disc Wheels - Pre-painted White	
11R 22.5 OEM Economical	
None	
None	
Grease in Hubs	
Lighting	
Sealed Harness and LED Lights with 4 inch Flush Mounted Amber Strobes (No Battery Backup)	
3 Lights/Side, 3 Lights/Side on Rear	
Paint	
Fontaine Black Polyurethane Enamel	
Terms	
Price Includes Commodity Surcharges	
Ex Works- Springville, AL, USA	
XTP5390SA3	



XTP5390SA3 Base Model (Note: Options not shown)



