



Hale Trailer Brake & Wheel

A011383-A011386

VIN: S011013-S011016



TK80HT Hydraulic Tail Trailer, 80,000 lbs uniform / 50,000 lbs in 10 ft. 17227-80HT

17227 - STANDARD EQUIPMENT

Tail raises to 58" dock height and lowers to ground

Air operated tail lock w/ integrated fold under lock

Rubber-mounted sealed lights with sealed harness system

Red & white conspicuity markings

Item #	Category	Description	Weight (lbs)	Qty
17227	Open Deck	TK80HT Hydraulic Tail Trailer, 80,000 lbs uniform / 50,000 lbs in 10 ft.		
17228	Overall Length	47' 11" Overall Length		
17231	Overall Width	102" wide		
17233	Fifth Wheel / King Pin	49" loaded 5th wheel height		
17234	Upper Deck	9'0" Straight drop upper deck (14" kingpin setting with 88" swing clearance)		
17236	Upper Deck	No Headboard		
17240	Upper Deck	2 side access tool boxes at front of upper deck		
17243	Upper Deck	10-ga. floor plate decking on upper deck		
17244	Upper Deck Ramp	10' Hyd. recessed upper deck ramp w/ ramp locks (12" less than deck width)		

17247	Winch	20,000 lb. hydraulic winch with level wind (mounted above king pin) - Includes 9/16" x 80' cable	
17253	Winch	Delete Winch guard	(61)
17254	Winch	Winch Cable Skid Plate at Rear of Upper Deck	
17257	Hydraulics / Controls	PTO hydraulics	
17261	Hydraulics / Controls	Push - Pull style hydraulic valve controls w/ full-function wireless remote controls (Dual side controls)	
17262	Landing Gear	2-speed park stands (crank road side)	
17265	Main Deck	Single drop deck	
17267	Main Deck	8' main tail with 52" fold-under, 12-1/2° load angle (12'-2" total length)	
17268	Main Deck	8" and 10" crossmembers on 12" centers	
17269	Main Deck	Stainless steel hinge pins on main tail and fold-under	
17270	Decking, Main Deck	1 3/8" (NET) apitong deck raised (deck and upper deck ramp)	
17272	Decking, Wheel Area	1/4" floor plate over wheels W/ Last 2' Star Traction over 1/4" smooth steel (wood in center bay)	
17274	Decking, Tail	Star Traction over 10GA smooth steel	
17278	Decking, Fold Under Approach	Star Traction over 10GA smooth steel	
17283	Tie Downs	Triangle cut-outs	
17504	Tie Downs	Internal 2-way key slots alternating with external stake pockets in outer beams on upperdeck for tie downs approximately 24" OC	
17505	Tie Downs	Internal 2-way key slots alternating with external stake pockets in outer beams on main deck and main tail for tie downs approximately 24" OC (Internal 2-way key slots in WA)	
17294	Suspensions / Axles	Air Ride suspension	
17295	Suspensions / Axles	Air Ride Raise & Lowering with controls & liquid filled air gauge on drivers side of upper deck	

17296	Suspensions / Axles	25,000 lb. capacity full width axles		2
17305	Axle Spacing	49" axle spacing		
17308	Brakes	12.25 X 7.5 Drum brakes for 17.5 wheels		
17310	Brakes	4S2M ABS Brakes		
17311	Hub / Drum	Steel hub-piloted - Cast drum - tapered spindle (per complete axle)		
17313	Tire & Wheel Size	For 36" deck height, select 17.5 wheels and tires		
08182	Wheels (inside)	6.75 x 17.5 8-hole steel disc wheel		4
15004	Wheels (outside)	6.75 x 17.5 8-hole polished (XP) aluminum wheel (per wheel) ILO Std 6.75 x 17.5 8-hole steel disc wheel	(96)	4
10058	Spare Wheel	No Spare Wheel		
18103	Tires	Continental 235/75R17.5 HTL2 - 18 ply (tire only) (per tire) ILO Std Continental 245/70R17.5 HTL2 - 18 ply	(544)	8
10059	Spare Tires	No spare tire		
17315	Flaps, Mud Guards & Fenders	Mudflaps		
17316	Lights / Electrical	Grote Electrical system (meets DOT regulations)		
17317	Lights / Electrical	LED lights		
17318	Lights / Electrical	Single Mid-turn signal w/ clearance lights X-O-X (whole trailer)		
17321	Lights / Electrical	One pair of 4" round quad flash amber strobes (with switch) at rear ILO 3rd tail light package		
17327	Flagholders	Flag Holders at rear of trailer		
08024	Paint	S7203 Black with white decals		
17866	Paint	Zinc-rich primer		

17227-Additional Options

Item #	Category	Description	Weight (lbs)	Qty
17716	Tie Downs	4-way key slots down the center of upperdeck ramp (Approx 48" OC) - Flush with decking		
61149	Lights / Electrical - Special	61149, TKHT, Swing out lights (4 light) 1 pair at rear. See 71940 for front of load deck.	32	
17330	Miscellaneous	Air Weigh system (per Advantage HT axle group) - read-out located on GN near hydraulic controls		
17299	Suspensions / Axles	PSI Tire Inflation System (2 axle)		
64719	Lights / Electrical - Special	64719 TK80HST Remote flasher with battery back-up, to go with unit that has strobe lights	40	
17322	Lights / Electrical	4-pole female electrical at rear, road side, wired to clearance light		
17323	Lights / Electrical	Recessed LED light bar in GN drop w/ switch		
71450	Paint / Decals - Special	71450 TKHT - Roll-on black non skid traction product, on the outside edge of both top flange,		

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.