

# HALE

## TRAILER

### BRAKE & WHEEL

## Hale Trailer Brake & Wheel

A012332-A012335

VINS: 69518-69521



### STEEL FRAMELESS HALF ROUND

**Cubic Yards**      **87**      **Weight**      **20818 lbs.**    \*\*\*

#### BODY

LOAD PROFILE	MATERIAL, 80K GVWR
LENGTH	40
WIDTH	102
BODY STYLE	FULL RADIUS HARDOX AR450
FLOOR	1/4 IN. FULL
FLOOR MATERIAL	HARDOX AR450F
BODY SEAMS	CHANNEL WRAPS FULL
VIBRATOR	NONE
WALL HEIGHT	100
TOP RAIL	5 1/2 IN. PIPE
TOP RAIL OPTION	3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT)
<b>3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT)</b>	
BOLSTER	(1) BOLSTER(s) 100" WH x 102" WIDE
<b>ADD SECOND BOLSTER BETWEEN SECOND BOLSTER AND REAR POCKET</b>	
REAR POCKET SLOPE	0
NO. OF INCHES TO EXTEND REAR POCKET	NONE
REAR SKIRTS	10 GA. STEEL OVER SUSPENSION, WELD-ON
FRONT SKIRTS	NONE
HOIST	8-5-265 - CUSTOM
REMOTE GREASE	NONE
BULKHEAD TYPE	FLAT SLOPE NOSE
BULKHEAD LADDER	NONE
BULKHEAD DOOR	NONE
SIDES STEPS D.S.	STEEL LADDERS AT FRONT AND REAR
SIDES STEPS C.S.	STEEL LADDER AT REAR
FOLD DOWN LADDERS D.S.	STEEL FOLD DOWN LADDER AT FRONT AND REAR
FOLD DOWN LADDERS C.S.	NONE
SHOVEL HANGER	NONE
FRONT CAB SHIELD	RECESSED CAB SHIELD

#### LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE - 3 LARGE - 3 LARGE
APRON	3/8 IN. X 4 IN. FULL LIGHT SHIELD
STD. MARKER LIGHTS	3 EACH SIDE
MID-TURNS	(1) PAIR L.E.D. (COMBO)
BACK-UP LIGHTS	NONE
AUXILIARY CABLE	7 WAY

BACK-UP LIGHT WIRE	NONE
REAR POCKET LIGHTS	PAIR OF SMALL (MODEL 30)

## GATE

GATE SHEET THICKNESS	3/16 IN. HARDOX AR450F
GATE OPERATION	MANUAL
HINGE TYPE	SIDE SWING ONLY
COAL DOOR	NONE
CHUTE	NONE
DOUBLE HANDLE DOOR	NONE
GATE BRACING	(9) PANEL
HALF ROUND ON GATE	NONE
ANGLE ON TOP OF GATE	NONE
SPREADER CHAINS	NONE
WINDERS / SAFETY LATCH	WINDERS (1) EACH SIDE (STEEL GATE)
TARP HOOKS	NONE

## PRIMARY AXLES

MODEL	CLOSED TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	WATSON 50,000 SINGLE POINT - (HD SERIES)
AXLE SPACING	50
SUB-FRAME	HIGH PEDESTAL
AXLES	77.5 IN., AXN 5/8 IN. WALL TP W/ 25K DRESSED LIGHTWEIGHT 3-LEAF 50K SINGLE POINT SUSPENSION & AXLES
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	NONE
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	GENERAL RA 11R 24.5 16 PLY
WHEELS	STEEL HP 24.5X8.25 - WHITE POWDER COATED
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE

## LIFT AXLES

NO. OF LIFT AXLES	0
LIFT AXLE SUSPENSION	NONE
LIFT KIT	NONE
LIFT AXLE DISTANCE	N/A
LIFT AXLE	NONE
LIFT AXLE BRAKES	NONE
LIFT AXLE CAM GUARDS	NONE
LIFT AXLE HUB AND DRUM	NONE
LIFT AXLE TIRES	NONE
LIFT AXLE WHEELS	NONE
LIFT AXLE CONTROLS	NONE
FREE WHEEL VALVE	NONE
LIFT AXLE TIRE INFLATION SYSTEM	NONE

## STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE

## CHASSIS

PIN SETTING	16
5TH WHEEL PLATE	BREAK-AWAY PIN
5TH WHEEL PLATE HEIGHT	49 IN. HIGH

GALVANIZED SUSPENSION HANGERS	NO
DRAFT ARM	3/8 ALUM
SUSPENSION CONTROL	NONE
ABS FOR TRAILER	(1) 4S2M MERITOR / WABCO
SLACKS	AUTOMATIC
CHROME TOP HATS	NONE
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBDOMETER	NONE
DUST COVERS	NONE
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 LB.) - 10 YEAR ALUMINUM - D.S.
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ FEMALE QUICK CONNECT (PARKER)
FLAPS FRONT OF TIRES	SHORT FLAP IN FRONT OF FRONT AXLE
FLAPS REAR OF TIRES	STANDARD REAR OF REAR TIRES
TOW / PINTLE HOOKS	NONE
BUMPER	NONE

### TARP

TARP MANUFACTURER	AERO EASY COVER FLIP TARP - MESH
TARP CONFIGURATION	NONE
TARP CONTROL	ELECTRIC
TARP COLOR	BLACK
BOW HOLDERS	NONE
TARP BRACKET	TARP CENTER BRACKET FOR FRONT TO BACK FLIP TARP

### PAINT

HANGERS	OTHER (NON GALVANIZED)
SUSPENSION COLOR	BLACK PAINT
DOLLIES	BLACK (931716)
HOIST COLOR	BLACK (931716)
5TH WHEEL PLATE COLOR	BLACK (931716)
BODY COLOR	BLACK
MAC LOGOS	MAC DECALS BLACK
OPTIONAL SIGNS	NONE

### ACCESSORIES

LOAD LEVEL INDICATOR	NONE
----------------------	------

#### DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.