



Hale Trailer Brake & Wheel A012346-A012355 VINS: 71098-71107

Alum Frameless Half RND

Cubic Yards 48 Weight 9505 lbs. ***

BODY	
LOAD PROFILE	MATERIAL, 80K GVWR
LENGTH	40 FT. (36 FT. 7 IN. FLOOR)
WIDTH	96 WIDE BODY, 102 WIDE AXLES
BODY STYLE	RADIUS BULKHEAD LOW PROFILE
FLOOR LINER	NONE
VIBRATOR	NONE
RUBBER SEAL	YES
AIR FAIRINGS	NONE
WALL HEIGHT	60
HOIST	8-5-265 - CUSTOM
BULKHEAD LADDER	BULKHEAD DOOR W/ 3/16 IN. BULKHEAD
SHOVEL HANGER	NONE
FRONT FENDERS WITH FLAPS	NONE
ALUMINUM ROLL CAP	11 IN. RISE ROLL
REAR ROLL CAP	NONE
FLOOR / SIDES	1/4 IN. FLOOR, 3/16 IN. SIDES
SIDE STEPS / LADDER	LADDER OUTSIDE D.S.
BULKHEAD LINER	NONE
TIRE CARRIER	(1) FACING FORWARD
REAR POCKET WIND DEFLECTORS	NONE

IGHTS		
LIGHT TYPE	GROTE L.E.D. W/ GROMMET	
LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE	
APRON	1/4 IN. X 6 IN. LIGHT APRON	
STD. MARKER LIGHTS	(5) EACH SIDE	
MID-TURNS	(1) PAIR L.E.D. (NON-COMBO)	
BACK-UP LIGHTS	(1) PAIR L.E.D. BACK-UP LIGHTS	
ADD SECOND 7WA	/ TO THE JUNCTION BOX	0.5
AUXILIARY CABLE	7 WAY (ISO)	
BACK-UP LIGHT WIRE	NONE	
REAR POCKET LIGHTS	1 PAIR	

GATE	
GATE SHEET THICKNESS	3/16 IN. SHEET & POST
GATE OPERATION	ELECTRIC THRU AUX. & BALL VALVE
HINGE TYPE	O. S. SWING D.S. W/ INPOCKET GROUND CONTROL
COAL DOOR	14 IN. STAINLESS HANDLE W/ GREASELESS BEARINGS

CHUTE	NONE
SPREADER CHAINS	NONE
WINDERS / SAFETY LATCH	WINDERS (1) EACH SIDE (45 DEG.)
TARP HOOKS	NONE
GATE LINER	NONE

PRIMARY AXLES	
MODEL	CLOSED TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	HEND. INTRAAX AAT-25K W/ HXL-5
AXLES	AXLE FOR INTRAAX ONLY
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN.
TIRES	GENERAL RA 11R 24.5 16 PLY
WHEELS	ALUMINUM HP 24.5X8.25 - ALL POLISHED (XP)
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE

PREPPED FOR TIRE INFLATION SYSTEM TIRE MAX PRO

LIFT AXLES	
NO. OF LIFT AXLES	0
LIFT AXLE SUSPENSION	NONE
LIFT KIT	NONE
LIFT AXLE	NONE
LIFT AXLE BRAKES	NONE
LIFT AXLE CAM GUARDS	NONE
LIFT AXLE HUB AND DRUM	NONE
LIFT AXLE TIRES	NONE
LIFT AXLE WHEELS	NONE
LIFT AXLE CONTROLS	NONE
FREE WHEEL VALVE	NONE
LIFT AXLE TIRE INFLATION SYSTEM	NONE

CHASSIS	
5TH WHEEL PLATE	BREAK-AWAY PIN @ 49 IN.
GALVANIZED SUSPENSION HANGERS	YES
SUSPENSION CONTROL	ELECTRIC THRU AUX. & BALL VALVE
ABS FOR TRAILER	(1) 4S2M MERITOR / WABCO
SLACKS	AUTOMATIC
CHROME TOP HATS	NONE
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST A450 - (62,500 lb.) - 10 YEAR NO LUBE - STEEL - D.S.
REGISTRATION HOLDER	TUBE TYPE HOLDER
AIR GAUGE / SYSTEM	YES, IN FRONT
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 120 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	FLAP IN FRONT OF FRONT AXLE
FLAPS REAR OF TIRES	FLAP BEHIND REAR AXLE

ARP		
TARP MANUFACTURER	NONE	
TARP CONFIGURATION	NONE	
TARP CONTROL	NONE	
TARP COLOR	NONE	
BOW HOLDERS	NONE	
TARP BRACKET	NONE	

PAINT	
HANGERS	GALVANIZED

SUSPENSION COLOR	BLACK SOFT COAT
DOLLIES	BLACK (931716)
HOIST COLOR	BLACK (931716)
5TH WHEEL PLATE COLOR	BLACK (931716)
PIN STRIPING	BLACK (931716)
MAC LOGOS	BLACK (930248)