

# HALE

## TRAILER

### BRAKE & WHEEL



A017146-A017150  
VIN: 76366-76370

#### SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Jacksonville, FL:	800-828-3055
Baltimore, MD:	888-601-7500	Little Rock, AR:	833-424-8944
Boston, MA:	800-854-5310	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Richmond, VA:	866-839-3495
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235

HaleTrailer.com | @haletrailer



**800-232-6535** \*FINANCING AVAILABLE

## CHIPPER

**Weight** 15824 lbs. \*\*\* **Cubic Yards** 100

### BODY

LOAD PROFILE	MATERIAL, 80K GVWR
LENGTH	45
WIDTH	102
DRIVE UNIT	KEITH, 25 SLAT 3-1/2 IN. CYLINDER (HEAVY DUTY)
FLOOR	KEITH 2190 (1975), 7/32 IN. (102 W)
ADD 24 INCH WEAR STRIPS TO END OF SLATS	
HYDRAULIC PIPE	STAINLESS STEEL HYDRAULIC PIPE
CROSSMEMBER TYPE	HEAVY FULL
CROSSMEMBER SPACING	5-1/4 IN. I-BEAMS, 12 O.C.
RUBBER SEAL	NONE
WALL HEIGHT	92
FRONT WALL THICKNESS	.062
ALL BLACK PREPAINTED PANELS	
MID WALL THICKNESS	.062
REAR WALL THICKNESS	.062
LAST SHEET AT REAR TO BE .125" THICKNESS	
FULL LID	NONE
TOP RAIL OPTION	STD TOP RAIL
STD TOP RAIL	
UPRIGHT SPACING	14 IN. 0.0
12" UPRIGHT SPACING 0.5	
ADDITIONAL UPRIGHTS AT FRONT	NO
BULKHEAD	.165
BULKHEAD STEPS	LADDER ONLY
FRONT FENDERS WITH FLAPS	NONE
BOTTOM RAIL	SQUARE NO CLEAN OUT
UPPER CROSS TUBES / ARCH	6
5 ROLLED GALV CROSS TUBES	
FRONT CAP	YES
REAR CAP	NO
TIRE CARRIER	(1) IN MIDDLE ONLY

### LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (SPLIT LIGHT PANEL) OOO ooo OOO
APRON	NONE

STD. MARKER LIGHTS	(5) EACH SIDE	0.0
	(5) PER SIDE TOP & BOTTOM PENNY LIGHTS.	1.0
MID-TURNS	(1) PAIR L.E.D. (COMBO)	
BACK-UP LIGHTS	(1) PAIR L.E.D. BACK UP LIGHTS	0.0
	ADD ONE PAIR OF WORKLIGHTS TO INSIDE FRONT. WIRE TO FRONT IN WATERPROOF SWITCH ON AUX	1.0
AUXILIARY CABLE	7 WAY (ISO)	
	B/U ON BLACK MAIN	
REAR POCKET LIGHTS	(1) PAIR	

**GATE**

GATE OPERATION	BI-FOLD	0.0
	QUAD LOCKS	1.0
GATE OPTIONS	SOLID .080	
	BLACK DURAPLATE	
HINGE TYPE	BARN DOORS SIDE SWING (ALUM.)	0.0
	S/S GATE HINGE WITH LIFT OFF PINS 3 HINGES PER GATE	0.5
SAFETY CHAIN	YES	
WINDERS / SAFETY LATCH	NONE	
GATE STEPS	NONE	
TARP HOOKS	NONE	

**PRIMARY AXLES**

MODEL	TRI-AXLE	
	INSTALL TABS ON FRONT AXLE FOR FUTURE LIFT	
NO. OF PRIMARY AXLES	3	
	PREP FOR TIRE INFLATION (DRILL AND PLUG ONLY)	
SUSPENSION	HEND. INTRAAX AA-250 TP - 25K (77.5)	
AXLE SPACING	49	
	60 INCH SPACING, CLOSEST SPACING HENDRICKSON OFFERS FOR 25K VANTRAAX	
SUB-FRAME	TRI-AXLE (ALUM T-BEAM)	
	USE HENDRICKSON TRI-AXLE VANTRAAX AIR RIDE SLIDER ASSEMBLY	
AXLES	AXLE FOR INTRAAX ONLY	
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS	
CAM GUARDS	HEND. INTRAAX	
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.	
TIRES	GOODYEAR MARATHON RSS 11R 22.5 16 PLY	
WHEELS	STEEL HP 22.5X8.25 - WHITE POWDER COATED	

**LIFT AXLES**

NO. OF LIFT AXLES	0	
LIFT AXLE SUSPENSION	NONE	
LIFT KIT	NONE	
LIFT AXLE DISTANCE	N/A	
LIFT AXLE	NONE	
LIFT AXLE BRAKES	NONE	
LIFT AXLE CAM GUARDS	NONE	
LIFT AXLE HUB AND DRUM	NONE	
LIFT AXLE TIRES	NONE	
LIFT AXLE WHEELS	NONE	
LIFT AXLE CONTROLS	NONE	
FREE WHEEL VALVE	NONE	

**STEERABLE LIFT AXLES**

NO. OF STEERABLE AXLES	0	
STEERABLE AXLE SUSPENSION	NONE	
STEERABLE AXLE LIFT KIT	NONE	
STEERABLE AXLE DISTANCE	N/A	
STEERABLE AXLES	NONE	
STEERABLE AXLE BRAKES	NONE	

STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE

## CHASSIS

PIN SETTING	36
5TH WHEEL PLATE	3/8 LOW PROFILE
5TH WHEEL PLATE HEIGHT	48 IN. HIGH
GALVANIZED SUSPENSION HANGERS	INCLUDED W/ SUSPENSION
SUSPENSION CONTROL	BALL VALVE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
TIRE INFLATION SYSTEM	NONE
AXLE LUBRICATION	5 YR. SYNTHETIC GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST A451 - (62,500 LB.) - 10 YEAR NO LUBE - STEEL - (REVERSE MOUNT) D.S.
REGISTRATION HOLDER	BETTS PS-1 W/ SIGHT GLASS (ROUND HOLDER)
AIR GAUGE / SYSTEM	YES, IN FRONT
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	12 IN. ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	NONE
FLAPS REAR OF TIRES	FLAP BEHIND REAR AXLE
BUMPER	D.O.T. BUMPER

## TARP

TARP MANUFACTURER	AERO KWIK LOCK - VINYL
ADDED (2) RIDGE POLES TO TARP.	
TARP CONTROL	MANUAL
TARP COLOR	BLACK
TARP BRACKET	NONE

## PAINT

SUSPENSION COLOR	BLACK SOFT COAT
PIN STRIPING	BLACK (931716)

### DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.  
Equipment availability, prices and specifications are subject to change without notice.