

HALE

TRAILER

BRAKE & WHEEL



A017151-A017153
VIN: 76363-76365

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Jacksonville, FL:	800-828-3055
Baltimore, MD:	888-601-7500	Little Rock, AR:	833-424-8944
Boston, MA:	800-854-5310	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Richmond, VA:	866-839-3495
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235

HaleTrailer.com | @haletrailer



800-232-6535 *FINANCING AVAILABLE

CHIPPER

Model # TNSP45FR920

Weight 13558 lbs. *** **Cubic Yards** 102

BODY

LOAD PROFILE	MATERIAL, 80K GVWR
LENGTH	44
WIDTH	102
DRIVE UNIT	KEITH, 25 SLAT 3-1/2 IN. CYLINDER (HEAVY DUTY)
FLOOR	KEITH 2190 (1975), 7/32 IN. (102 W)
ADD 24 INCH WEAR STRIPS TO END OF SLATS	
HYDRAULIC PIPE	STAINLESS STEEL HYDRAULIC PIPE
CROSSMEMBER TYPE	HEAVY FULL
CROSSMEMBER SPACING	5-1/4 IN. I-BEAMS, 12 O.C.
RUBBER SEAL	NONE
WALL HEIGHT	96
FRONT WALL THICKNESS	.062
ALL PREPAINTED BLACK PANELS	
MID WALL THICKNESS	.062
REAR WALL THICKNESS	.062
LAST SHEET AT REAR TO BE .125" THICKNESS	
FULL LID	NONE
TOP RAIL OPTION	STD TOP RAIL
STD TOP RAIL	
UPRIGHT SPACING	18 IN. 0.0
12" UPRIGHT SPACING 0.5	
ADDITIONAL UPRIGHTS AT FRONT	NO
BULKHEAD	.165
polished bulkhead	
BULKHEAD STEPS	LADDER ONLY
FRONT FENDERS WITH FLAPS	NONE
BOTTOM RAIL	SQUARE NO CLEAN OUT
UPPER CROSS TUBES / ARCH	6
5 ROLLED GALV CROSS TUBES	
FRONT CAP	YES 0.0
w 9 penny lights 0.5	
REAR CAP	YES 0.0
w 9 penny lights 0.5	
TIRE CARRIER	(1) IN MIDDLE ONLY

LIGHTS

LIGHT TYPE	TRUCKLITE L.E.D. W/ GROMMET
------------	-----------------------------

LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (SPLIT LIGHT PANEL) OOO ooo OOO	
APRON	NONE	
STD. MARKER LIGHTS	(5) EACH SIDE	
	(9) PER SIDE TOP & BOTTOM PENNY LIGHTS.	
MID-TURNS	(1) PAIR L.E.D. (COMBO)	
BACK-UP LIGHTS	(1) PAIR L.E.D. BACK UP LIGHTS	0.0
	ADD ONE PAIR OF WORKLIGHTS TO INSIDE FRONT. WIRE TO FRONT IN WATERPROOF SWITCH ON AUX	1.0
AUXILIARY CABLE	7 WAY (ISO)	
	B/U ON BLACK MAIN	
REAR POCKET LIGHTS	(1) PAIR	

GATE

GATE OPERATION	BI-FOLD	0.0
	QUAD LOCKS	2.0
GATE OPTIONS	SOLID .080	
	BLACK DURAPLATE	
HINGE TYPE	BARN DOORS SIDE SWING (ALUM.)	
	ADDED S/S GATE HINGE WITH LIFT OFF PINS 3 HINGES PER SIDE	
SAFETY CHAIN	YES	
WINDERS / SAFETY LATCH	NONE	
GATE STEPS	NONE	
TARP HOOKS	NONE	

PRIMARY AXLES

MODEL	CLOSED TANDEM
NO. OF PRIMARY AXLES	1
	PREP FOR FUTURE TIRE INFLATION (DRILL AND PLUG)
SUSPENSION	HEND. INTRAAX AA-250 TP - 25K (77.5)
AXLE SPACING	49
	30" ahead
SUB-FRAME	TANDEM (ALUM T-BEAM)
AXLES	AXLE FOR INTRAAX ONLY
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	GOODYEAR MARATHON RSS 11R 22.5 16 PLY
WHEELS	ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)

LIFT AXLES

NO. OF LIFT AXLES	1
LIFT AXLE SUSPENSION	HEND. INTRAAX AAL-25K (77.5)
LIFT KIT	HEND. UBL-001 (INTRAAX AAT)
LIFT AXLE DISTANCE	52
LIFT AXLE	AXLE FOR INTRAAX ONLY
LIFT AXLE BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
LIFT AXLE CAM GUARDS	HEND. INTRAAX
LIFT AXLE HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
LIFT AXLE TIRES	GOODYEAR MARATHON RSS 11R 22.5 16 PLY
LIFT AXLE WHEELS	ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)
LIFT AXLE CONTROLS	BALL VALVE NO/ REG.
FREE WHEEL VALVE	NONE

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE LIFT KIT	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE

STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE

CHASSIS

PIN SETTING	36
5TH WHEEL PLATE	3/8 LOW PROFILE
5TH WHEEL PLATE HEIGHT	48 IN. HIGH
GALVANIZED SUSPENSION HANGERS	INCLUDED W/ SUSPENSION
SUSPENSION CONTROL	BALL VALVE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
TIRE INFLATION SYSTEM	NONE
AXLE LUBRICATION	5 YR. SYNTHETIC GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST A451 - (62,500 LB.) - 10 YEAR NO LUBE - STEEL - (REVERSE MOUNT) D.S.
REGISTRATION HOLDER	BETTS PS-1 W/ SIGHT GLASS (ROUND HOLDER)
AIR GAUGE / SYSTEM	YES, IN FRONT
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	12 IN. ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	FULL RUBBER ACROSS FRONT OF FRONT AXLE
	57010130-57010747
FLAPS REAR OF TIRES	FULL RUBBER ACROSS REAR OF TRAILER
BUMPER	D.O.T. BUMPER

TARP

TARP MANUFACTURER	AERO KWIK LOCK - VINYL
	*** PRICING REQUIRED ***
TARP CONTROL	ELECTRIC
TARP COLOR	BLACK
TARP BRACKET	NONE

PAINT

SUSPENSION COLOR	BLACK SOFT COAT
PIN STRIPING	RED (930258)

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.