

# HALE

## TRAILER

### BRAKE & WHEEL



A017157-A017158  
VIN: 76361-76362

#### SALES | RENTALS | PARTS | SERVICE

<b>Allentown, PA:</b>	800-383-8894	<b>Jacksonville, FL:</b>	800-828-3055
<b>Baltimore, MD:</b>	888-601-7500	<b>Little Rock, AR:</b>	833-424-8944
<b>Boston, MA:</b>	800-854-5310	<b>Portland, ME:</b>	800-325-4253
<b>Concord, NC:</b>	800-438-2250	<b>Richmond, VA:</b>	866-839-3495
<b>Delmar, DE:</b>	866-486-1400	<b>Scranton, PA:</b>	800-569-1400
<b>Des Moines, IA:</b>	888-673-5011	<b>Springfield, MA:</b>	800-854-5306
<b>Elkton, MD:</b>	800-544-7127	<b>Voorhees, NJ:</b>	866-315-0235

HaleTrailer.com | @haletrailer     

**800-232-6535** \*FINANCING AVAILABLE

## CHIPPER

**Weight**      **14202 lbs.**    \*\*\*    **Cubic Yards**      **100**

### BODY

LOAD PROFILE	MATERIAL, 80K GVWR	
LENGTH	45	
WIDTH	102	
DRIVE UNIT	KEITH, 25 SLAT 3-1/2 IN. CYLINDER (HEAVY DUTY)	
FLOOR	KEITH 2190 (1975), 7/32 IN. (102 W)	
ADD 24 INCH WEAR STRIPS TO END OF SLATS		
HYDRAULIC PIPE	STAINLESS STEEL HYDRAULIC PIPE	
CROSSMEMBER TYPE	HEAVY FULL	
CROSSMEMBER SPACING	5-1/4 IN. I-BEAMS, 12 O.C.	
RUBBER SEAL	NONE	
WALL HEIGHT	92	
FRONT WALL THICKNESS	.062	
ALL PREPAINTED WHITE PANELS		
MID WALL THICKNESS	.062	
REAR WALL THICKNESS	.062	
LAST SHEET AT REAR TO BE .125" THICKNESS		
FULL LID	NONE	
TOP RAIL OPTION	STD TOP RAIL	
STD TOP RAIL		
UPRIGHT SPACING	14 IN.	0.0
12" UPRIGHT SPACING		0.5
ADDITIONAL UPRIGHTS AT FRONT	NO	
BULKHEAD	.165	
BULKHEAD STEPS	LADDER ONLY	
FRONT FENDERS WITH FLAPS	NONE	
BOTTOM RAIL	SQUARE NO CLEAN OUT	
UPPER CROSS TUBES / ARCH	6	
5 ROLLED GALV CROSS TUBES		
FRONT CAP	YES	
REAR CAP	NO	
TIRE CARRIER	(1) IN MIDDLE ONLY	

### LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (SPLIT LIGHT PANEL) OOO ooo OOO
APRON	NONE

STD. MARKER LIGHTS	(5) EACH SIDE	
	(5) PER SIDE TOP & BOTTOM PENNY LIGHTS.	
MID-TURNS	(1) PAIR L.E.D. (COMBO)	
BACK-UP LIGHTS	(1) PAIR L.E.D. BACK UP LIGHTS	0.0
	ADD ONE PAIR OF WORKLIGHTS TO INSIDE FRONT. WIRE TO FRONT IN WATERPROOF SWITCH ON AUX	1.0
AUXILIARY CABLE	7 WAY (ISO)	
	B/U ON BLACK MAIN	
REAR POCKET LIGHTS	(1) PAIR	

## GATE

GATE OPERATION	BI-FOLD	0.0
	QUAD LOCKS	2.0
GATE OPTIONS	SOLID .080	
	WHITE DURAPLATE	
HINGE TYPE	BARN DOORS SIDE SWING (ALUM.)	
	ADDED S/S GATE HINGE WITH LIFT OFF PINS 3 HINGES PER SIDE	
SAFETY CHAIN	YES	
WINDERS / SAFETY LATCH	NONE	
GATE STEPS	NONE	
TARP HOOKS	NONE	

## PRIMARY AXLES

MODEL	CLOSED TANDEM	
NO. OF PRIMARY AXLES	2	
	PREP FOR FUTURE TIRE INFLATION (DRILL AND PLUG)	
SUSPENSION	MAC FABBED GALVANIZED SINGLE LEAF TAN. (49)	
AXLE SPACING	49	
SUB-FRAME	TANDEM (ALUM T-BEAM)	
	USE HENDRICKSON VANTRAAX AIR RIDE SLIDER ASSEMBLY	
AXLES	77.5 IN. 5/8 IN. AXN TP W/ 25K	
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS	
CAM GUARDS	NONE	
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.	
TIRES	GOODYEAR MARATHON RSS 11R 22.5 16 PLY	
WHEELS	STEEL HP 22.5X8.25 - WHITE POWDER COATED	

## LIFT AXLES

NO. OF LIFT AXLES	0	
LIFT AXLE SUSPENSION	NONE	
LIFT KIT	NONE	
LIFT AXLE DISTANCE	N/A	
LIFT AXLE	NONE	
LIFT AXLE BRAKES	NONE	
LIFT AXLE CAM GUARDS	NONE	
LIFT AXLE HUB AND DRUM	NONE	
LIFT AXLE TIRES	NONE	
LIFT AXLE WHEELS	NONE	
LIFT AXLE CONTROLS	NONE	
FREE WHEEL VALVE	NONE	

## STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0	
STEERABLE AXLE SUSPENSION	NONE	
STEERABLE AXLE LIFT KIT	NONE	
STEERABLE AXLE DISTANCE	N/A	
STEERABLE AXLES	NONE	
STEERABLE AXLE BRAKES	NONE	
STEERABLE AXLE HUB AND DRUMS	NONE	
STEERABLE AXLE TIRES	NONE	
STEERABLE AXLE WHEELS	NONE	

STEERABLE AXLE CONTROLS NONE

## CHASSIS

PIN SETTING	36
5TH WHEEL PLATE	3/8 LOW PROFILE
5TH WHEEL PLATE HEIGHT	48 IN. HIGH
GALVANIZED SUSPENSION HANGERS	INCLUDED W/ SUSPENSION
SUSPENSION CONTROL	ELECTRIC THRU AUX. & BALL VALVE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
TIRE INFLATION SYSTEM	NONE
AXLE LUBRICATION	5 YR. SYNTHETIC GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JUST A451 - (62,500 LB.) - 10 YEAR NO LUBE - STEEL - (REVERSE MOUNT) D.S.
REGISTRATION HOLDER	BETTS PS-1 W/ SIGHT GLASS (ROUND HOLDER)
AIR GAUGE / SYSTEM	YES, IN FRONT
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	12 IN. ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	NONE
FLAPS REAR OF TIRES	FLAP BEHIND REAR AXLE
BUMPER	D.O.T. BUMPER

## TARP

TARP MANUFACTURER AERO KWIK LOCK - VINYL

ADDED (2) RIDGE POLES TO TARP.

TARP CONTROL	MANUAL
TARP COLOR	BLACK
TARP BRACKET	NONE

## PAINT

SUSPENSION COLOR	BLACK SOFT COAT
PIN STRIPING	BLACK (931716)

### DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.