

SERVICE

800-828-3055

833-424-8944

800-325-4253

866-839-3495

800-569-1400

800-854-5306

866-315-0235

AVAILABLE

(in)

STEEL FRAMELESS HALF ROUND

Model # TNSP40NF1000-2024

Weight 20204 lbs. *** Cubic Yards 87

LOAD PROFILE MATERIAL, 80K GWWR LENGTH 40 WIDTH 102 BODY STYLE FULL RADIUS HARDOX AR450 FLOOR 1/4 IN. FULL FLOOR MATERIAL HARDOX AR450F BODY SEAMS CHANNEL WRAPS FULL WIBRATOR NONE WALL HEIGHT 100 TOP RAIL 5 1/2 IN. PIPE TOP RAIL 5 1/2 IN. PIPE TOP RAIL OPTION 3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT) SX 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT) WIDEN BOLSTER (1) BOLSTER(s) 100° WH x 102° WIDE REAR POCKET SLOPE 0 NO. OF INCHES TO EXTEND REAR POCKET NONE REAR SKIRTS 10 GA. STEEL OVER SUSPENSION, WELD-ON FRONT SKIRTS NONE HOIST 8-5-265 - CUSTOM REMOST GREASE NONE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER NONE BULKHEAD LADDER NONE BULKHEAD LADDERS D.S. STEEL LADDERS AT FRONT AND REAR SIDES STEPS D.S. STEEL LADDERS	BODY	
WIDTH	LOAD PROFILE	MATERIAL, 80K GVWR
### BOOY STYLE FULL RADIUS HARDOX AR450 FLOOR 1/4 IN. FULL FLOOR MATERIAL HARDOX AR450F BODY SEAMS CHANNEL WRAPS FULL VIBRATOR NONE WALL HEIGHT 100 TOP RAIL 5 1/2 IN. PIPE BOLSTER (1) BOLSTER(s) 100" WH x 102" WIDE REAR POCKET SLOPE 0	LENGTH	40
FLOOR MATERIAL	WIDTH	102
FLOOR MATERIAL HARDOX AR450F BODY SEAMS CHANNEL WRAPS FULL VIBRATOR NONE WALL HEIGHT 100 TOP RAIL 5 1/2 IN. PIPE TOP RAIL 5 1/2 IN. PIPE TOP RAIL 0 5 1/2 IN. PIPE BOLSTER (1) BOLSTER(S) 100" WH x 102" WIDE REAR POCKET SLOPE 0 NO. OF INCHES TO EXTEND REAR POCKET NONE REAR SKIRTS 10 GA. STEEL OVER SUSPENSION, WELD-ON FRONT SKIRTS NONE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER NONE BULKHEAD DOOR NONE SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR FOLD DOWN LADDERS D.S. STEEL LADDER AT REAR FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE SHOVEL HANGER NONE SHOVEL HANGER NONE SHOVEL HANGER NONE	BODY STYLE	FULL RADIUS HARDOX AR450
BODY SEAMS CHANNEL WRAPS FULL VIBRATOR NONE WALL HEIGHT 100 TOP RAIL TOP RAIL TOP RAIL TOP RAIL ON SXXXXXXANGLE (ADD 2 1/4 IN. TO WALL HEIGHT) SXXXXXXANGLE (ADD 2 1/4 IN. TO WALL HEIGHT) BOLSTER (1) BOLSTER(s) 100" WH x 102" WIDE REAR POCKET SLOPE 0 NO. OF INCHES TO EXTEND REAR POCKET NONE REAR SKIRTS 10 GA. STEEL OVER SUSPENSION, WELD-ON FRONT SKIRTS NONE HOIST 8-5-265 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER BULKHEAD DOOR NONE SIDES STEPS C.S. STEEL LADDERS AT FRONT AND REAR FOLD DOWN LADDERS D.S. STEEL LADDER AT REAR FOLD DOWN LADDERS D.S. STEEL LADDER AT FRONT AND REAR FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE SHOVEL HANGER	FLOOR	1/4 IN. FULL
VIBRATOR NONE WALL HEIGHT 100 TOP RAIL TOP RAI	FLOOR MATERIAL	HARDOX AR450F
WALL HEIGHT 100 TOP RAIL 5 1/2 IN. PIPE TOP RAIL OPTION 3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT) \$\frac{3 \text{X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT)}}\$ BOLSTER (1) BOLSTER(s) 100" WH x 102" WIDE REAR POCKET SLOPE 0 NO. OF INCHES TO EXTEND REAR POCKET NONE REAR SKIRTS 10 GA. STEEL OVER SUSPENSION, WELD-ON FRONT SKIRTS NONE HOIST 8-5-265 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER NONE BULKHEAD DOOR NONE SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR SIDES STEPS C.S. STEEL LADDER AT REAR FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDER AT FRONT AND REAR FOLD DOWN LADDERS C.S. NONE	BODY SEAMS	CHANNEL WRAPS FULL
TOP RAIL TOP RAIL OPTION 3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT) BOLSTER (1) BOLSTER(s) 100" WH x 102" WIDE REAR POCKET SLOPE 0 NO. OF INCHES TO EXTEND REAR POCKET NONE REAR SKIRTS 10 GA. STEEL OVER SUSPENSION, WELD-ON FRONT SKIRTS NONE HOIST 8-5-265 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER BULKHEAD LADDER BULKHEAD DOOR SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR FOLD DOWN LADDERS D.S. STEEL LADDER AT REAR FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE SHOVEL HANGER NONE	VIBRATOR	NONE
TOP RAIL OPTION 3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT) BOLSTER (1) BOLSTER(s) 100" WH x 102" WIDE REAR POCKET SLOPE 0 NO. OF INCHES TO EXTEND REAR POCKET NONE REAR SKIRTS 10 GA. STEEL OVER SUSPENSION, WELD-ON FRONT SKIRTS NONE HOIST 8-5-265 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER BULKHEAD DOOR NONE SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR FOLD DOWN LADDERS D.S. STEEL LADDER AT FRONT AND REAR FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE SHOVEL HANGER NONE	WALL HEIGHT	100
BOLSTER (1) BOLSTER(s) 100" WH x 102" WIDE REAR POCKET SLOPE 0 NO. OF INCHES TO EXTEND REAR POCKET NONE REAR SKIRTS 10 GA. STEEL OVER SUSPENSION, WELD-ON FRONT SKIRTS NONE HOIST 8-5-265 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER NONE BULKHEAD DOOR NONE SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDER AT FRONT AND REAR FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE	TOP RAIL	5 1/2 IN. PIPE
BOLSTER (1) BOLSTER(s) 100" WH x 102" WIDE REAR POCKET SLOPE 0 NO. OF INCHES TO EXTEND REAR POCKET NONE REAR SKIRTS 10 GA. STEEL OVER SUSPENSION, WELD-ON FRONT SKIRTS NONE HOIST 8-5-265 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER NONE BULKHEAD DOOR NONE SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR SIDES STEPS C.S. STEEL LADDER AT REAR FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDER AT FRONT AND REAR FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE	TOP RAIL OPTION	3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT)
REAR POCKET SLOPE 0 NO. OF INCHES TO EXTEND REAR POCKET NONE REAR SKIRTS 10 GA. STEEL OVER SUSPENSION, WELD-ON FRONT SKIRTS NONE HOIST 8-5-265 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER NONE BULKHEAD DOOR NONE SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR SIDES STEPS C.S. STEEL LADDER AT REAR FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDER AT FRONT AND REAR SHOVEL HANGER NONE SHOVEL HANGER	3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN.	TO WALL HEIGHT)
NO. OF INCHES TO EXTEND REAR POCKET REAR SKIRTS 10 GA. STEEL OVER SUSPENSION, WELD-ON FRONT SKIRTS NONE HOIST 8-5-265 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER NONE BULKHEAD DOOR NONE SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDER AT FRONT AND REAR FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE	BOLSTER	(1) BOLSTER(s) 100" WH x 102" WIDE
REAR SKIRTS 10 GA. STEEL OVER SUSPENSION, WELD-ON FRONT SKIRTS NONE HOIST 8-5-265 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER NONE BULKHEAD DOOR NONE SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR SIDES STEPS C.S. STEEL LADDER AT REAR FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE	REAR POCKET SLOPE	0
FRONT SKIRTS NONE 8-5-265 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER NONE BULKHEAD DOOR NONE SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR SIDES STEPS C.S. STEEL LADDER AT REAR FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE	NO. OF INCHES TO EXTEND REAR POCKET	NONE
HOIST REMOTE GREASE NONE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER NONE BULKHEAD DOOR NONE SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR SIDES STEPS C.S. STEEL LADDER AT REAR FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE	REAR SKIRTS	10 GA. STEEL OVER SUSPENSION, WELD-ON
REMOTE GREASE BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER NONE BULKHEAD DOOR NONE SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR SIDES STEPS C.S. STEEL LADDER AT REAR FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE	FRONT SKIRTS	NONE
BULKHEAD TYPE FLAT SLOPE NOSE BULKHEAD LADDER NONE BULKHEAD DOOR NONE SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR SIDES STEPS C.S. STEEL LADDER AT REAR FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDER AT FRONT AND REAR FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE	HOIST	8-5-265 - CUSTOM
BULKHEAD LADDER NONE BULKHEAD DOOR NONE SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR SIDES STEPS C.S. STEEL LADDER AT REAR FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDER AT FRONT AND REAR FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE	REMOTE GREASE	NONE
BULKHEAD DOOR NONE SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR SIDES STEPS C.S. STEEL LADDER AT REAR FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDER AT FRONT AND REAR FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE	BULKHEAD TYPE	FLAT SLOPE NOSE
SIDES STEPS D.S. STEEL LADDERS AT FRONT AND REAR SIDES STEPS C.S. STEEL LADDER AT REAR FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE	BULKHEAD LADDER	NONE
SIDES STEPS C.S. STEEL LADDER AT REAR FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDER AT FRONT AND REAR FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE	BULKHEAD DOOR	NONE
FOLD DOWN LADDERS D.S. STEEL FOLD DOWN LADDER AT FRONT AND REAR FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE	SIDES STEPS D.S.	STEEL LADDERS AT FRONT AND REAR
FOLD DOWN LADDERS C.S. NONE SHOVEL HANGER NONE	SIDES STEPS C.S.	STEEL LADDER AT REAR
SHOVEL HANGER NONE	FOLD DOWN LADDERS D.S.	STEEL FOLD DOWN LADDER AT FRONT AND REAR
	FOLD DOWN LADDERS C.S.	NONE
FRONT CAB SHIELD RECESSED CAB SHIELD	SHOVEL HANGER	NONE
The state of the s	FRONT CAB SHIELD	RECESSED CAB SHIELD

.IGHTS	
LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE - 3 LARGE
APRON	3/8 IN. X 4 IN. FULL LIGHT SHIELD
STD. MARKER LIGHTS	3 EACH SIDE
MID-TURNS	(1) PAIR L.E.D. (COMBO)
BACK-UP LIGHTS	NONE
AUXILIARY CABLE	7 WAY
BACK-UP LIGHT WIRE	NONE
REAR POCKET LIGHTS	PAIR OF SMALL (MODEL 30)

GATE	
GATE SHEET THICKNESS	3/16 IN. HARDOX AR450F
GATE OPERATION	MANUAL
HINGE TYPE	SIDE SWING ONLY
COAL DOOR	NONE
CHUTE	NONE
DOUBLE HANDLE DOOR	NONE
GATE BRACING	(9) PANEL
HALF ROUND ON GATE	NONE
ANGLE ON TOP OF GATE	NONE
SPREADER CHAINS	NONE
WINDERS / SAFETY LATCH	WINDERS (1) EACH SIDE (STEEL GATE)
TARP HOOKS	NONE

DIMARY AVIEC	
MODEL	CLOSED TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	WATSON 50,000 SINGLE POINT - (HD SERIES)
AXLE SPACING	50
SUB-FRAME	HIGH PEDESTAL
AXLES	77.5 IN., AXN 5/8 IN. WALL TP W/ 25K
DRESSED LIGHTWEIGHT 3-L	EAF 50K SINGLE POINT SUSPENSION & AXLES
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	NONE
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	CONTINENTAL HSR2 11R 24.5 16 PLY
WHEELS	STEEL HP 24.5X8.25 - WHITE POWDER COATED

LIFT AXLES		
NO. OF LIFT AXLES	0	
LIFT AXLE SUSPENSION	NONE	
LIFT KIT	NONE	
LIFT AXLE DISTANCE	N/A	
LIFT AXLE	NONE	
LIFT AXLE BRAKES	NONE	
LIFT AXLE CAM GUARDS	NONE	
LIFT AXLE HUB AND DRUM	NONE	
LIFT AXLE TIRES	NONE	
LIFT AXLE WHEELS	NONE	
LIFT AXLE CONTROLS	NONE	
FREE WHEEL VALVE	NONE	
LIFT AXLE TIRE INFLATION SYSTEM	NONE	

STEERABLE LIFT AXLES		
NO. OF STEERABLE AXLES	0	
STEERABLE AXLE SUSPENSION	NONE	
STEERABLE AXLE DISTANCE	N/A	
STEERABLE AXLES	NONE	
STEERABLE AXLE BRAKES	NONE	
STEERABLE AXLE HUB AND DRUMS	NONE	
STEERABLE AXLE TIRES	NONE	
STEERABLE AXLE WHEELS	NONE	
STEERABLE AXLE CONTROLS	NONE	

CHASSIS	
PIN SETTING	16
5TH WHEEL PLATE	BREAK-AWAY PIN
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
GALVANIZED SUSPENSION HANGERS	NO
DRAFT ARM	3/8 ALUM

SUSPENSION CONTROL	NONE
ABS FOR TRAILER	(1) 4S2M MERITOR / WABCO
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 LB.) - 10 YEAR ALUMINUM - D.S.
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ FEMALE QUICK CONNECT (PARKER)
FLAPS FRONT OF TIRES	SHORT FLAP IN FRONT OF FRONT AXLE
FLAPS REAR OF TIRES	STANDARD REAR OF REAR TIRES
TOW / PINTLE HOOKS	NONE
BUMPER	NONE

TARP	
TARP MANUFACTURER	AERO EASY COVER FLIP TARP - MESH
TARP CONFIGURATION	NONE
TARP CONTROL	ELECTRIC
TARP COLOR	BLACK
BOW HOLDERS	NONE
TARP BRACKET	TARP CENTER BRACKET FOR FRONT TO BACK FLIP TARP
MOTOR	NONE

OTHER (NON GALVANIZED)
BLACK PAINT
BLACK (931716)
BLACK (931716)
BLACK (931716)
BLACK
MAC DECALS BLACK
NONE

ACCESSORIES			
LOAD LEVEL INDICATOR	NONE		