	SALES	RENTALS	PARTS	SERVICE	
	Allentown, PA:	800-383-8894	Jacksonville, FL:	800-828-3055	
	Baltimore, MD:	888-601-7500	Little Rock, AR:	833-424-8944	
TRAILER	Boston, MA:	800-854-5310	Portland, ME:	800-325-4253	
BRAKE & WHEEL	Concord, NC:	800-438-2250	Richmond, VA:	866-839-3495	
	Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400	
EAST A019357-A019360 VIN: 86601-86604	Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306	
	Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235	
	800-232	2-6535 *	FINANCING	AVAILABLE	
ALUMINUM "BST" PLATFORM TRAILER					

LENGTH:	48' - 21" BEAM	SUSPENSION:	AAT25K/E2-L-LIFT (FRONT LIFT) W/ 'K' BRACING	
WIDTH:	102"		GALVANIZED HANGERS & SOFTCOAT PAINT	
NOSE:	SQUARE + EXTRA ISO 7 WAY PLUG (1)(3) LOWERING KIT:	AUTOMATIC	
		AXLE TO AXLE:	121"	
KING PIN SETTING:	30" W/ 5/16" STEEL-NO ACCESS HOLES	AXLE TO REAR:	30"	
FLOOR:	KNURLEDALUMINUM	LIFT / AXLE:	N/A	
	3 NAILERS	SPACING:	N/A	
	INTEGRATED SIDE RAIL	F.W. HEIGHT:	49"	
XMEMBER SPACING:	16"	CONTROLS:	CONTROLS: FRAME SWITCH & ELEC CC WIRED TO AUX.	
COIL PACKAGE:	YES (CENTER)- 8 PCS BAR INSERTS	AXLES:	AXLES: TP	
SPOOLS:	DOUBLE		23,000 GAWR	
POCKETS:	HD FRONT TO ACCEPT AERO BH-SEE D	WG AUTO SLACKS:	AUTO SLACKS: MERITOR	
ROPE HOOKS:	NONE	BRAKES:	16 1/2" X 7"	
		ABS SYSTEM:	4S/2M (SENSOR ALL)	
TIE DOWNS:	10 PR J-HOOKS & 2 STORAGE PIPES @ D/S LO	G		
MARKER LIGHTS:	LED - 6 PR EACH SIDE ON RAIL	HUBS:	10 STUD LW STEEL	
MID TURN SIGNAL:	LED- COMBO MARKER / MMTS BELOW R	AIL DRUMS:	LWBD	
		WHEELS:	8.25 X 22.5 4HP / 4 MP	
LIGHT PANEL:	LED - 9 LIGHTS (OOO 000 OOO) 1/2 STEPS ON REAR			
	FULL WIDTH BUMPER	TIRES:	11R 22.5 R196A 14 PLY BRIDGESTONE	
BULKHEAD: TY	NONE PE:	LANDING GEAR:	JOST AX150 ALUMILIGHT D/S CRANK FORWARD BRACING (2)	
HEIG	HT:	TIRE CARRIER:	BRACKETS ONLY - P/S ACCESS MID TRAILER	
RETUR	NS:	TOOLBOX: QTY:	ONE-AERO EXTREME 1/8"	
MA	T'L:	SIZE:	24" X 24" X 60"	
ACCENT TAPE:	EAST BLACK	LOCATION:	D/S-BETWEEN AXLES	
PAINT:	EAST BLACK SOFT COAT BLACK ON SUSPENSION	MAT'L:	AERO DOUBLE DOOR-SMOOTH ALUM	
WINCH TRACK:	STANDARD INTEGRATED RAIL	MUDFLAPS:	STD	
		TYPE:	SILVER PLASTIC	
LOCATION:		LOCATION:	REAR	
WINCHES:	12 - EA. STEEL SLIDING - D/S			
WINCH CLIPS:	12 - EA. SLIDING CLIPS - P/S			
STRAPS:	NONE			

REMARKS: PRICE SUBJECT TO CHANGE 12 WEEKS RPIOR TO ESTIMATED BUILD TIME

WEIGHT: +/-3%:

9737

1. EXTRA ISO 7 WAY PLUG WIRED TO JUNCTION BOX D/S INSIDE FRAME IN FRONT OF MOST FORWARD AXLE.

2. TRUCKLITE REGISTRATION HOLDER D/S @ LANDING GEAR

3. WIRING BACK 3" FROM INSIDE NOSE - SEE PICTURE


4. DUNNAGE RACK 8' 3" (090-30200-02) LOCATED D/S AHEAD OF SUSPENSION - PIC BELOW

5. PREP FOR FUTURE TIRE MAAX PRO INFLATION SYSTEM ON BOTH AXLES.

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.


Equipment availability, prices and specifications are subject to change without notice.



ELECTRICAL HARNESS TO BE BELOW OR ABOVE 1/2" HOLE



i.



WIRING HARNESS TO BE LOCATED 3" REARWARD OF INSIDE 90 DEGREE ANGLE (STANDARD LOCATION OF HARNESS) ALL THE WAY ACROSS THE FRONT OF THE TRAILER

