

HALE

TRAILER

BRAKE & WHEEL



A019670-A019679
VIN: 81381-81390

SALES | RENTALS | PARTS | SERVICE

| | | | |
|-----------------|--------------|-------------------|--------------|
| Allentown, PA: | 800-383-8894 | Jacksonville, FL: | 800-828-3055 |
| Baltimore, MD: | 888-601-7500 | Little Rock, AR: | 833-424-8944 |
| Boston, MA: | 800-854-5310 | Portland, ME: | 800-325-4253 |
| Concord, NC: | 800-438-2250 | Richmond, VA: | 866-839-3495 |
| Delmar, DE: | 866-486-1400 | Scranton, PA: | 800-569-1400 |
| Des Moines, IA: | 888-673-5011 | Springfield, MA: | 800-854-5306 |
| Elkton, MD: | 800-544-7127 | Voorhees, NJ: | 866-315-0235 |

HaleTrailer.com | @haletrailer     

800-232-6535 *FINANCING AVAILABLE

FRAMELESS MVP SS

Model # TNAR39NF600-2025

Weight **10802 lbs.** *** **Cubic Yards** **55**

BODY

| | |
|--------------------------|--|
| LOAD PROFILE | MATERIAL, 80K GVWR |
| LENGTH | 39 |
| WIDTH | 96 |
| FLOOR | 1/4 IN. FULL |
| CROSSMEMBER SPACING | 12 IN. |
| SIDE PLACEMENT | OUTSET SMOOTH SIDE PANEL |
| FLOOR LINER | NONE |
| VIBRATOR | NONE |
| RUBBER SEAL | YES |
| AIR FAIRINGS | NONE |
| WALL HEIGHT | 60 |
| WALL THICKNESS | 67% STANDARD 1.5" PANELS - .150" WALL & 33% - HEAVY 1.5" PANELS - .175" WALL |
| WALL LINER | NONE |
| TOP RAIL OPTION | SOLID |
| SOLID | |
| REAR POCKET SLOPE | 2.75 |
| HOIST | 8-5-265 - CUSTOM |
| REMOTE GREASE | NONE |
| BULKHEAD | 3/16 IN. |
| BULKHEAD TYPE | RADIUS CORNERS |
| BULKHEAD DOOR | BULKHEAD DOOR D.S. |
| BULKHEAD SLOPE PLATES | NONE |
| LOWER BULKHEAD WRAP | NO |
| BULKHEAD STEPS | NONE |
| SIDES STEPS D.S. | LAST OUTSIDE ONLY |
| SIDES STEPS C.S. | NONE |
| SHOVEL HANGER | NONE |
| FRONT FENDERS WITH FLAPS | NONE |
| ALUMINUM ROLL CAP | 8 IN. RISE ROLL |

LIGHTS

| | |
|--------------------|--|
| LIGHT TYPE | GROTE L.E.D. W/ GROMMET |
| LIGHT PANEL | 3 LARGE-3 SMALL-3 LARGE (FULL LIGHT PANEL) OOO ooo OOO |
| APRON | 1/4 IN. X 6 IN. LIGHT APRON |
| STD. MARKER LIGHTS | (5) EACH SIDE |
| MID-TURNS | (1) PAIR L.E.D. (NON-COMBO) |
| BACK-UP LIGHTS | (1) PAIR L.E.D. BACK-UP LIGHTS |

| | |
|---------------------------|------------------------|
| AUXILIARY CABLE | 7 WAY (ISO) |
| PLACE IN THE JUNCTION BOX | |
| BACK-UP LIGHT WIRE | AUXILIARY (BLACK WIRE) |
| REAR POCKET LIGHTS | 1 PAIR |

GATE

| | |
|------------------------|---|
| GATE SHEET THICKNESS | VERTICAL PANELS |
| GATE OPERATION | ELECTRIC THRU AUX. & BALL VALVE |
| HINGE TYPE | O. S. SWING D.S. W/ INPOCKET GROUND CONTROL |
| COAL DOOR | 14 IN. STAINLESS HANDLE |
| CHUTE | NONE |
| DOUBLE HANDLE DOOR | NONE |
| GATE BRACING | NO BRACING (SMOOTH SIDE PANELS) |
| HALF ROUND ON GATE | NONE |
| ANGLE ON TOP OF GATE | NONE |
| SPREADER CHAINS | NONE |
| WINDERS / SAFETY LATCH | WINDERS (1) EACH SIDE |
| TARP HOOKS | NONE |
| GATE LINER | NONE |

PRIMARY AXLES

| | |
|---|--|
| MODEL | TANDEM |
| NO. OF PRIMARY AXLES | 2 |
| SUSPENSION | HEND. INTRAAX AAT-25K W/ HXL-5 |
| ADD RESTRAINING STRAPS TO FRONT AXLE SHOCKS | |
| AXLE SPACING | 52 |
| SUB-FRAME | WIDE I-BEAM (17 IN.) |
| AXLES | AXLE FOR INTRAAX ONLY |
| BRAKES | 7 IN. XL, W/ 30-30 CHAMBERS |
| CAM GUARDS | HEND. INTRAAX |
| HUB AND DRUM | CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. |
| TIRES | GOODYEAR MARATHON RSS 11R 24.5 16 PLY |
| WHEELS | ALUMINUM HP 24.5X8.25 - ALL POLISHED (XP) |
| PRIMARY AXLE TIRE INFLATION SYSTEM | NONE |

PREP FOR TIRE MAX PRO TIRE INFLATION SYSTEM - REMOVE ¼" AIRLINE COILS FROM AXLE AND PLUG. SHIP LOOSE THE AIRLINE AND AIR FITTINGS

LIFT AXLES

| | |
|---------------------------------|------|
| NO. OF LIFT AXLES | 0 |
| LIFT AXLE SUSPENSION | NONE |
| LIFT KIT | NONE |
| LIFT AXLE DISTANCE | N/A |
| LIFT AXLE | NONE |
| LIFT AXLE BRAKES | NONE |
| LIFT AXLE CAM GUARDS | NONE |
| LIFT AXLE HUB AND DRUM | NONE |
| LIFT AXLE TIRES | NONE |
| LIFT AXLE WHEELS | NONE |
| LIFT AXLE CONTROLS | NONE |
| FREE WHEEL VALVE | NONE |
| LIFT AXLE TIRE INFLATION SYSTEM | NONE |

STEERABLE LIFT AXLES

| | |
|------------------------------|------|
| NO. OF STEERABLE AXLES | 0 |
| STEERABLE AXLE SUSPENSION | NONE |
| STEERABLE AXLE DISTANCE | N/A |
| STEERABLE AXLES | NONE |
| STEERABLE AXLE BRAKES | NONE |
| STEERABLE AXLE HUB AND DRUMS | NONE |
| STEERABLE AXLE TIRES | NONE |
| STEERABLE AXLE WHEELS | NONE |
| STEERABLE AXLE CONTROLS | NONE |

CHASSIS

| | |
|---------------------------------------|---|
| PIN SETTING | 16 |
| 5TH WHEEL PLATE | BREAK-AWAY PIN |
| 5TH WHEEL PLATE HEIGHT | 49 IN. HIGH |
| TRACTOR DRIVE MODEL | TANDEM DRIVE |
| GALVANIZED SUSPENSION HANGERS | YES |
| DRAFT ARM | 3/8 ALUM |
| SUSPENSION CONTROL | ELECTRIC THRU AUX. & BALL VALVE |
| ABS FOR TRAILER | (1) 4S2M MERITOR / WABCO |
| SLACKS | AUTOMATIC |
| AXLE LUBRICATION | HXL, SYNTHETIC SEMI-FLUID GREASE |
| HUBODOMETER | NONE |
| DUST COVERS | NONE |
| TIRE CARRIER(S) | (1) FACING FORWARD |
| DOLLIES - LANDING GEAR - LANDING LEGS | JUST A450 - (62,500 LB.) - 10 YEAR NO LUBE - STEEL - D.S. |
| REGISTRATION HOLDER | TUBE TYPE HOLDER |
| AIR GAUGE / SYSTEM | YES, IN FRONT |
| ENCLOSURE FOR SWITCHES | NONE |
| AIR TANKS | ALUMINUM TANK |
| HYDRAULIC HOSE FITTING | 1 IN. X 108 IN. HOSE W/ WING FITTING |
| FLAPS FRONT OF TIRES | FLAP IN FRONT OF FRONT AXLE |
| FLAPS REAR OF TIRES | FLAP BEHIND REAR AXLE |
| TOW HOOKS | NONE |

TARP

| | |
|-------------------|------|
| TARP MANUFACTURER | NONE |
| TARP CONTROL | NONE |
| TARP COLOR | NONE |
| BOW HOLDERS | NONE |
| TARP BRACKET | NONE |

PAINT

| | |
|--------------------------|-----------------|
| HANGERS | GALVANIZED |
| SUSPENSION COLOR | BLACK SOFT COAT |
| DOLLIES | BLACK (931716) |
| HOIST COLOR | BLACK (931716) |
| 5TH WHEEL PLATE COLOR | BLACK (931716) |
| PIN STRIPING | BLACK (931716) |
| MAC MACHINE FINISH LOGOS | BLACK (931716) |
| OPTIONAL SIGNS | NONE |

ACCESSORIES

| | |
|---|------|
| NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION) | NONE |
| TOW MOTOR PACKAGE | NONE |
| COIL RACK ANGLES | NONE |
| LOAD LEVEL INDICATOR | NONE |
| 3-1/2 IN. ANGLES UNDER RAIL | NONE |

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.