



A019771-A019773 VIN: 79947-79949

SALES | RENTALS | PARTS | SERVICE

 Allentown, PA:
 800-383-8894
 Jacksonville, FL:
 800-828-3055

 Baltimore, MD:
 888-601-7500
 Little Rock, AR:
 833-424-8944

 Boston, MA:
 800-854-5310
 Portland, ME:
 800-325-4253

 Concord, NC:
 800-438-2250
 Richmond, VA:
 866-839-3495

 Delmar, DE:
 866-486-1400
 Scranton, PA:
 800-569-1400

 Des Moines, IA:
 888-673-5011
 Springfield, MA:
 800-854-5306

 Elkton, MD:
 800-544-7127
 Voorhees, NJ:
 866-315-0235

HaleTrailer.com | @haletrailer f 😉 🛅

800-232-6535 *FINANCING AVAILABLE

DROP DECK

Model # TRAR53AA0-2025

Weight 12499 lbs. *** Cubic Yards 0

BODY		
FRAME RAIL M	ODEL	27" BEAM WITH 2 1/2 INCH ARCH
	PREP FOR FUTURE RAMPS	
LOAD PROFILE		MATERIAL, 80K GVWR
	100K	
LENGTH	-	53
WIDTH		102
NECK STYLE		SQUARE FRONT
UPPER DECK LENGTH		11 FT.
UPPER DECK	CROSSMEMBER SPACING	18 IN. NOMINAL SPACING
BULKHEAD		NONE
SPOOLS AND F	POCKETS	DOUBLE SPOOLS W/ POCKETS
NAILERS		2 NAILERS ON OUTSIDE
LOWER DECK CROSSMEMBER SPACING		12 IN. ON CENTER
NO. OF STUB O	CROSSMEMBERS (COIL)	6
(1) FULL WIDTH CROSSMEMBER AT REAR (R EAR LOADING)		NONE
REAR FLOOR, THRESHOLD PLATE (REAR LOADING)		NONE
OUTER PERIM	ETER SUPPORTS	KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR
		CROSSMEMBER AS NEEDED)
NO. OF ADDITIONAL 21 IN. KNEE BRACES		NONE
NO. OF ADDITIONAL TUBULAR CROSSMEMBERS W/J-FRAME CROSSMEMBERS		NONE
SIDE RAIL WINCH TRACK		DBL. ENTRY T.D. OUT, BOLT ON LL TRACK D.S. BAR C.S.
REAR END STYLE		REAR AND FULL REAR, SMOOTH NO FLAPS (19.5 AND 17.5)
STAINLESS ON REAR END		NONE
EXTREME DUTY BUMPER		NO
REINFORCEMENTS		
DOCK BUMPER	RS	(2) 16 IN. OUTSIDE

LIGHTS	
LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	4 LARGE - 3 SMALL 2 3/4 IN 4 LARGE OOOO 000 OOOO
STROBE LIGHTS	YES, AMBER
STROBE LIGHT LOCATION	OUTSIDE OF CENTER CLUSTER
STROBE LIGHT CONTROLS	TOGGLE AT REAR
STD. MARKER LIGHTS	11 EACH SIDE
3/4 IN. PENNY LIGHT MARKER LIGHTS	NONE
MARKER LIGHT LOCATION	STD.

MID-TURNS	(I) PAIR OPEN
WIDE TURN DIRECTIONAL LIGHTS	NONE
BACK-UP LIGHTS	NONE
BACK-UP LIGHT LOCATION	NONE
AUXILIARY CABLE	NONE
PAIRS OF WIDE LOAD LIGHTS	NONE
REAR AUXILIARY PLUG	NONE
RIMARY AXLES	
MODEL	TRI-AXLE
NO. OF PRIMARY AXLES	3
SUSPENSION	HEND. HT 250 US (17.5 IN. TIRES)
NO. OF LIFT KITS	2
PRIMARY AXLE LIFT KIT	HEND. UBL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES
THIS ATT TOLL EN THE	FREE WHEEL VALVE & ATLAS VALVE
CENTER AND REAR AXLE LIFT	THE WILL THE TOTAL OF THE TOTAL
SUSPENSION SLIDER	NONE
AXLE SPACING	61
AXLE SETTING	NOTE ALL AXLE SETTINGS
CA LEGAL	
AXLES	AXLE FOR 17.5 TIRES & RIMS
LIFT CONTROLS	BALL VALVE (NO / REG.)
BRAKES	7 IN. X 12 1/4 IN. FOR 17.5 TIRES
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	
	CAST W/ STEEL HUB HP 8 STUD TP, LS, 7 IN. FOR 17.5 TIRES
TIRES	CONTINENTAL HTL2 ECO PLUS 245/70R 17.5 18 PLY
WHEELS	ALUMINUM HP 17.5X6.75 - ALL POLISHED (XP)
PRIMARY AXLE TIRE INFLATION SYSTEM	HENDRICKSON SYSTEM (TIREMAAX PRO)
TEERABLE LIFT AXLES NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
CTEEDADI E AVI E DICTANCE	NI/A
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS	NONE NONE
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS	NONE NONE
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS	NONE NONE
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS	NONE NONE
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS	NONE NONE NONE NONE
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING	NONE NONE NONE NONE MOVED TO BODY 18
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE HEIGHT	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE HEIGHT	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH 35 IN. 17.5 TIRES
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION	NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH 35 IN. 17.5 TIRES BALL VALVE (FULL SUSPENSION DUMP) FRONT ONLY
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH 35 IN. 17.5 TIRES BALL VALVE (FULL SUSPENSION DUMP) FRONT ONLY (1) 4S2M MERITOR / WABCO
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH 35 IN. 17.5 TIRES BALL VALVE (FULL SUSPENSION DUMP) FRONT ONLY (1) 4S2M MERITOR / WABCO AUTOMATIC
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION	NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH 35 IN. 17.5 TIRES BALL VALVE (FULL SUSPENSION DUMP) FRONT ONLY (1) 4S2M MERITOR / WABCO AUTOMATIC OIL
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER	NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH 35 IN. 17.5 TIRES BALL VALVE (FULL SUSPENSION DUMP) FRONT ONLY (1) 4S2M MERITOR / WABCO AUTOMATIC OIL NONE
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH 35 IN. 17.5 TIRES BALL VALVE (FULL SUSPENSION DUMP) FRONT ONLY (1) 4S2M MERITOR / WABCO AUTOMATIC OIL NONE NONE (NOT AVAILABLE FOR 17.5 TIRES)
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER	NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH 35 IN. 17.5 TIRES BALL VALVE (FULL SUSPENSION DUMP) FRONT ONLY (1) 4S2M MERITOR / WABCO AUTOMATIC OIL NONE
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH 35 IN. 17.5 TIRES BALL VALVE (FULL SUSPENSION DUMP) FRONT ONLY (1) 4S2M MERITOR / WABCO AUTOMATIC OIL NONE NONE (NOT AVAILABLE FOR 17.5 TIRES)
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS TIRE CARRIER(S)	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH 35 IN. 17.5 TIRES BALL VALVE (FULL SUSPENSION DUMP) FRONT ONLY (1) 4S2M MERITOR / WABCO AUTOMATIC OIL NONE NONE (NOT AVAILABLE FOR 17.5 TIRES) NONE
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS TIRE CARRIER(S) DOLLIES - LANDING GEAR - LANDING LEGS	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH 35 IN. 17.5 TIRES BALL VALVE (FULL SUSPENSION DUMP) FRONT ONLY (1) 4S2M MERITOR / WABCO AUTOMATIC OIL NONE NONE (NOT AVAILABLE FOR 17.5 TIRES) NONE JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S.
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS TIRE CARRIER(S) DOLLIES - LANDING GEAR - LANDING LEGS REGISTRATION HOLDER REGISTRATION HOLDER REGISTRATION HOLDER	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH 35 IN. 17.5 TIRES BALL VALVE (FULL SUSPENSION DUMP) FRONT ONLY (1) 4S2M MERITOR / WABCO AUTOMATIC OIL NONE NONE (NOT AVAILABLE FOR 17.5 TIRES) NONE JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S. OPTRONICS DH55 N/A
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS TIRE CARRIER(S) DOLLIES - LANDING GEAR - LANDING LEGS REGISTRATION HOLDER REGISTRATION HOLDER REGISTRATION HOLDER LOCATION AIR GAUGE / SYSTEM	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH 35 IN. 17.5 TIRES BALL VALVE (FULL SUSPENSION DUMP) FRONT ONLY (1) 4S2M MERITOR / WABCO AUTOMATIC OIL NONE NONE (NOT AVAILABLE FOR 17.5 TIRES) NONE JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S. OPTRONICS DH55 N/A RECESSED IN REAR END
STEERABLE AXLE TIRES STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS TIRE CARRIER(S) DOLLIES - LANDING GEAR - LANDING LEGS REGISTRATION HOLDER REGISTRATION HOLDER REGISTRATION HOLDER	NONE NONE NONE NONE MOVED TO BODY 18 GALVANIZED 5/16 IN. GR-50, 3/8 KP 49 IN. HIGH 35 IN. 17.5 TIRES BALL VALVE (FULL SUSPENSION DUMP) FRONT ONLY (1) 4S2M MERITOR / WABCO AUTOMATIC OIL NONE NONE (NOT AVAILABLE FOR 17.5 TIRES) NONE JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S. OPTRONICS DH55 N/A RECESSED IN REAR END

(1) PAIR OPEN

MID-TURNS

AIR TANK DRAIN COCK WITH CABLE PULL TO D.S.

NO

ADDITIONAL FLAPS REAR OF REAR AXLE (1 SET)

TARP	
SIDE KIT, SLIDING AND CURTAIN SIDE	NONE
SYSTEMS	

PAINT		
HANGERS	BLACK SOFT COAT	
SUSPENSION COLOR	BLACK SOFT COAT	
PIN STRIPING	BLACK (931716)	
LANDING GEAR COLOR	BLACK (930248)	
MAC MACHINE FINISH LOGOS	BLACK (931716)	

ACCESSORIES NO. OF TOOLBOXES	1
TOOL BOX SIZE	18X18X24 SINGLE DOOR
TOOL BOX DOOR TYPE	ALUMINUM
TOOL BOX HARDWARE	T HANDLE
TOOL BOX LOCATION	BEHIND LANDING GEAR D/S
ROPE HOOKS (24 IN. SPACING)	NONE
NO. OF 8 FT. DUNNAGE HOLDERS	NONE
8 FT. DUNNAGE HOLDER TYPE	NONE
8 FT. DUNNAGE HOLDER LOCATION	NONE
V-RACK	NONE
NO. OF LOAD LEVELERS	NONE
NO. OF COMBO J HOOK (CHAIN / STRAP) (PAIRS)	NONE
NO. OF BOLT ON CARGO HOOKS	NONE
J-HOOK STORAGE	NONE
CHAIN TIE DOWNS BETWEEN EVERY CROSSMEMBERS	NONE
CHAIN TIE DOWNS BETWEEN EVERY OTHER CROSSMEMBERS	NONE
NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	NONE
NO. OF D-RINGS - RECESSED IN DECK PER PAIR	NONE
NO. OF GALVANIZED STD. DOUBLE L SLIDING WINCHES	16
12 BOTTOM AND 4 ON TOP	
NO. OF GALVANIZED STD. DOUBLE L LOW PRO SLIDING WINCHES	NONE
NO. OF GALVANIZED STD. DOUBLE L SLIDING LARGE CAP WINCHES	NONE
NO. OF GALVANIZED SIDE MOUNTED FIXED WINCHES	NONE
NO. OF GALVANIZED RECESSED FIXED WINCHES	NONE
NO. OF GALVANIZED 3 BAR SIDE MOUNT WINCHES	NONE
NO. OF GALVANIZED 3 BAR RECESSED WINCHES	NONE
NO. OF GALVANIZED 3 BAR SLIDING WINCHES	NONE
NO. OF GALVANIZED 3 BAR LOW PRO WINCHES	NONE
NO. OF STD. 4 INCH X 30 FT. WINCH STRAPS WITH FLAT HOOK END	NONE
NO. OF 4 IN. X 30 FT. WINCH STRAPS WITH CHAIN HOOK END	NONE
NO. OF 4 IN. X 30 FT. WINCH STRAPS WITH W/D-RING ENDS	NONE
NO. OF KINDEDYNE STRAP HOOK HOLDERS	NONE
NO. OF ANCRA GLIDELOCK STRAP HOLDERS	NONE

NO. OF MAC LOW PROFILE STRAP RECEIVERS	NONE
NO. OF SLIDING CARGO HOOK	NONE
CONTAINER LOCKS	NONE
NO. OF DECK POCKETS (PER PAIR)	NONE
NO. OF DECK POCKETS WITH POP UPS	NONE
NO. OF LOG POCKETS (PER PAIR)	NONE
NO. OF 1/4 IN. X 3 IN. X 3 IN. X 48 IN.STAKES (PER PAIR)	NONE
NO. OF 1/2 IN. X 3 IN. X 3 IN. X 96 IN. LOG STAKES (PER PAIR)	NONE
NO. OF 9/16 IN. X 3 IN. X 3 IN. X 116 IN. LOG STAKES	NONE
BEAVER TAIL	NONE
NONE	
WARNING PLACARDS	NONE
FLAG HOLDERS	NONE