



A019774-A019776 VIN: 81611-81613

## SALES | RENTALS | PARTS | SERVICE

800-828-3055 Allentown, PA: 800-383-8894 Jacksonville, FL: Baltimore, MD: 888-601-7500 Little Rock, AR: 833-424-8944 Boston, MA: 800-854-5310 Portland, ME: 800-325-4253 Concord, NC: Richmond, VA: 800-438-2250 866-839-3495 Delmar, DE: 866-486-1400 Scranton, PA: 800-569-1400 Des Moines, IA: Springfield, MA: 888-673-5011 800-854-5306 Elkton, MD: Voorhees, NJ: 800-544-7127 866-315-0235

HaleTrailer.com | @haletrailer **f** 







800-232-6535 \*

\*FINANCING AVAILABLE

## DROP DECK

Model # TRAR53AA0-2025

Weight 11619 lbs. \*\*\* Cubic Yards 0

SODY CONTRACTOR OF THE PROPERTY OF THE PROPERT		
FRAME RAIL M		27" BEAM WITH 2 1/2 INCH ARCH
	PREP FOR FUTURE RAMPS	
LOAD PROFILE	≣	MATERIAL, 80K GVWR
	100K	
LENGTH		53
WIDTH		102
NECK STYLE		SQUARE FRONT
UPPER DECK LENGTH		11 FT.
UPPER DECK CROSSMEMBER SPACING		18 IN. NOMINAL SPACING
BULKHEAD		NONE
SPOOLS AND I	POCKETS	DOUBLE SPOOLS W/ POCKETS
NAILERS		2 NAILERS ON OUTSIDE
LOWER DECK	CROSSMEMBER SPACING	12 IN. ON CENTER
NO. OF STUB CROSSMEMBERS (COIL)		6
(1) FULL WIDTH CROSSMEMBER AT REAR (R EAR LOADING)		NONE
REAR FLOOR, THRESHOLD PLATE (REAR LOADING)		NONE
OUTER PERIMETER SUPPORTS		KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED)
NO. OF ADDITIONAL 21 IN. KNEE BRACES		NONE
NO. OF ADDITIONAL TUBULAR CROSSMEMBERS W/J-FRAME CROSSMEMBERS		NONE
SIDE RAIL WINCH TRACK		DBL. ENTRY T.D. OUT, BOLT ON LL TRACK D.S. BAR C.S.
REAR END STYLE		REAR AND FULL REAR, SMOOTH NO FLAPS (19.5 AND 17.5)
STAINLESS ON REAR END		NONE
EXTREME DUT		NO
DOCK BUMPER	RS	(2) 16 IN. OUTSIDE

LIGHTS	
LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	4 LARGE - 3 SMALL 2 3/4 IN 4 LARGE 0000 000 0000
STROBE LIGHTS	YES, AMBER
STROBE LIGHT LOCATION	OUTSIDE OF CENTER CLUSTER
STROBE LIGHT CONTROLS	TOGGLE AT REAR
STD. MARKER LIGHTS	11 EACH SIDE
3/4 IN. PENNY LIGHT MARKER LIGHTS	NONE
MARKER LIGHT LOCATION	STD.

WIDE TURN DIRECTIONAL LIGHTS	NONE
BACK-UP LIGHTS	NONE
BACK-UP LIGHT LOCATION	NONE
AUXILIARY CABLE	NONE
PAIRS OF WIDE LOAD LIGHTS	NONE
REAR AUXILIARY PLUG	NONE
RIMARY AXLES	
MODEL	TRI-AXLE
NO. OF PRIMARY AXLES	3
SUSPENSION	HEND. INTRAAX AAL 23K (250 BAGS) TP W/HXL-5 (19.5 ONLY)
NO. OF LIFT KITS	2
PRIMARY AXLE LIFT KIT	HEND. UBL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES
CENTER AND REAR AXLE LIFT	FREE WHEEL VALVE & ATLAS VALVE
SUSPENSION SLIDER	NONE
AXLE SPACING	61
AXLE SETTING	NOTE ALL AXLE SETTINGS
CA LEGAL	
AXLES	AXLE FOR INTRAAX ONLY
	BALL VALVE (NO / REG.)
LIFT CONTROLS	,
BRAKES	8 5/8 IN. X 15 IN. FOR 19.5 TIRES
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN.
TIRES	MICHELIN X-ENERGY 265/70R 19.5
WHEELS	ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP)
PRIMARY AXLE TIRE INFLATION SYSTEM	HENDRICKSON SYSTEM (TIREMAAX PRO)
TEERABLE LIFT AXLES NO. OF STEERABLE AXLES	0
	•
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
	NONE NONE
STEERABLE AXLE WHEELS	
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS	NONE
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS	NONE
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS HASSIS	NONE NONE
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS	NONE NONE MOVED TO BODY
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING	NONE NONE  MOVED TO BODY 18
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE	NONE NONE  MOVED TO BODY  18  GALVANIZED
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING	NONE NONE  MOVED TO BODY 18
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE	NONE NONE  MOVED TO BODY  18  GALVANIZED
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE	NONE  NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT	NONE  NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD	NONE  NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT)	NONE  NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 11 IN. TO HEIGHT) SUSPENSION CONTROL	NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP)
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 11 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION	NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP)
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION	NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP)  FRONT ONLY
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 11 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER	NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP)  FRONT ONLY  (1) 4S2M MERITOR / WABCO  AUTOMATIC
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION	NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP)  FRONT ONLY  (1) 4S2M MERITOR / WABCO  AUTOMATIC  HXL, SYNTHETIC SEMI-FLUID GREASE
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 6TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER	NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP)  FRONT ONLY  (1) 4S2M MERITOR / WABCO  AUTOMATIC  HXL, SYNTHETIC SEMI-FLUID GREASE  NONE
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE BETH WHEEL PLATE BETH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS	NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP)  FRONT ONLY  (1) 4S2M MERITOR / WABCO  AUTOMATIC  HXL, SYNTHETIC SEMI-FLUID GREASE  NONE  NONE (NOT AVAILABLE FOR 17.5 TIRES)
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS TIRE CARRIER(S)	NONE  NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP)  FRONT ONLY  (1) 4S2M MERITOR / WABCO  AUTOMATIC  HXL, SYNTHETIC SEMI-FLUID GREASE  NONE  NONE (NOT AVAILABLE FOR 17.5 TIRES)  NONE
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE BETH WHEEL PLATE BETH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS	NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP)  FRONT ONLY  (1) 4S2M MERITOR / WABCO  AUTOMATIC  HXL, SYNTHETIC SEMI-FLUID GREASE  NONE  NONE (NOT AVAILABLE FOR 17.5 TIRES)
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS TIRE CARRIER(S)	NONE  NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP)  FRONT ONLY  (1) 4S2M MERITOR / WABCO  AUTOMATIC  HXL, SYNTHETIC SEMI-FLUID GREASE  NONE  NONE (NOT AVAILABLE FOR 17.5 TIRES)  NONE
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS TIRE CARRIER(S) DOLLIES - LANDING GEAR - LANDING LEGS	NONE  NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP)  FRONT ONLY  (1) 4S2M MERITOR / WABCO  AUTOMATIC  HXL, SYNTHETIC SEMI-FLUID GREASE  NONE  NONE (NOT AVAILABLE FOR 17.5 TIRES)  NONE  JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S.
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 11 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS TIRE CARRIER(S) DOLLIES - LANDING GEAR - LANDING LEGS REGISTRATION HOLDER REGISTRATION HOLDER REGISTRATION HOLDER	NONE  NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP)  FRONT ONLY  (1) 4S2M MERITOR / WABCO  AUTOMATIC  HXL, SYNTHETIC SEMI-FLUID GREASE  NONE  NONE (NOT AVAILABLE FOR 17.5 TIRES)  NONE  JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S.  OPTRONICS DH55  N/A
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS TIRE CARRIER(S) DOLLIES - LANDING GEAR - LANDING LEGS REGISTRATION HOLDER REGISTRATION HOLDER REGISTRATION HOLDER REGISTRATION HOLDER LOCATION AIR GAUGE / SYSTEM	NONE  NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP)  FRONT ONLY  (1) 4\$2M MERITOR / WABCO  AUTOMATIC  HXL, SYNTHETIC SEMI-FLUID GREASE  NONE  NONE (NOT AVAILABLE FOR 17.5 TIRES)  NONE  JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S.  OPTRONICS DH55  N/A  RECESSED IN REAR END
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS TIRE CARRIER(S) DOLLIES - LANDING GEAR - LANDING LEGS REGISTRATION HOLDER REGISTRATION HOLDER REGISTRATION HOLDER LOCATION AIR GAUGE / SYSTEM  AN ADDITIONAL ONE ON FRONT OF 1	NONE  NONE  MOVED TO BODY  18  GALVANIZED 5/16 IN. GR-50, 3/8 KP  49 IN. HIGH 38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP) FRONT ONLY  (1) 4S2M MERITOR / WABCO AUTOMATIC HXL, SYNTHETIC SEMI-FLUID GREASE NONE NONE (NOT AVAILABLE FOR 17.5 TIRES) NONE JOST AX-150 - (55,000 Ib.) - 10 YEAR ALUMINUM - D.S. OPTRONICS DH55 N/A RECESSED IN REAR END  ITAILER
STEERABLE AXLE WHEELS STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS  HASSIS FRAME RAILS PIN SETTING 5TH WHEEL PLATE TYPE 5TH WHEEL PLATE HEIGHT DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT) SUSPENSION CONTROL GLADHAND / ELECTRIC CONNECTION LOCATION ABS FOR TRAILER SLACKS AXLE LUBRICATION HUBODOMETER DUST COVERS TIRE CARRIER(S) DOLLIES - LANDING GEAR - LANDING LEGS REGISTRATION HOLDER REGISTRATION HOLDER REGISTRATION HOLDER REGISTRATION HOLDER LOCATION AIR GAUGE / SYSTEM	NONE  NONE  MOVED TO BODY  18  GALVANIZED  5/16 IN. GR-50, 3/8 KP  49 IN. HIGH  38 IN. 19.5 TIRES  BALL VALVE (FULL SUSPENSION DUMP)  FRONT ONLY  (1) 4\$2M MERITOR / WABCO  AUTOMATIC  HXL, SYNTHETIC SEMI-FLUID GREASE  NONE  NONE (NOT AVAILABLE FOR 17.5 TIRES)  NONE  JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S.  OPTRONICS DH55  N/A  RECESSED IN REAR END

(1) PAIR OPEN

MID-TURNS

AIR TANK DRAIN COCK WITH CABLE PULL TO D.S.

NO

ADDITIONAL FLAPS REAR OF REAR AXLE (1 SET)

TARP	
SIDE KIT, SLIDING AND CURTAIN SIDE	NONE
SYSTEMS	

PAINT		
HANGERS	BLACK SOFT COAT	
SUSPENSION COLOR	BLACK SOFT COAT	
PIN STRIPING	BLACK (931716)	
LANDING GEAR COLOR	BLACK (930248)	
MAC MACHINE FINISH LOGOS	BLACK (931716)	

ACCESSORIES  NO. OF TOOLBOXES	1
TOOL BOX SIZE	18X18X24 SINGLE DOOR
TOOL BOX DOOR TYPE	ALUMINUM
TOOL BOX HARDWARE	T HANDLE
TOOL BOX LOCATION	BEHIND LANDING GEAR D/S
ROPE HOOKS (24 IN. SPACING)	NONE
NO. OF 8 FT. DUNNAGE HOLDERS	NONE
8 FT. DUNNAGE HOLDER TYPE	NONE
8 FT. DUNNAGE HOLDER LOCATION	NONE
V-RACK	NONE
NO. OF LOAD LEVELERS	NONE
NO. OF COMBO J HOOK (CHAIN / STRAP) (PAIRS)	NONE
NO. OF BOLT ON CARGO HOOKS	NONE
J-HOOK STORAGE	NONE
CHAIN TIE DOWNS BETWEEN EVERY CROSSMEMBERS	NONE
CHAIN TIE DOWNS BETWEEN EVERY OTHER CROSSMEMBERS	NONE
NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	NONE
NO. OF D-RINGS - RECESSED IN DECK PER PAIR	NONE
NO. OF GALVANIZED STD. DOUBLE L SLIDING WINCHES	16
12 BOTTOM AND 4 ON TOP	
NO. OF GALVANIZED STD. DOUBLE L LOW PRO SLIDING WINCHES	NONE
NO. OF GALVANIZED STD. DOUBLE L SLIDING LARGE CAP WINCHES	NONE
NO. OF GALVANIZED SIDE MOUNTED FIXED WINCHES	NONE
NO. OF GALVANIZED RECESSED FIXED WINCHES	NONE
NO. OF GALVANIZED 3 BAR SIDE MOUNT WINCHES	NONE
NO. OF GALVANIZED 3 BAR RECESSED WINCHES	NONE
NO. OF GALVANIZED 3 BAR SLIDING WINCHES	NONE
NO. OF GALVANIZED 3 BAR LOW PRO WINCHES	NONE
NO. OF STD. 4 INCH X 30 FT. WINCH STRAPS WITH FLAT HOOK END	NONE
NO. OF 4 IN. X 30 FT. WINCH STRAPS WITH CHAIN HOOK END	NONE
NO. OF 4 IN. X 30 FT. WINCH STRAPS WITH W/D-RING ENDS	NONE
NO. OF KINDEDYNE STRAP HOOK HOLDERS	NONE
NO. OF ANCRA GLIDELOCK STRAP HOLDERS	NONE

NO. OF MAC LOW PROFILE STRAP RECEIVERS	NONE
NO. OF SLIDING CARGO HOOK	NONE
CONTAINER LOCKS	NONE
NO. OF DECK POCKETS (PER PAIR)	NONE
NO. OF DECK POCKETS WITH POP UPS	NONE
NO. OF LOG POCKETS (PER PAIR)	NONE
NO. OF 1/4 IN. X 3 IN. X 3 IN. X 48 IN.STAKES (PER PAIR)	NONE
NO. OF 1/2 IN. X 3 IN. X 3 IN. X 96 IN. LOG STAKES (PER PAIR)	NONE
NO. OF 9/16 IN. X 3 IN. X 3 IN. X 116 IN. LOG STAKES	NONE
BEAVER TAIL	NONE
NONE	
WARNING PLACARDS	NONE
FLAG HOLDERS	NONE