		SALES	RENTALS	PARTS	SERVICE
		Allentown, PA:	800-383-8894	Jacksonville, FL:	800-828-3055
		Baltimore, MD:	888-601-7500	Little Rock, AR:	833-424-8944
TRA	ILER	Boston, MA:	800-854-5310	Portland, ME:	800-325-4253
BRAKE	& WHEEL	Concord, NC:	800-438-2250	Richmond, VA:	866-839-3495
		Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
		Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Trailer	A019774-A019781	Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
	VIN: 81611-81618	HaleTrailer	.com @hale	trailer f У	
		800-232	2-6535 *	FINANCING	AVAILABLE

DROP DECK

Model # TR	AR53AA0-2025		
Weight	11619 lbs. ***	Cubic Yards 0	
BODY			
FRAME RAIL M	IODEL	27" BEAM WITH 2 1/2 INCH ARCH	
	PREP FOR FUTURE RAMPS		
LOAD PROFILE		MATERIAL, 80K GVWR	
	100K		
LENGTH		53	
WIDTH		102	
NECK STYLE		SQUARE FRONT	
UPPER DECK	LENGTH	11 FT.	
UPPER DECK	CROSSMEMBER SPACING	18 IN. NOMINAL SPACING	
BULKHEAD		NONE	
SPOOLS AND	POCKETS	DOUBLE SPOOLS W/ POCKETS	
NAILERS		2 NAILERS ON OUTSIDE	
LOWER DECK CROSSMEMBER SPACING		12 IN. ON CENTER	
NO. OF STUB CROSSMEMBERS (COIL)		6	
(1) FULL WIDT EAR LOADING	H CROSSMEMBER AT REAR (R)	NONE	
REAR FLOOR, LOADING)	THRESHOLD PLATE (REAR	NONE	
OUTER PERIMETER SUPPORTS		KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED)	
NO. OF ADDITIONAL 21 IN. KNEE BRACES		NONE	
	ONAL TUBULAR ERS W/J-FRAME ERS	NONE	
SIDE RAIL WINCH TRACK		DBL. ENTRY T.D. OUT, BOLT ON LL TRACK D.S. BAR C.S.	
REAR END STYLE		REAR AND FULL REAR, SMOOTH NO FLAPS (19.5 AND 17.5)	
STAINLESS ON REAR END		NONE	
EXTREME DU		NO	
REINFORCEM			
DOCK BUMPE	no	(2) 16 IN. OUTSIDE	

LIGHTS	
LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	4 LARGE - 3 SMALL 2 3/4 IN 4 LARGE 0000 000 0000
STROBE LIGHTS	YES, AMBER
STROBE LIGHT LOCATION	OUTSIDE OF CENTER CLUSTER
STROBE LIGHT CONTROLS	TOGGLE AT REAR
STD. MARKER LIGHTS	11 EACH SIDE
3/4 IN. PENNY LIGHT MARKER LIGHTS	NONE
MARKER LIGHT LOCATION	STD.

MID-TURNS	(1) PAIR OPEN
WIDE TURN DIRECTIONAL LIGHTS	NONE
BACK-UP LIGHTS	NONE
BACK-UP LIGHT LOCATION	NONE
AUXILIARY CABLE	NONE
PAIRS OF WIDE LOAD LIGHTS	NONE
REAR AUXILIARY PLUG	NONE

MODELTRI-AXLENO. OF PRIMARY AXLES3SUSPENSIONHEND. INTRAAX AAL 23K (250 BAGS) TP W/HXL-5 (19.5 ONLY)NO. OF LIFT KITS2PRIMARY AXLE LIFT KITHEND. UBL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVESUSPENSION SLIDERNONEAXLE SPACING61AXLE SETTINGNOTE ALL AXLE SETTINGSCALEGALAXLE FOR INTRAAX ONLYLIFT CONTROLSBALL VALVE (NO / REG.)BRAKES8 5/8 IN. X 15 IN. FOR 19.5 TIRESCAM GUARDSHEND. INTRAAX	PRIMARY AXLES	S		
SUSPENSIONHEND. INTRAAX AAL 23K (250 BAGS) TP W/HXL-5 (19.5 ONLY)NO. OF LIFT KITS2PRIMARY AXLE LIFT KITHEND. UBL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVECENTER AND REAR AXLE LIFTHEND. UBL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVESUSPENSION SLIDERNONEAXLE SPACING61AXLE SETTINGNOTE ALL AXLE SETTINGSCALEGALAXLE FOR INTRAAX ONLYLIFT CONTROLSBALL VALVE (NO / REG.)BRAKES8 5/8 IN. X 15 IN. FOR 19.5 TIRESCAM GUARDSHEND. INTRAAX			TRI-AXLE	
NO. OF LIFT KITS 2 PRIMARY AXLE LIFT KIT HEND. UBL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVE CENTER AND REAR AXLE LIFT FREE WHEEL VALVE & ATLAS VALVE SUSPENSION SLIDER NONE AXLE SPACING 61 AXLE SETTING NOTE ALL AXLE SETTINGS CA LEGAL AXLE FOR INTRAAX ONLY LIFT CONTROLS BALL VALVE (NO / REG.) BRAKES 8 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX	NO. OF PRIMARY AX	AXLES	3	
PRIMARY AXLE LIFT KIT HEND. UBL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVE CENTER AND REAR AXLE LIFT CENTER AND REAR AXLE LIFT SUSPENSION SLIDER NONE AXLE SPACING 61 AXLE SETTING NOTE ALL AXLE SETTINGS CA LEGAL AXLE FOR INTRAAX ONLY AXLES BALL VALVE (NO / REG.) BRAKES 8 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX	SUSPENSION		HEND. INTRAAX AAL 23K (250 BAGS) TP W/HXL-5 (19.5 ONLY)	
FREE WHEEL VALVE & ATLAS VALVE FREE WHEEL VALVE & ATLAS VALVE CENTER AND REAR AXLE LIFT SUSPENSION SLIDER AXLE SPACING 61 AXLE SPACING 61 AXLE SETTING NOTE ALL AXLE SETTINGS CA LEGAL AXLES AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS BALL VALVE (NO / REG.) BRAKES 8 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX	NO. OF LIFT KITS		2	
SUSPENSION SLIDER NONE AXLE SPACING 61 AXLE SETTING NOTE ALL AXLE SETTINGS CA LEGAL AXLES AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS BALL VALVE (NO / REG.) BRAKES 8 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX	PRIMARY AXLE LIFT	T KIT		
AXLE SPACING 61 AXLE SETTING NOTE ALL AXLE SETTINGS CA LEGAL AXLES AXLE SETTINGS AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS BALL VALVE (NO / REG.) BRAKES 8 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX	CEN	NTER AND REAR AXLE LIFT		
AXLE SETTING NOTE ALL AXLE SETTINGS CA LEGAL AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS BALL VALVE (NO / REG.) BRAKES 8 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX	SUSPENSION SLIDE	ER	NONE	
CA LEGAL AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS BALL VALVE (NO / REG.) BRAKES 8 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX	AXLE SPACING		61	
AXLESAXLE FOR INTRAAX ONLYLIFT CONTROLSBALL VALVE (NO / REG.)BRAKES8 5/8 IN. X 15 IN. FOR 19.5 TIRESCAM GUARDSHEND. INTRAAX	AXLE SETTING		NOTE ALL AXLE SETTINGS	
LIFT CONTROLS BALL VALVE (NO / REG.) BRAKES 8 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX	CAL	LEGAL		
BRAKES 8 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX	AXLES		AXLE FOR INTRAAX ONLY	
CAM GUARDS HEND. INTRAAX	LIFT CONTROLS		BALL VALVE (NO / REG.)	
	BRAKES		8 5/8 IN. X 15 IN. FOR 19.5 TIRES	
	CAM GUARDS		HEND. INTRAAX	
HUB AND DRUM CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN.	HUB AND DRUM		CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN.	
TIRES MICHELIN X-ENERGY 265/70R 19.5	TIRES		MICHELIN X-ENERGY 265/70R 19.5	
WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP)	WHEELS		ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP)	
PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO)	PRIMARY AXLE TIRI	RE INFLATION SYSTEM	HENDRICKSON SYSTEM (TIREMAAX PRO)	

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0	
STEERABLE AXLE SUSPENSION	NONE	
STEERABLE AXLE DISTANCE	N/A	
STEERABLE AXLE TIRES	NONE	
STEERABLE AXLE WHEELS	NONE	
STEERABLE AXLE CONTROLS	NONE	
STEERABLE AXLE AIR TANKS	NONE	

HASSIS	
FRAME RAILS	MOVED TO BODY
PIN SETTING	18
5TH WHEEL PLATE TYPE	GALVANIZED
5TH WHEEL PLATE	5/16 IN. GR-50, 3/8 KP
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT)	38 IN. 19.5 TIRES
SUSPENSION CONTROL	BALL VALVE (FULL SUSPENSION DUMP)
GLADHAND / ELECTRIC CONNECTION LOCATION	FRONT ONLY
ABS FOR TRAILER	(1) 4S2M MERITOR / WABCO
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	NONE (NOT AVAILABLE FOR 17.5 TIRES)
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S.
REGISTRATION HOLDER	OPTRONICS DH55
REGISTRATION HOLDER LOCATION	N/A
AIR GAUGE / SYSTEM	RECESSED IN REAR END
AN ADDITIONAL ONE ON FRONT OF	TRAILER
ENCLOSURE FOR SWITCHES	STAINLESS STEEL
AIR TANKS	ALUMINUM TANK

AIR TANK DRAIN COCK WITH CABLE PULL	NO	
TO D.S.		
ADDITIONAL FLAPS	REAR OF REAR AXLE (1 SET)	
TARP		
SIDE KIT, SLIDING AND CURTAIN SIDE	NONE	
SYSTEMS		
PAINT		
HANGERS	BLACK SOFT COAT	
SUSPENSION COLOR	BLACK SOFT COAT	
PIN STRIPING	BLACK (931716)	
LANDING GEAR COLOR	BLACK (930248)	
MAC MACHINE FINISH LOGOS	BLACK (931716)	
ACCESSORIES		
NO. OF TOOLBOXES	1	
TOOL BOX SIZE	18X18X24 SINGLE DOOR	
TOOL BOX DOOR TYPE	ALUMINUM	
TOOL BOX HARDWARE	T HANDLE	
TOOL BOX LOCATION	BEHIND LANDING GEAR D/S	
ROPE HOOKS (24 IN. SPACING)	NONE	
NO. OF 8 FT. DUNNAGE HOLDERS	NONE	
8 FT. DUNNAGE HOLDER TYPE	NONE	
8 FT. DUNNAGE HOLDER LOCATION	NONE	

NO. OF 8 FT. DUNNAGE HOLDERS	NONE
8 FT. DUNNAGE HOLDER TYPE	NONE
8 FT. DUNNAGE HOLDER LOCATION	NONE
V-RACK	NONE
NO. OF LOAD LEVELERS	NONE
NO. OF COMBO J HOOK (CHAIN / STRAP)	NONE
(PAIRS)	
NO. OF BOLT ON CARGO HOOKS	NONE
J-HOOK STORAGE	NONE
CHAIN TIE DOWNS BETWEEN EVERY	NONE
CROSSMEMBERS	
CHAIN TIE DOWNS BETWEEN EVERY	NONE
OTHER CROSSMEMBERS NO. OF CHAIN TIE DOWNS (PER PAIR)	NONE
(CUSTOMER MUST SPECIFY LOCATION)	NONE
NO. OF D-RINGS - RECESSED IN DECK PER	NONE
PAIR	
NO. OF GALVANIZED STD. DOUBLE L	16
SLIDING WINCHES	
12 BOTTOM AND 4 ON TOP	
NO. OF GALVANIZED STD. DOUBLE L LOW	NONE
PRO SLIDING WINCHES	NONE
NO. OF GALVANIZED STD. DOUBLE L	NONE
SLIDING LARGE CAP WINCHES NO. OF GALVANIZED SIDE MOUNTED FIXED	NONE
WINCHES	
NO. OF GALVANIZED RECESSED FIXED	NONE
WINCHES	
NO. OF GALVANIZED 3 BAR SIDE MOUNT	NONE
WINCHES	NONE
NO. OF GALVANIZED 3 BAR RECESSED WINCHES	NONE
NO. OF GALVANIZED 3 BAR SLIDING	NONE
WINCHES	
NO. OF GALVANIZED 3 BAR LOW PRO	NONE
WINCHES	
NO. OF STD. 4 INCH X 30 FT. WINCH STRAPS	NONE
WITH FLAT HOOK END	NONE
NO. OF 4 IN. X 30 FT. WINCH STRAPS WITH CHAIN HOOK END	NONE
CHAIN HOOK END NO. OF 4 IN. X 30 FT. WINCH STRAPS WITH	NONE
W/D-RING ENDS	
NO. OF KINDEDYNE STRAP HOOK HOLDERS	NONE
NO. OF ANCRA GLIDELOCK STRAP	NONE
HOLDERS	

NO. OF MAC LOW PROFILE STRAP RECEIVERS	NONE
NO. OF SLIDING CARGO HOOK	NONE
CONTAINER LOCKS	NONE
NO. OF DECK POCKETS (PER PAIR)	NONE
NO. OF DECK POCKETS WITH POP UPS	NONE
NO. OF LOG POCKETS (PER PAIR)	NONE
NO. OF 1/4 IN. X 3 IN. X 3 IN. X 48 IN.STAKES (PER PAIR)	NONE
NO. OF 1/2 IN. X 3 IN. X 3 IN. X 96 IN. LOG STAKES (PER PAIR)	NONE
NO. OF 9/16 IN. X 3 IN. X 3 IN. X 116 IN. LOG STAKES	NONE
BEAVER TAIL	NONE
NONE	
WARNING PLACARDS	NONE
FLAG HOLDERS	NONE

DISCLAIMER