

# HALE TRAILER BRAKE & WHEEL



**A019780-A019781**  
**VIN: 81617 & 81618**

## SALES | RENTALS | PARTS | SERVICE

<b>Allentown, PA:</b>	800-383-8894	<b>Jacksonville, FL:</b>	800-828-3055
<b>Baltimore, MD:</b>	888-601-7500	<b>Little Rock, AR:</b>	833-424-8944
<b>Boston, MA:</b>	800-854-5310	<b>Portland, ME:</b>	800-325-4253
<b>Concord, NC:</b>	800-438-2250	<b>Richmond, VA:</b>	866-839-3495
<b>Delmar, DE:</b>	866-486-1400	<b>Scranton, PA:</b>	800-569-1400
<b>Des Moines, IA:</b>	888-673-5011	<b>Springfield, MA:</b>	800-854-5306
<b>Elkton, MD:</b>	800-544-7127	<b>Voorhees, NJ:</b>	866-315-0235

HaleTrailer.com | @haletrailer

**800-232-6535** \*FINANCING AVAILABLE

## DROP DECK

Model # TRAR53AA0

**Weight** 10583 lbs. \*\*\* **Cubic Yards** 0

### BODY

FRAME RAIL MODEL	27" BEAM WITH 2 1/2 INCH ARCH
	PREP FOR FUTURE RAMPS
LOAD PROFILE	MATERIAL, 80K GVWR
	100K
LENGTH	53
WIDTH	102
NECK STYLE	SQUARE FRONT
UPPER DECK LENGTH	11 FT.
UPPER DECK CROSSMEMBER SPACING	18 IN. NOMINAL SPACING
BULKHEAD	NONE
SPOOLS AND POCKETS	DOUBLE SPOOLS W/ POCKETS
NAILERS	2 NAILERS ON OUTSIDE
LOWER DECK CROSSMEMBER SPACING	12 IN. ON CENTER
NO. OF STUB CROSSMEMBERS (COIL)	6
(1) FULL WIDTH CROSSMEMBER AT REAR (R EAR LOADING)	NONE
REAR FLOOR, THRESHOLD PLATE (REAR LOADING)	NONE
OUTER PERIMETER SUPPORTS	KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED)
NO. OF ADDITIONAL 21 IN. KNEE BRACES	NONE
NO. OF ADDITIONAL TUBULAR CROSSMEMBERS W/J-FRAME CROSSMEMBERS	NONE
SIDE RAIL WINCH TRACK	DBL. ENTRY T.D. OUT, BOLT ON LL TRACK D.S. BAR C.S.
REAR END STYLE	REAR AND FULL REAR, SMOOTH NO FLAPS (19.5 AND 17.5)
STAINLESS ON REAR END	NONE
EXTREME DUTY BUMPER REINFORCEMENTS	NO
DOCK BUMPERS	(2) 16 IN. OUTSIDE

### LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	4 LARGE - 3 SMALL 2 3/4 IN. - 4 LARGE OOOO ooo OOOO
STROBE LIGHTS	YES, AMBER
STROBE LIGHT LOCATION	OUTSIDE OF CENTER CLUSTER
STROBE LIGHT CONTROLS	TOGGLE AT REAR
STD. MARKER LIGHTS	11 EACH SIDE
3/4 IN. PENNY LIGHT MARKER LIGHTS	NONE
MARKER LIGHT LOCATION	STD.

MID-TURNS	(1) PAIR OPEN
WIDE TURN DIRECTIONAL LIGHTS	NONE
BACK-UP LIGHTS	NONE
BACK-UP LIGHT LOCATION	NONE
AUXILIARY CABLE	NONE
PAIRS OF WIDE LOAD LIGHTS	NONE
REAR AUXILIARY PLUG	NONE

## PRIMARY AXLES

MODEL	TRI-AXLE
NO. OF PRIMARY AXLES	3
SUSPENSION	HEND. INTRAAX AAL-25K W/ HXL-5
NO. OF LIFT KITS	2
PRIMARY AXLE LIFT KIT	HEND. UBL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVE
CENTER AND REAR AXLE LIFT	
SUSPENSION SLIDER	NONE
AXLE SPACING	61
AXLE SETTING	NOTE ALL AXLE SETTINGS
CA LEGAL	
AXLES	AXLE FOR INTRAAX ONLY
LIFT CONTROLS	BALL VALVE (NO / REG.)
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN.
TIRES	GENERAL RA 255/70R 22.5 16 PLY
WHEELS	ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)
PRIMARY AXLE TIRE INFLATION SYSTEM	HENDRICKSON SYSTEM (TIREMAX PRO)

## STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE
STEERABLE AXLE AIR TANKS	NONE

## CHASSIS

FRAME RAILS	MOVED TO BODY
PIN SETTING	18
5TH WHEEL PLATE TYPE	GALVANIZED
5TH WHEEL PLATE	5/16 IN. GR-50, 3/8 KP
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT)	41 IN. 22.5 TIRES
SUSPENSION CONTROL	BALL VALVE (FULL SUSPENSION DUMP)
GLADHAND / ELECTRIC CONNECTION LOCATION	FRONT ONLY
ABS FOR TRAILER	(1) 4S2M MERITOR / WABCO
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBDOMETER	NONE
DUST COVERS	NONE (NOT AVAILABLE FOR 17.5 TIRES)
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S.
REGISTRATION HOLDER	OPTRONICS DH55
REGISTRATION HOLDER LOCATION	N/A
AIR GAUGE / SYSTEM	RECESSED IN REAR END
AN ADDITIONAL ONE ON FRONT OF TRAILER	
ENCLOSURE FOR SWITCHES	STAINLESS STEEL
AIR TANKS	ALUMINUM TANK

AIR TANK DRAIN COCK WITH CABLE PULL TO D.S.	NO
ADDITIONAL FLAPS	REAR OF REAR AXLE (1 SET)

## TARP

SIDE KIT, SLIDING AND CURTAIN SIDE SYSTEMS	NONE
--	------

## PAINT

HANGERS	BLACK SOFT COAT
SUSPENSION COLOR	BLACK SOFT COAT
PIN STRIPING	BLACK (931716)
LANDING GEAR COLOR	BLACK (930248)
MAC MACHINE FINISH LOGOS	BLACK (931716)

## ACCESSORIES

NO. OF TOOLBOXES	1
TOOL BOX SIZE	18X18X24 SINGLE DOOR
TOOL BOX DOOR TYPE	ALUMINUM
TOOL BOX HARDWARE	T HANDLE
TOOL BOX LOCATION	BEHIND LANDING GEAR D/S
ROPE HOOKS (24 IN. SPACING)	NONE
NO. OF 8 FT. DUNNAGE HOLDERS	NONE
8 FT. DUNNAGE HOLDER TYPE	NONE
8 FT. DUNNAGE HOLDER LOCATION	NONE
V-RACK	NONE
NO. OF LOAD LEVELERS	NONE
NO. OF COMBO J HOOK (CHAIN / STRAP) (PAIRS)	NONE
NO. OF BOLT ON CARGO HOOKS	NONE
J-HOOK STORAGE	NONE
CHAIN TIE DOWNS BETWEEN EVERY CROSSMEMBERS	NONE
CHAIN TIE DOWNS BETWEEN EVERY OTHER CROSSMEMBERS	NONE
NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	NONE
NO. OF D-RINGS - RECESSED IN DECK PER PAIR	NONE
NO. OF GALVANIZED STD. DOUBLE L SLIDING WINCHES	16
	12 BOTTOM AND 4 ON TOP
NO. OF GALVANIZED STD. DOUBLE L LOW PRO SLIDING WINCHES	NONE
NO. OF GALVANIZED STD. DOUBLE L SLIDING LARGE CAP WINCHES	NONE
NO. OF GALVANIZED SIDE MOUNTED FIXED WINCHES	NONE
NO. OF GALVANIZED RECESSED FIXED WINCHES	NONE
NO. OF GALVANIZED 3 BAR SIDE MOUNT WINCHES	NONE
NO. OF GALVANIZED 3 BAR RECESSED WINCHES	NONE
NO. OF GALVANIZED 3 BAR SLIDING WINCHES	NONE
NO. OF GALVANIZED 3 BAR LOW PRO WINCHES	NONE
NO. OF STD. 4 INCH X 30 FT. WINCH STRAPS WITH FLAT HOOK END	NONE
NO. OF 4 IN. X 30 FT. WINCH STRAPS WITH CHAIN HOOK END	NONE
NO. OF 4 IN. X 30 FT. WINCH STRAPS WITH W/D-RING ENDS	NONE
NO. OF KINDEDYNE STRAP HOOK HOLDERS	NONE
NO. OF ANCRA GLIDELock STRAP HOLDERS	NONE

NO. OF MAC LOW PROFILE STRAP RECEIVERS	NONE
NO. OF SLIDING CARGO HOOK	NONE
CONTAINER LOCKS	NONE
NO. OF DECK POCKETS (PER PAIR)	NONE
NO. OF DECK POCKETS WITH POP UPS	NONE
NO. OF LOG POCKETS (PER PAIR)	NONE
NO. OF 1/4 IN. X 3 IN. X 3 IN. X 48 IN. STAKES (PER PAIR)	NONE
NO. OF 1/2 IN. X 3 IN. X 3 IN. X 96 IN. LOG STAKES (PER PAIR)	NONE
NO. OF 9/16 IN. X 3 IN. X 3 IN. X 116 IN. LOG STAKES	NONE
BEAVER TAIL	NONE
<b>NONE</b>	
WARNING PLACARDS	NONE
FLAG HOLDERS	NONE

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.