	SALES	RENTALS	PARTS	SERVICE
	Allentown, PA:	800-383-8894	Jacksonville, FL:	800-828-3055
	Baltimore, MD:	888-601-7500	Little Rock, AR:	833-424-8944
TRAILER	Boston, MA:	800-854-5310	Portland, ME:	800-325-4253
BRAKE & WHEEL	Concord, NC:	800-438-2250	<b>Richmond, VA:</b>	866-839-3495
	Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
	Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
A020820-A020825	Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
VIN: 81923-81928	HaleTrailer	.com   @hale	trailer f У	
	800-232	2-6535 *	FINANCING	AVAILABLE

## FRAME TYPE MVP SS

Weight	<b>10684</b> lbs. *'	** Cubic Yards 39	
ODY			
LOAD PROFILE		MATERIAL, 80K GVWR	
LENGTH		28	
WIDTH		96	
FLOOR		1/4 IN. FULL	
STUB LONGITUDI	NALS	YES	
CROSSMEMBER S	PACING	12 IN.	
COAL BUCKET FLO	OOR BRACING	NONE	
SIDE PLACEMENT		INSET SMOOTH SIDE PANEL	
FLOOR LINER		NONE	
BODY HOLD DOW	N	NONE	
VIBRATOR		NONE	
RUBBER SEAL		YES	
REAR HINGE PIN		STANDARD	
AIR FAIRINGS		NONE	
WALL HEIGHT		60	
WALL THICKNESS		67% STANDARD 1.5" PANELS150" WALL & 33% - HEAVY 1.5" PANELS175" WALL	
WALL LINER		NONE	
TOP RAIL OPTION		ANGLE RADIUS TOP, EVEN WITH TOP (ADD 2-1/2 IN. TO WALL HEIGHT)	
A	NGLE RADIUS TOP, EV	VEN WITH TOP (ADD 2-1/2 IN. TO WALL HEIGHT)	
REAR POCKET SL	OPE	2.75	
HOIST		8-5-235 - CUSTOM	
REMOTE GREASE		REMOTE HOIST GREASE	
BULKHEAD		3/16 IN.	
BULKHEAD TYPE		RADIUS CORNERS	
BULKHEAD DOOR		BULKHEAD DOOR D.S. W/ GRAB HANDLE	
BULKHEAD SLOPE	E PLATES	YES, 18 IN.	
51	NCH SLOPE PLATES		
LOWER BULKHEA	D WRAP	YES	
BULKHEAD STEPS	3	BULKHEAD STEPS OUT (D.S.)	
SIDES STEPS D.S.		FIRST & LAST OUTSIDE	
SIDES STEPS C.S.		NONE	
SHOVEL HANGER		NONE	
FRONT FENDERS	WITH FLAPS	CORNER W/ FLAPS	
ALUMINUM ROLL	CAP	NONE	
REAR END STYLE	END STYLE STANDARD		

LIGHTS LIGHT TYPE

GROTE L.E.D. W/ GROMMET

LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (FULL LIGHT PANEL) OOO 000 OOO		
APRON	3/8 IN. X 1-1/2 IN. FULL LIGHT SHIELD		
STD. MARKER LIGHTS	(5) EACH SIDE TOP & BOTTOM		
MID-TURNS	(1) PAIR L.E.D. (NON-COMBO)		
BACK-UP LIGHTS	NONE		
AUXILIARY CABLE	6 WAY		
BACK-UP LIGHT WIRE	NONE		
REAR POCKET LIGHTS	1 PAIR		

## GATE

GATE			
GATE SHEET THICKNESS	VERTICAL PANELS		
GATE OPERATION	ELECTRIC THRU AUX. & BALL VALVE		
HINGE TYPE	O. S. SWING C.S. W/ INPOCKET GROUND CONTROL		
COAL DOOR	NONE		
CHUTE	NONE		
DOUBLE HANDLE DOOR	NONE		
GATE BRACING	NO BRACING (SMOOTH SIDE PANELS)		
GATE STIFFENER	NONE		
PUSHER BLOCK	NONE		
HALF ROUND ON GATE	NONE		
ANGLE ON TOP OF GATE	YES		
SPREADER CHAINS	NONE		
WINDERS / SAFETY LATCH	WINDERS (1) EACH SIDE		
GATE STEPS	NONE		
TARP HOOKS	NONE		
GATE LINER	NONE		

PRIMARY AXLES	
MODEL	CLOSED TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	HEND. INTRAAX AAT-30K W/ HXL-5
AXLE SPACING	52
AXLES	AXLE FOR INTRAAX ONLY
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	BRIDGESTONE R250ED 11R24.5 16 PLY
WHEELS	ALUMINUM HP 24.5X8.25 - ALL POLISHED W/ OUTSIDE ACCU-SHIE
	LD (XPC)
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE

.IFT AXLES		
NO. OF LIFT AXLES	0	
LIFT AXLE SUSPENSION	NONE	
LIFT KIT	NONE	
LIFT AXLE DISTANCE	N/A	
LIFT AXLE	NONE	
LIFT AXLE BRAKES	NONE	
LIFT AXLE CAM GUARDS	NONE	
LIFT AXLE HUB AND DRUM	NONE	
LIFT AXLE TIRES	NONE	
LIFT AXLE WHEELS	NONE	
LIFT AXLE CONTROLS	NONE	
FREE WHEEL VALVE	NONE	
LIFT AXLE TIRE INFLATION SYSTEM	NONE	

STEERABLE LIFT AXLES		
NO. OF STEERABLE AXLES	0	
STEERABLE AXLE SUSPENSION	NONE	
STEERABLE AXLE DISTANCE	N/A	
STEERABLE AXLES	NONE	
STEERABLE AXLE BRAKES	NONE	

STEERABLE AXLE HUB AND DRUMS	NONE	
STEERABLE AXLE TIRES	NONE	
STEERABLE AXLE WHEELS	NONE	
STEERABLE AXLE CONTROLS	NONE	

FRAME RAILS	17 IN. ALUMINUM BEAMS		
RUBBER CUSHION RIDE	YES		
NO. OF INCHES FOR GOOSENECK	NO GOOSENECK, 9.25 I.O. IN. HEIGHT		
LID FOR GOOSENECK	NONE		
PIN SETTING	18		
5TH WHEEL PLATE	5/16		
3/8 FIFTH WHEEL PLATE	3/10		
5TH WHEEL PLATE HEIGHT	51 IN. HIGH		
KING PIN	.375 KING PIN ONLY		
NO. OF INCHES FOR REAR OVERHANG	6		
TRACTOR DRIVE MODEL	TANDEM DRIVE		
GALVANIZED SUSPENSION HANGERS	YES		
STIFFENER PLATE	NONE		
HOIST & MOUNT STYLE	3 IN. X 6 IN. X 3/8 IN.		
SUSPENSION CONTROL	ELECTRIC THRU AUX. & BALL VALVE		
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO		
SLACKS	AUTOMATIC		
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE		
HUBODOMETER	NONE		
DUST COVERS	NONE		
TIRE CARRIER(S)	NONE		
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 LB.) - 10 YEAR ALUMINUM - D.S.		
SHIMS	MYLAR		
REGISTRATION HOLDER	NONE		
AIR GAUGE / SYSTEM	RIGHT WEIGH E-Z 201-EDG-01B DIGITAL SCALE SYSTEM		
ENCLOSURE FOR SWITCHES	POLYMER		
AIR TANKS	ALUMINUM TANK		
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING		
FLAPS FRONT OF TIRES	FLAP IN FRONT OF FRONT AXLE		
FLAPS REAR OF TIRES	FLAP BEHIND REAR AXLE		
TOW HOOKS	NONE		
BUMPER	NONE		

IARP		
TARP MANUFACTURER	NONE	
TARP CONTROL	NONE	
TARP COLOR	NONE	
BOW HOLDERS	NONE	
TARP BRACKET	NONE	

PAINT	
HANGERS	GALVANIZED
SUSPENSION COLOR	BLACK SOFT COAT
DOLLIES	BLACK (931716)
HOIST COLOR	BLACK (931716)
5TH WHEEL PLATE COLOR	BLACK (931716)
PIN STRIPING	BLACK (931716)
MAC MACHINE FINISH LOGOS	BLACK (931716)
OPTIONAL SIGNS	NONE

ACCESSORIES		
NO. OF CHAIN TIE DOWNS (PER PAIR)	NONE	
(CUSTOMER MUST SPECIFY LOCATION)		
TOW MOTOR PACKAGE	NONE	
COIL RACK ANGLES	NONE	
LOAD LEVEL INDICATOR	NONE	

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.