


HALE TRAILER BRAKE & WHEEL



A022203-A022204
VINS: 76594 & 76596

SALES | RENTALS | PARTS | SERVICE

| | | | |
|-----------------|--------------|-------------------|--------------|
| Allentown, PA: | 800-383-8894 | Jacksonville, FL: | 800-828-3055 |
| Baltimore, MD: | 888-601-7500 | Little Rock, AR: | 833-424-8944 |
| Boston, MA: | 800-854-5310 | Portland, ME: | 800-325-4253 |
| Concord, NC: | 800-438-2250 | Richmond, VA: | 866-839-3495 |
| Delmar, DE: | 866-486-1400 | Scranton, PA: | 800-569-1400 |
| Des Moines, IA: | 888-673-5011 | Springfield, MA: | 800-854-5306 |
| Elkton, MD: | 800-544-7127 | Voorhees, NJ: | 866-315-0235 |

HaleTrailer.com | @haletrailer     

800-232-6535 *FINANCING AVAILABLE

Alum Frameless Half RND

Model # TNAR40NF60-2025 **Weight** 9313 lbs. *** **Cubic Yards** 48

BODY

| | |
|-----------------------------|------------------------------------|
| LOAD PROFILE | MATERIAL, 80K GVWR |
| LENGTH | 40 FT. (36 FT. 7 IN. FLOOR) |
| WIDTH | 96 WIDE BODY, 102 WIDE AXLES |
| BODY STYLE | RADIUS BULKHEAD LOW PROFILE |
| FLOOR LINER | NONE |
| VIBRATOR | NONE |
| RUBBER SEAL | YES |
| AIR FAIRINGS | NONE |
| WALL HEIGHT | 60 |
| HOIST | 8-5-265 - CUSTOM |
| BULKHEAD LADDER | BULKHEAD DOOR W/ 3/16 IN. BULKHEAD |
| SHOVEL HANGER | NONE |
| FRONT FENDERS WITH FLAPS | NONE |
| ALUMINUM ROLL CAP | 11 IN. RISE ROLL |
| REAR ROLL CAP | NONE |
| FLOOR / SIDES | 1/4 IN. FLOOR, 3/16 IN. SIDES |
| SIDE STEPS / LADDER | LADDER OUTSIDE D.S. |
| BULKHEAD LINER | NONE |
| TIRE CARRIER | (1) FACING FORWARD |
| REAR POCKET WIND DEFLECTORS | NONE |

LIGHTS

| | | |
|-------------------------------------|--------------------------------|-----|
| LIGHT TYPE | GROTE L.E.D. W/ GROMMET | |
| LIGHT PANEL | 3 LARGE-3 SMALL-3 LARGE | |
| APRON | 1/4 IN. X 6 IN. LIGHT APRON | |
| STD. MARKER LIGHTS | (5) EACH SIDE | |
| MID-TURNS | (1) PAIR L.E.D. (NON-COMBO) | |
| BACK-UP LIGHTS | (1) PAIR L.E.D. BACK-UP LIGHTS | |
| ADD SECOND 7WAY TO THE JUNCTION BOX | | 0.5 |
| AUXILIARY CABLE | 7 WAY (ISO) | |
| BACK-UP LIGHT WIRE | NONE | |
| REAR POCKET LIGHTS | 1 PAIR | |

GATE

| | |
|----------------------|--|
| GATE SHEET THICKNESS | 3/16 IN. SHEET & POST |
| GATE OPERATION | ELECTRIC THRU AUX. & BALL VALVE |
| HINGE TYPE | O. S. SWING D.S. W/ INPOCKET GROUND CONTROL |
| COAL DOOR | 14 IN. STAINLESS HANDLE W/ GREASELESS BEARINGS |
| CHUTE | NONE |
| SPREADER CHAINS | NONE |

| | |
|------------------------|---------------------------------|
| WINDERS / SAFETY LATCH | WINDERS (1) EACH SIDE (45 DEG.) |
| TARP HOOKS | NONE |
| GATE LINER | NONE |

PRIMARY AXLES

| | | |
|------------------------------------|---|-----|
| MODEL | CLOSED TANDEM | |
| NO. OF PRIMARY AXLES | 2 | |
| SUSPENSION | HEND. INTRAAX AAT-25K W/ HXL-5 | |
| | add restraining straps to front axle shocks | 0.5 |
| AXLE SPACING | 52 | |
| | use 26900271-13.5 suspension. | |
| AXLES | AXLE FOR INTRAAX ONLY | |
| BRAKES | 7 IN. XL, W/ 30-30 CHAMBERS | |
| CAM GUARDS | HEND. INTRAAX | |
| HUB AND DRUM | CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. | |
| TIRES | GOODYEAR MARATHON RSS 11R 24.5 16 PLY | |
| WHEELS | ALUMINUM HP 24.5X8.25 - ALL POLISHED (XP) | |
| PRIMARY AXLE TIRE INFLATION SYSTEM | NONE | |
| | PREPPED FOR TIRE INFLATION SYSTEM TIRE MAX PRO 3 HOLE PREP OPTION | |

LIFT AXLES

| | |
|---------------------------------|------|
| NO. OF LIFT AXLES | 0 |
| LIFT AXLE SUSPENSION | NONE |
| LIFT KIT | NONE |
| LIFT AXLE | NONE |
| LIFT AXLE BRAKES | NONE |
| LIFT AXLE CAM GUARDS | NONE |
| LIFT AXLE HUB AND DRUM | NONE |
| LIFT AXLE TIRES | NONE |
| LIFT AXLE WHEELS | NONE |
| LIFT AXLE CONTROLS | NONE |
| FREE WHEEL VALVE | NONE |
| LIFT AXLE TIRE INFLATION SYSTEM | NONE |

CHASSIS

| | |
|---------------------------------------|---|
| 5TH WHEEL PLATE | BREAK-AWAY PIN @ 49 IN. |
| GALVANIZED SUSPENSION HANGERS | YES |
| SUSPENSION CONTROL | ELECTRIC THRU AUX. & BALL VALVE |
| ABS FOR TRAILER | (1) 4S2M MERITOR / WABCO |
| SLACKS | AUTOMATIC |
| AXLE LUBRICATION | HXL, SYNTHETIC SEMI-FLUID GREASE |
| HUBODOMETER | NONE |
| DUST COVERS | NONE |
| DOLLIES - LANDING GEAR - LANDING LEGS | JOST A450 - (62,500 lb.) - 10 YEAR NO LUBE - STEEL - D.S. |
| REGISTRATION HOLDER | TUBE TYPE HOLDER |
| AIR GAUGE / SYSTEM | YES, IN FRONT |
| ENCLOSURE FOR SWITCHES | NONE |
| AIR TANKS | ALUMINUM TANK |
| HYDRAULIC HOSE FITTING | 1 IN. X 120 IN. HOSE W/ WING FITTING |
| FLAPS FRONT OF TIRES | FLAP IN FRONT OF FRONT AXLE |
| FLAPS REAR OF TIRES | FLAP BEHIND REAR AXLE |

TARP

| | |
|--------------------|------|
| TARP MANUFACTURER | NONE |
| TARP CONFIGURATION | NONE |
| TARP CONTROL | NONE |
| TARP COLOR | NONE |
| BOW HOLDERS | NONE |
| TARP BRACKET | NONE |
| MOTOR | NONE |

PAINT

| | |
|-----------------------|-----------------|
| HANGERS | GALVANIZED |
| SUSPENSION COLOR | BLACK SOFT COAT |
| DOLLIES | BLACK (931716) |
| HOIST COLOR | BLACK (931716) |
| 5TH WHEEL PLATE COLOR | BLACK (931716) |
| PIN STRIPING | BLACK (931716) |
| MAC LOGOS | BLACK (930248) |

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.