

HALE

TRAILER

BRAKE & WHEEL



A022388-A022393
VIN: 88434-88439

SALES | RENTALS | PARTS | SERVICE

Allentown, PA: 800-383-8894 **Little Rock, AR:** 833-424-8944
Baltimore, MD: 888-601-7500 **Portland, ME:** 800-325-4253
Concord, NC: 800-438-2250 **Raleigh, NC:** 833-418-9777
Delmar, DE: 866-486-1400 **Scranton, PA:** 800-569-1400
Des Moines, IA: 888-673-5011 **Springfield, MA:** 800-854-5306
Elkton, MD: 800-544-7127 **Voorhees, NJ:** 866-315-0235
Jacksonville, FL: 800-828-3055 **Walpole, MA:** 800-854-5310

haletrailer.com | @haletrailer

800-232-6535 *FINANCING AVAILABLE

ALUMINUM "BST II" PLATFORM


LENGTH:	48' - 24" BEAM	SUSPENSION:	AAT25K/E2-L-LIFT (FRONT LIFT) W/ 'K' BRACING GALVANIZED HANGERS & SOFTCOAT PAINT
WIDTH:	102"	LOWERING KIT:	AUTOMATIC
NOSE:	SQUARE + EXTRA ISO 7 WAY PLUG (1)(3)	AXLE TO AXLE:	121"
KING PIN SETTING:	30" W/ 5/16" STEEL-NO ACCESS HOLES	AXLE TO REAR:	30"
FLOOR:	KNURLEDALUMINUM 3 NAILERS INTEGRATED SIDE RAIL	LIFT / AXLE:	N/A
XMEMBER SPACING:	16"	SPACING:	N/A
COIL PACKAGE:	YES (CENTER)	F.W. HEIGHT:	49"
SPOOLS:	DOUBLE	CONTROLS:	FRAME SWITCH & ELEC CC WIRED TO AUX.
POCKETS:	HD FRONT TO ACCEPT AERO BH-SEE DWG	AXLES:	TP-W/ GREASED HUBS & HXL-5 WHEEL PKG 23,000 GAWR
ROPE HOOKS:	NONE	AUTO SLACKS:	
TIE DOWNS:	10 PR J-HOOKS & 2 STORAGE PIPES @ D/S LG	BRAKES:	HENDRICKSON MAXX 22T ADB
MARKER LIGHTS:	LED - 9 PR EACH SIDE ON RAIL	ABS SYSTEM:	4S/2M (SENSOR ALL)
MID TURN SIGNAL:	LED- COMBO MARKER / MMTS BELOW RAIL	HUBS:	10 STUD LW STEEL
FLA ANGLE		DRUMS:	N/A
LIGHT PANEL:	LED - 11 LIGHTS (OOOO ooo OOOO) 1/2 STEPS ON REAR FULL WIDTH BUMPER	WHEELS:	8.25 X 22.5 4HP / 4 MP
BULKHEAD:	NONE	TIRES:	11R 22.5 R196A 14 PLY BRIDGESTONE
TYPE:		LANDING GEAR:	JUST AX150 ALUMLIGHT D/S CRANK FORWARD BRACING (2)
HEIGHT:		TIRE CARRIER:	BRACKETS ONLY - P/S ACCESS MID TRAILER
RETURNS:		TOOLBOX:	QTY: TWO-AERO EXTREME 1/8" SIZE: 24" X 24" X 60" LOCATION: D/S & P/S-BETWEEN AXLES MAT'L: AERO DOUBLE DOOR-SMOOTH ALUM LO-MOUNT FOR WINCH CLEARANCE
MAT'L:		MUDFLAPS:	STD TYPE: SILVER PLASTIC LOCATION: REAR
ACCENT TAPE:	EAST BLACK		
PAINT:	EAST BLACK SOFT COAT BLACK ON SUSPENSION		
WINCH TRACK:	STANDARD INTEGRATED RAIL		
LOCATION:			
WINCHES:	12 - EA. STEEL SLIDING - D/S		
WINCH CLIPS:	12 - EA. SLIDING CLIPS - P/S		
STRAPS:	NONE		

REMARKS: PRICE SUBJECT TO CHANGE 12 WEEKS PRIOR TO ESTIMATED BUILD TIME **CHANGE 1**

- EXTRA ISO 7 WAY PLUG WIRED TO JUNCTION BOX D/S INSIDE FRAME IN FRONT OF MOST FORWARD AXLE. **WEIGHT: +/-3%: 9862**
- TRUCKLITE REGISTRATION HOLDER D/S @ LANDING GEAR
- WIRING BACK 3" FROM INSIDE NOSE - SEE PICTURE
- DUNNAGE RACK 8' 3" (090-30200-02) LOCATED ON D/S AHEAD OF SUSPENSION - PIC BELOW.
- PREP FOR FUTURE TIRE MAAX PRO INFLATION SYSTEM ON BOTH AXLES.

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.



ELECTRICAL HARNESS TO BE BELOW OR ABOVE 1/2" HOLE



WIRING HARNESS TO BE LOCATED 3" REARWARD OF INSIDE 90 DEGREE ANGLE (STANDARD LOCATION OF HARNESS) ALL THE WAY ACROSS THE FRONT OF THE TRAILER

Hale Trailer
X JBiles 4/25/18
X _____

