

HALE TRAILER BRAKE & WHEEL



A023067-A023075
VIN: 80386-80394

SALES | RENTALS | PARTS | SERVICE

Allentown, PA: 800-383-8894	Little Rock, AR: 833-424-8944
Baltimore, MD: 888-601-7500	Portland, ME: 800-325-4253
Concord, NC: 800-438-2250	Raleigh, NC: 833-418-9777
Delmar, DE: 866-486-1400	Scranton, PA: 800-569-1400
Des Moines, IA: 888-673-5011	Springfield, MA: 800-854-5306
Elkton, MD: 800-544-7127	Voorhees, NJ: 866-315-0235
Jacksonville, FL: 800-828-3055	Walpole, MA: 800-854-5310

haletrailer.com | @haletrailer     

800-232-6535 *FINANCING AVAILABLE

FLATBED COMBO

Model # TNAR53AA0-2025

Weight 10274 lbs. *** **Cubic Yards** 0

BODY

FRAME RAIL MODEL	STEEL BEAMS GRADE 80 WEB & GRADE 100 FLANGES (50K)
FRAME RAIL ARCH MODEL	3 1/2 IN.
LOAD PROFILE	MATERIAL, 80K GVWR
LENGTH	53
WIDTH	102
NECK STYLE	SQUARE FRONT, 10 IN. NECK, 102 WIDE
CROSSMEMBER SPACING	16 IN. ON CENTER
BULKHEAD	NONE
SPOOLS AND POCKETS	DOUBLE SPOOLS W/ POCKETS
NAILERS	2 NAILERS ON OUTSIDE
NO. OF STUB CROSSMEMBERS (COIL)	NONE
COIL PLACEMENT STRIPE / DECAL	NONE
(1) FULL WIDTH CROSSMEMBER AT REAR (REAR LOADING)	NONE
REAR FLOOR, THRESHOLD PLATE (REAR LOADING)	NONE
OUTRIGGERS / TAPERED CROSSMEMBERS	W/ (3) OUTRIGGERS EVENLY SPACED
SIDE RAIL WINCH TRACK	DBL. ENTRY T.D. OUT, BOLT ON LL TRACK D.S. BAR C.S.
REAR END STYLE	REAR OPEN (NO CENTER FILLER PLATE)
	ALUMINUM BUMPER
REAR STEPS	GRIP STRUT STEP
STAINLESS ON REAR END	NONE
DOCK BUMPERS	(2) 16 IN. OUTSIDE

LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
	TRUCK-LITE
LIGHT PANEL	3 LARGE - 3 SMALL 2 3/4 IN. - 3 LARGE OOO ooo OOO
	ALL LARGE LIGHTS
STROBE LIGHTS	NONE
STD. MARKER LIGHTS	5 EACH SIDE
MARKER LIGHT LOCATION	STD.
MID-TURNS	(1) PAIR OPEN
WIDE TURN DIRECTIONAL LIGHTS	NONE
BACK-UP LIGHTS	NONE
BACK UP LIGHT CONTROLS	NONE
AUXILIARY CABLE	NONE
REAR AUXILIARY PLUG	NONE

PRIMARY AXLES

MODEL	TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	HEND. INTRAAX AANT-23K TP (250 BAGS) W/ HXL-5
NO. OF LIFT KITS	0
PRIMARY AXLE LIFT KIT	NONE
SUSPENSION SLIDER	SINGLE AXLE REAR SLIDER
CAN/CAL LEGAL	
AXLE SPACING	122
AXLE SETTING	516 INCHES (43)
AXLES	AXLE FOR INTRAAX ONLY
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
BRAKE STROKE INDICATORS	NO
TIRES	YOKOHAMA RY023 11R 22.5 16 PLY
WHEELS	A & S HP 22.5X8.25 - INSIDE STEEL, OUTSIDE POLISHED (XP)
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE

CHASSIS

FRAME RAILS	MOVED TO BODY
FRAME RAIL ARCH	MOVED TO BODY
PIN SETTING	30
5TH WHEEL PLATE	1/4 IN. GR-50, 1/4 KP, 102 WIDE
5TH WHEEL PLATE HEIGHT	48 IN. HIGH
SUSPENSION CONTROL	BALL VALVE (FULL SUSPENSION DUMP)
GLADHAND / ELECTRIC CONNECTION LOCATION	FRONT ONLY
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST A400 - (55,000 lb.) - CUSHION FOOT - STEEL - D.S.
REGISTRATION HOLDER	NONE
REGISTRATION HOLDER LOCATION	N/A
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
AIR TANK DRAIN COCK WITH CABLE PULL TO D.S.	NO
ADDITIONAL FLAPS	REAR OF REAR AXLE (1 SET)

PAINT

CHASSIS COLOR	BLACK POWDER COAT
PIN STRIPING	BLACK (931716)
LANDING GEAR COLOR	BLACK (930248)
MAC MACHINE FINISH LOGOS	BLACK (931716)

ACCESSORIES

NO. OF TOOLBOXES	1
TOOL BOX SIZE	24X24X60 DOUBLE DOOR
TOOL BOX DOOR TYPE	ALUMINUM
TOOL BOX HARDWARE	CAM LOCKS
TOOL BOX LOCATION	BETWEEN SPREAD D/S
TOOL BOX BRACKETS	1 PAIR BRACKETS ONLY (24X24X60)
TOOL BOX BRACKET LOCATION	DRIVER SIDE
NO. OF COMBO J HOOK (CHAIN / STRAP) (PAIRS)	NONE
CHAIN TIE DOWNS BETWEEN EVERY CROSSMEMBERS	NONE

CHAIN TIE DOWNS BETWEEN EVERY OTHER CROSSMEMBERS	NONE
NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	NONE
NO. OF GALVANIZED STD. DOUBLE L SLIDING WINCHES	10
NO. OF GALVANIZED STD. DOUBLE L LOW PRO SLIDING WINCHES	NONE
NO. OF GALVANIZED 3 BAR SLIDING WINCHES	NONE
NO. OF STD. 4 INCH X 30 FT. WINCH STRAPS WITH FLAT HOOK END	10

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.