



Resale Inventory

A023583-A023588

VIN: A1531, P2532, P2595, A1066, P1883, P1612

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer



800-232-6535 *FINANCING AVAILABLE

MAGNITUDE 55MX (Model: MAG55HMXTXT829543)

Detailed Specifications

General

SKU	MAG55HMXTXT829543
Capacity	55 Tons in 16-foot (Closed Position) Length with 4 Axles Close Coupled Or Single Axle Stinger; GAWR and GVWR Determine Legal Payloads
Length (Trailer Only)	55 feet 4 inches
Width	8 feet 6 inches
Compatibility	Designed to Accept Optional 51/60 Rear Axle, EQ1 Spreader, and/or 23 inch Flip Box
Accent Package	None
Weight	Est. Configured Weight: 26900# +/- 3%

Gooseneck

Gooseneck Design	Narrow Hydraulic Removable Non-Ground Bearing - Swing Radius of 102 inches (11ft 11in overall Gooseneck Length) Set Up for Wetline Operation
Loaded Fifth Wheel Height	Dual Cam Pawl Arm Assembly with 7 ride height positions (50 inches nominal)
Kingpin	Removable Kingpin at 102 inch Radius
Power Source	Set Up for Wet Line Operation
VIN Plate	Bilingual VIN Plate
Registration/Document Holder	Install Registration/Document Holder

Deck

Framework	All Main Longitudinal Members Fabricated with 100,000# Minimum Yield Steel Flanges with 50,000# Webs
Deck Design	Flat Level Telescopic Deck Design
Deck Length	29 feet 4 inches Clear Deck Length (Closed); 50 feet 4 inches (Open)
Loaded Deck Height	20 inches with 6 inches Ground Clearance
Crossmembers	Crossmember Spacing Outboard Mainbeams 12 in c/c (Nominal)
Flooring	2 inch Nominal Wood
Front Ramps	None, Front of Deck Sloped Top Down to Assist in Loading with Traction Cleats
Extension Brackets	14 pair - 28 Total Removable Swing Type, 2 Pair - 4 Total Heavy Duty Removable Hook-On Type
Toolbox	1 Fully Covered Tray in Rear of Deck Between Mainbeams with Lockable Cover

Rear Bridge: General

Front Bogie Ramp	Included
Boom Trough	V Crossmembers with Bolt-In V Pan
Deck to Bogie Connection	Modular
Bolsters	Recessed Load Bearing Between All Axles and Rear of Last Axle
Covered Rear Bogie	None
Rear Bogie Height	40 7/8 inches to Top Flanges - 36 5/8 inches to Top of Bolsters
Connections for Future Axle Attachment	Air and Electrical Connections to Go Along with Connecting Ears

Rear Bridge: Axles

Number of Axles	3 Axles
Axle Capacity	25,000 lb. Nominal Capacity Per Axle NOTE: GAWR Determined by Suspension Type, Brakes, Tires and Other Components.
Axle Spread	54.5 inches (Between Axles)
Brakes	16.5 inches x 7 inches with 5.5 inches Autoslacks - Heavy Duty Brake Drums - Outboard Mount
Spring Brakes	None
Dust Shield	None
Hubodometer	None

Rear Bridge: Suspension

Suspension	Air Ride
ABS	None
Third Lift Axle	Air Lift Installed on Third Axle
Chain Lift	Chain Lift On First Axle
Ride Height Control	5-Position Mechanical Ride Height Control System
Manual Dump Valve	Manual Dump Valve (Push Pull)
Liquid Filled Gauge	None
Load Scale	None

Wheels and Tires

Wheels	8.25 x 22.5 LxL One Buffed Outside/Steel Inside - Hub-Piloted
Tires	275/70R 22.5 H Ply OEM Standard
Inflation	None

Detailed Specifications		Lighting
Electrical System	DOT Sealed Beam and Harness with LED Lights and 4-inch Flush Mounted Battery Powered Amber Strobes	
Tail Lights	3 Tail Light Package	
Marker Lights	3 Marker Lights Per Side Including Mid-Turn	
Electrical Receptacle	J560 7-Pin Connector	
Paint		
Paint	Fontaine Black Polyurethane Enamel	
Miscellaneous		
Lash Rings	12 Pair - 24 Total	
Flag Holders	2 Pair Flag Holders	
Additional		
Flip Box	A023585 VIN: P2595	
Spreader	A023586 VIN: A1066	
Flip Axle	A023584 VN: P2532	
Deck Inserts	A023587 VIN: P1883 and A023588 VIN: P1612	
Terms		
Please Note	Price Includes Commodity Surcharges	
Commercial Terms	Ex Works- Springville, AL, USA	




MAGNITUDE 55MX



[MAGNITUDE 55MX Base Model](#) (Note: Options not shown)

DISCLAIMER

Specifications are for the equipment at the time it was produced and may not accurately reflect its current condition. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.




FONTAINE HEAVY-HAUL
SPRINGVILLE, AL

MAGNITUDE 55MX 54


8401



FLIPBOX	GOOSENECK	DECK EXTENDABLE	BOGIE	EQ1	OAL
23"	11'-11"	29'-4" CLOSED 50'-4" OPEN	(54.5") 14'-1"	(54.5") 14'-1"	71'-4" CLOSED 92'-4" OPEN
23"	11'-11"	29'-4" CLOSED 50'-4" OPEN	(60") 15'-0"	(60") 14'-7"	72'-9" CLOSED 93'-9" OPEN



FLIPBOX	GOOSENECK	DECK EXTENDABLE	BOGIE	FLIP AXLE	OAL
23"	11'-11"	29'-4" CLOSED 50'-4" OPEN	(54.5") 14'-1"	54.5"	61'-9 1/2" CLOSED 82'-9 1/2" OPEN
23"	11'-11"	29'-4" CLOSED 50'-4" OPEN	(60") 15'-0"	60"	63'-2" CLOSED 84'-2" OPEN



THIS DRAWING AND THE INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF FONTAINE HEAVY-HAUL, INC. AND ARE NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF FONTAINE HEAVY-HAUL, INC.