



A029463-A029465 VIN: 090111-090113

PARTS SALES RENTALS SERVICE

Allentown, PA: Little Rock, AR: 833-424-8944 800-383-8894 Baltimore, MD: 800-325-4253 888-601-7500 Portland, ME: Concord, NC: Raleigh, NC 833-418-9777 800-438-2250 Delmar, DE: Scranton, PA: 800-569-1400 866-486-1400 Des Moines, IA: 888-673-5011 Springfield, MA: 800-854-5306 Elkton, MD: 800-544-7127 Voorhees, NJ: 866-315-0235 Jacksonville, FL: 800-828-3055 Walpole, MA: 800-854-5310

haletrailer.com | @haletrailer f 😉 You

800-232-6535

*FINANCING AVAILABLE

FRAME TYPE SP

Cubic Yards 13512 lbs. Weight 53

LOAD PROFILE MATERIAL, 80K GVWR LENGTH 39.5 WIDTH 96 FLOOR 1/4 IN. FULL BTUB LONGITUDINALS STUB LONGITUDINALS YES CROSSMEMBER SPACING 10 IN. 6-2° SMOOTH BORE DRAINS IN FLOO*LOCATED 54°, 20°, 34° FROM REAR WITH STAINLESS STEEL BALL VALVES INSTALLED FLOOR LINER NONE BODY HOLD DOWN NONE WIBBATOR NONE REAR HINGE PIN DOUBLE HINGE W/DOUBLE DUMP SHOES WALL HEIGHT 60.375 WALL LIKER NONE WALL THICKNESS 50.105 WALL LIKER NONE WALL THICKNESS 50.105 WALL LIKER NONE REAR POCKET SLOPE 2.75 UPRIGHTS TO ADD OR SUBTRACT	BODY		
LENOTH			MATERIAL, 80K GVWR
FLOOR	LENGTH		39.5
DRILLED AND HINGED FES FES	WIDTH		96
STUBL LONGITUDINALS YES CROSSMEMBER SPACING 10 IN. 6 - 2 SMOOTH BORE DRAINS IN FLOOR LOCATED 54"; 20", 34" FROM REAR WITH STAINLESS STEEL BALL VALVES INSTALLED FLOOR LINER NONE BODY HOLD DOWN NONE VIBRATOR NONE RUBBER SEAL YES REAR HINGE PIN DOUBLE HINGE W/ DOUBLE DUMP SHOES WALL HICKNESS 0.175 WALL THICKNESS 0.175 WALL LINER NONE TOP PAIL OPTION SOLID REAR POCKET SLOPE 2.75 UPRIGHTS FORMED UPRIGHTS NO. OF UPRIGHTS TO ADD OR SUBTRACT 13 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE HOIST 8-5-285 - CUSTOM REMOTE GREASE NONE BULKHEAD 14 IN. BULKHEAD TYPE RADIUS CORNERS BULKHEAD TYPE RADIUS CORNERS BULKHEAD SLOPE PLATES NONE BULKHEAD SLOPE PLATES NONE BULKHEAD SLOPE PLATES NONE BULKHEAD SLOPE	FLOOR		1/4 IN. FULL
CROSSMEMBER SPACING 10 IN. 6 - 2" SMOOTH BORE DRAINS IN FLOOK LOCATED 54"; 20"; 34" FROM REAR WITH STANLESS STEEL BALL VALVES INSTALLED FLOOR LINE		DRILLED AND HINGED	
	STUB LONGITU	JDINALS	YES
NONE	CROSSMEMBE	ER SPACING	10 IN.
BODY HOLD DOWN NONE VIBRATOR NONE RUBBER SEAL YES REAR HINGE PIN DOUBLE HINGE WI DOUBLE DUMP SHOES WALL HEIGHT 60.375 WALL LINER NONE TOP RAIL OPTION SOLID TOP RAIL OPTION TOP RAIL OP		6 - 2" SMOOTH BORE DRAINS IN FLO	OR LOCATED 54", 20", 34" FROM REAR WITH STAINLESS STEEL BALL VALVES INSTALLED
VIBRATOR NONE RUBBER SEAL YES REAR HINGE PIN DOUBLE HINGE W/ DOUBLE DUMP SHOES WALL HEIGHT 60.375 WALL LINER NONE WALL LINER NONE TOP RAIL OPTION SOLID TOP READ OF SUBTRACT O HORIGHTS TO ADD OR SUBTRACT O O H	FLOOR LINER		NONE
RUBBER SEAL YES REAR HINGE PIN DOUBLE HINGE W DOUBLE DUMP SHOES WALL HEIGHT 60.375 WALL HEIGHT 60.375 WALL LINER NONE TOP ROUBLE MONE TOP ROUBLE MONE REAR POCKET SLOPE 2.75 UPRIGHTS PORMED UPRIGHTS NO. OF UPRIGHTS 10 ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE SHEDDERS 5 IN. SMOOTH TARP BAR NONE HOIST 8.5-285 - CUSTOM REMOTE GREASE NONE BULKHEAD DOOR NONE BULKHEAD TYPE RADIUS CORNERS BULKHEAD DOOR NONE BULKHEAD DOOR NONE BULKHEAD BULKHEAD WARP NONE BULKHEAD SLOPE PLATES NONE SIDES STEPS D.S. NO D.S. STEPS STEPS NISIDE DRIVER SIDE AFTER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE		OWN	
REAR HINGE PIN DOUBLE HINGE W/ DOUBLE DUMP SHOES WALL HEIGHT 60.375 WALL THICKNESS 0.175 WALL LINER NONE TOP RAIL OPTION SOLID ***********************************	VIBRATOR		NONE
WALL HEIGHT 60.375 WALL THICKNESS 0.175 WALL LINER NONE TOP RAIL OPTION SOLID ***********************************	RUBBER SEAL		YES
WALL THICKNESS 0.175 WALL LINER NONE TOP ALL OPTION SOLID ***********************************	REAR HINGE P	PIN	DOUBLE HINGE W/ DOUBLE DUMP SHOES
WALL LINER NONE TOP RAIL OPTION SOLID REAR POCKET SLOPE 2.75 UPRIGHTS FORMED UPRIGHTS NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE SHEDDERS 5 IN. SMOOTH TARP BAR NONE HOIST 8-5-285 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE RADIUS CORNERS BULKHEAD DOOR NONE BULKHEAD DOOR NONE BULKHEAD SLOPE PLATES NONE BULKHEAD SLOPE PLATES NONE BULKHEAD STEPS NONE STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	WALL HEIGHT		60.375
TOP RAIL OPTION SOLID REAR POCKET SLOPE 2.75 LOPRIGHTS FORMED UPRIGHTS NO. OF UPRIGHTS 13 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE SHEDDERS 5 IN. SMOOTH TARP BAR NONE NONE HOIST 8-5-285 - CUSTOM REMOTE GREASE BULKHEAD NONE BULKHEAD TYPE RADIUS CORNERS BULKHEAD DOOR NONE LADDER - CENTER OF BULKHEAD BULKHEAD SLOPE PLATES NONE BULKHEAD WRAP NO BULKHEAD STEPS NONE SIDES STEPS D.S. NO D.S. STEPS SIDES STEPS C.S. NONE STEPS INSIDE DRIVER SIDE AFTETES PLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	WALL THICKNE	ESS	0.175
COLID REAR POCKET SLOPE 2.75 UPRIGHTS FORMED UPRIGHTS NO. OF UPRIGHTS 13 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE SHEDDERS 5 IN. SMOOTH TARP BAR NONE HOIST 8-5-285 - CUSTOM REMOTE GREASE NONE BULKHEAD 1/4 IN. BULKHEAD TYPE RADIUS CORNERS BULKHEAD DOOR NONE BULKHEAD SLOPE PLATES NONE BULKHEAD SLOPE PLATES NONE LOWER BULKHEAD WRAP NO BULKHEAD STEPS NONE SIDES STEPS D.S. NO D.S. STEPS STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE	WALL LINER		NONE
REAR POCKET SLOPE UPRIGHTS FORMED UPRIGHTS NO. OF UPRIGHTS 13 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE SHEDDERS 5 IN. SMOOTH TARP BAR NONE HOIST 8-5-285 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE RADIUS CORNERS BULKHEAD TYPE RADIUS CORNERS BULKHEAD STEPS NONE BULKHEAD STEPS NONE SIDES STEPS D.S. NONE STEPS INSIDE DRIVER SIDE AFTETER SH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	TOP RAIL OPTI	ION	SOLID
UPRIGHTS FORMED UPRIGHTS NO. OF UPRIGHTS 13 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE SHEDDERS 5 IN. SMOOTH TARP BAR NONE HOIST 8-5-285 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE RADIUS CORNERS BULKHEAD TYPE RADIUS CORNERS BULKHEAD BOOR - CENTER OF BULKHEAD NONE BULKHEAD STEPS NONE BULKHEAD STEPS NONE BULKHEAD STEPS NO D.S. STEPS SIDES STEPS D.S. NO D.S. STEPS SIDES STEPS C.S. NONE SHOVEL HANGER NONE		SOLID	
NO. OF UPRIGHTS 13 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE SHEDDERS 5 IN. SMOOTH TARP BAR NONE HOIST 8-5-285 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE RADIUS CORNERS BULKHEAD DOOR NONE LADDER - CENTER OF BULKHEAD NONE BULKHEAD SLOPE PLATES NONE LOWER BULKHEAD WRAP NO BULKHEAD STEPS NONE BULKHEAD STEPS D.S. NO D.S. STEPS SIDES STEPS D.S. NO D.S. STEPS STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. SHOVEL HANGER NONE	REAR POCKET	SLOPE	2.75
NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE SHEDDERS 5 IN. SMOOTH TARP BAR NONE HOIST 8-5-285 - CUSTOM REMOTE GREASE NONE BULKHEAD TYPE RADIUS CORNERS BULKHEAD DOOR NONE LADDER - CENTER OF BULKHEAD NONE BULKHEAD SLOPE PLATES NONE LOWER BULKHEAD WRAP NO BULKHEAD STEPS NONE SIDES STEPS D.S. NO D.S. STEPS STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. SHOVEL HANGER NONE	UPRIGHTS		FORMED UPRIGHTS
HORIZONTAL BRACING NONE SHEDDERS 5 IN. SMOOTH TARP BAR NONE HOIST 8-5-285 - CUSTOM REMOTE GREASE NONE BULKHEAD 1/4 IN. BULKHEAD TYPE RADIUS CORNERS BULKHEAD DOOR NONE LADDER - CENTER OF BULKHEAD BULKHEAD SLOPE PLATES NONE LOWER BULKHEAD WRAP NO BULKHEAD STEPS SIDES STEPS D.S. STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	NO. OF UPRIGI	HTS	13
SHEDDERS 5 IN. SMOOTH TARP BAR NONE HOIST 8-5-285 - CUSTOM REMOTE GREASE NONE BULKHEAD 1/4 IN. BULKHEAD TYPE RADIUS CORNERS BULKHEAD DOOR NONE LADDER - CENTER OF BULKHEAD BULKHEAD SLOPE PLATES NONE LOWER BULKHEAD WRAP NO BULKHEAD STEPS NONE SIDES STEPS D.S. NO D.S. STEPS STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	NO. OF UPRIGI	HTS TO ADD OR SUBTRACT	0
TARP BAR NONE HOIST 8-5-285 - CUSTOM REMOTE GREASE NONE BULKHEAD 1/4 IN. BULKHEAD TYPE RADIUS CORNERS BULKHEAD DOOR NONE LADDER - CENTER OF BULKHEAD BULKHEAD SLOPE PLATES NONE LOWER BULKHEAD WRAP NO BULKHEAD STEPS NONE SIDES STEPS D.S. NO D.S. STEPS STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	HORIZONTAL E	BRACING	NONE
HOIST 8-5-285 - CUSTOM REMOTE GREASE NONE BULKHEAD 1/4 IN. BULKHEAD TYPE RADIUS CORNERS BULKHEAD DOOR NONE LADDER - CENTER OF BULKHEAD BULKHEAD SLOPE PLATES NONE LOWER BULKHEAD WRAP NO BULKHEAD STEPS NO D.S. STEPS STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	SHEDDERS		5 IN. SMOOTH
REMOTE GREASE NONE BULKHEAD 1/4 IN. BULKHEAD TYPE RADIUS CORNERS BULKHEAD DOOR NONE LADDER - CENTER OF BULKHEAD BULKHEAD SLOPE PLATES NONE LOWER BULKHEAD WRAP NO BULKHEAD STEPS NONE SIDES STEPS D.S. NO D.S. STEPS STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	TARP BAR		NONE
BULKHEAD TYPE RADIUS CORNERS BULKHEAD DOOR NONE LADDER - CENTER OF BULKHEAD BULKHEAD SLOPE PLATES NONE LOWER BULKHEAD WRAP NO BULKHEAD STEPS NONE SIDES STEPS D.S. NO D.S. STEPS STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	HOIST		8-5-285 - CUSTOM
BULKHEAD TYPE RADIUS CORNERS BULKHEAD DOOR NONE LADDER - CENTER OF BULKHEAD BULKHEAD SLOPE PLATES NONE LOWER BULKHEAD WRAP NO BULKHEAD STEPS NONE SIDES STEPS D.S. NO D.S. STEPS STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	REMOTE GREA	ASE	NONE
BULKHEAD DOOR NONE LADDER - CENTER OF BULKHEAD BULKHEAD SLOPE PLATES NONE LOWER BULKHEAD WRAP NO BULKHEAD STEPS NONE SIDES STEPS D.S. NO D.S. STEPS STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	BULKHEAD		1/4 IN.
BULKHEAD SLOPE PLATES NONE LOWER BULKHEAD WRAP NO BULKHEAD STEPS NONE SIDES STEPS D.S. NO D.S. STEPS STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	BULKHEAD TY	PE	RADIUS CORNERS
BULKHEAD SLOPE PLATES NONE LOWER BULKHEAD WRAP NO BULKHEAD STEPS NONE SIDES STEPS D.S. NO D.S. STEPS STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	BULKHEAD DO	OOR	NONE
LOWER BULKHEAD WRAP NO BULKHEAD STEPS NONE SIDES STEPS D.S. NO D.S. STEPS STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE		LADDER - CENTER OF BULKHEAD	
BULKHEAD STEPS NONE SIDES STEPS D.S. NO D.S. STEPS STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	BULKHEAD SL	OPE PLATES	NONE
SIDES STEPS D.S. STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	LOWER BULKH	HEAD WRAP	NO
STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN SIDES STEPS C.S. NONE SHOVEL HANGER NONE	BULKHEAD ST	EPS	NONE
SIDES STEPS C.S. NONE SHOVEL HANGER NONE	SIDES STEPS I	D.S.	NO D.S. STEPS
SHOVEL HANGER NONE		STEPS INSIDE DRIVER SIDE AFTETEI	R SPLASH PAN
	SIDES STEPS	C.S.	NONE
FRONT FENDERS WITH FLAPS NONE	SHOVEL HANG	GER	NONE
	FRONT FENDE	RS WITH FLAPS	NONE

ALUMINUM ROLL CAP NONE

38" SPLASH PAN IN FRONT OF BODY

REAR END STYLE STANDARD

LIGHTS	
LIGHT TYPE	TRUCKLITE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (FULL LIGHT PANEL) OOO 000 OOO
APRON	1/4 IN. X 6 IN. LIGHT APRON
STD. MARKER LIGHTS	(3) EACH SIDE
MID-TURNS	(1) PAIR L.E.D. (NON-COMBO)
BACK-UP LIGHTS	NONE
AUXILIARY CABLE	NONE
BACK-UP LIGHT WIRE	NONE
REAR POCKET LIGHTS	1 PAIR

GATE			
GATE SHEET T	HICKNESS	3/16 IN. SHEET & POST	
GATE OPERAT	ION	BALL VALVE	
	MANUAL TAILGATE CONTROL ONLY		
HINGE TYPE		OVERSLUNG ONLY	
COAL DOOR		NONE	
CHUTE		NONE	·
DOUBLE HAND	LE DOOR	NONE	
GATE BRACING	3	(3) PANEL	·
PUSHER BLOC	K	NONE	
HALF ROUND (ON GATE	NONE	
ANGLE ON TOP	P OF GATE	NONE	
SPREADER CH	AINS	NONE	
WINDERS / SAF	ETY LATCH	WINDERS (1) EACH SIDE & (2) BOTTOM	
TARP HOOKS		GATE ONLY	
	INSTALL 2 TARP HOOKS ON LOWER TA	ILGATE BOX BRACING DIRECTLY ABOVE BOTTOM WING NUT LOCKS	
GATE LINER		NONE	

MODEL CLOSED TANDEM NO. OF PRIMARY AXLES 2 SUSPENSION MAC SPRING RIDE 3 LEAF TAN. (49) (5YR WARRANTY) HUTCH CH9700 / 4 SPRING / 50K RATING AXLE SPACING 52 AXLES 71.5 IN., 5/8 IN. WALL TP	
SUSPENSION MAC SPRING RIDE 3 LEAF TAN. (49) (5YR WARRANTY) HUTCH CH9700 / 4 SPRING / 50K RATING AXLE SPACING 52	
HUTCH CH9700 / 4 SPRING / 50K RATING AXLE SPACING 52	
AXLE SPACING 52	
AXLES 71.5 IN., 5/8 IN. WALL TP	
BRAKES 7 IN. XL, W/ 30-30 CHAMBERS	
CAM GUARDS HEND. INTRAAX	
HUB AND DRUM CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.	
TIRES GENERAL RA 11 R 22.5 16 PLY	
WHEELS STEEL HP 22.5X8.25 - WHITE POWDER COATED	
PRIMARY AXLE TIRE INFLATION SYSTEM NONE	

0	
NONE	
NONE	
N/A	
NONE	
	NONE NONE NONE NONE NONE NONE NONE NONE

STEERABLE LIFT AXLES		
NO. OF STEERABLE AXLES	0	
STEERABLE AXLE SUSPENSION	NONE	
STEERABLE AXLE DISTANCE	N/A	
STEERABLE AXLES	NONE	
STEERABLE AXLE BRAKES	NONE	
STEERABLE AXLE HUB AND DRUMS	NONE	
STEERABLE AXLE TIRES	NONE	
STEERABLE AXLE WHEELS	NONE	
STEERABLE AXLE CONTROLS	NONE	

HASSIS FRAME RAILS	16 IN. X 26# BEAMS
· · · · · · · · · · · · · · · · · · ·	
RUBBER CUSHION RIDE	3/8 FRAME RUBBER
NO. OF INCHES FOR GOOSENECK	NO GOOSENECK, 9.25 I.O. IN. HEIGHT
LID FOR GOOSENECK	NONE
PIN SETTING	18
5TH WHEEL PLATE	3/8
TH WHEEL PLATE HEIGHT	48 IN. HIGH
KING PIN	.375 KING PIN ONLY
NO. OF INCHES FOR REAR OVERHANG	6
TRACTOR DRIVE MODEL	TANDEM DRIVE
GALVANIZED SUSPENSION HANGERS	NO
STIFFENER PLATE	NONE
HOIST & MOUNT STYLE	3 IN. X 6 IN. X 3/8 IN.
SUSPENSION CONTROL	NONE
ABS FOR TRAILER	MERITOR ROLL STABILITY
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
OUST COVERS	NONE
TIRE CARRIER(S)	NONE
OOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 LB.) - 10 YEAR ALUMINUM - D.S.
SHIMS	MYLAR
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	MALE QUICK CONNECT ONLY, NO HOSE
INSTALL 45 DEGREE ELBOW & QUIC	K DISCONNECT MALE COUPLER
FLAPS FRONT OF TIRES	FLAP IN FRONT OF FRONT AXLE
FLAPS REAR OF TIRES	FLAP BEHIND REAR AXLE
FRAME POCKET	NONE
TOW HOOKS	NONE
BUMPER	NONE

TARP	
TARP MANUFACTURER	MOUNTAIN SIDE ROLL TARP - VINYL
TARP CONTROL	MANUAL
TARP COLOR	BLACK
BOW HOLDERS	STANDARD
HEAVY DUTY FLAT TARP BOWS "T" STYL	.E
TARP BRACKET	NONE

PAINT	
HANGERS	OTHER (NON GALVANIZED)
SUSPENSION COLOR	BLACK PAINT
DOLLIES	BLACK (931716)
HOIST COLOR	BLACK (931716)
5TH WHEEL PLATE COLOR	BLACK (931716)

PIN STRIPING	BLACK (931716)
MAC MACHINE FINISH LOGOS	BLACK (931716)
OPTIONAL SIGNS	NONE

ACCESSORIES	
NO. OF CHAIN TIE DOWNS (PER PAIR)	NONE
(CUSTOMER MUST SPECIFY LOCATION)	
TOW MOTOR PACKAGE	NONE
COIL RACK ANGLES	NONE
LOAD LEVEL INDICATOR	NONE
3-1/2 IN. ANGLES UNDER RAIL	NONE