

HALE

TRAILER

BRAKE & WHEEL



A030830-A030831
VIN: 91188-91189

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer



800-232-6535 *FINANCING AVAILABLE

MOVINGFLOOR SP

Model # TNSP48FR1000

Weight 17613 lbs. *** **Cubic Yards** 109

BODY

LOAD PROFILE	MATERIAL, 80K GVWR
	REF. 38093-38094.
LENGTH	48
WIDTH	96
DRIVE UNIT	KEITH, 23 SLAT - 3 IN. CYLINDERS
	T-BLOCKS ON REAR OF FLOOR SLATS.
FLOOR	KEITH 2295 (1914), 1/2 IN. DOUBLE RIDGE IMPACT (96 W)
	24" WEAR STRIPS ON REAR OF FLOOR SLATS.
HYDRAULIC PIPE	STAINLESS STEEL HYDRAULIC PIPE
CROSSMEMBER TYPE	STANDARD
CROSSMEMBER SPACING	5-1/4 IN. I-BEAMS, 12 O.C.
RUBBER SEAL	YES
WALL HEIGHT	100
WALL THICKNESS	0.19
1/4 IN. WALL LAST 15 FT.	0.25 LAST 15 FT.
WALL LINER	NONE
TAPERED SIDE	NONE
FULL LID	NONE
TOP RAIL OPTION	6 IN. W X 9 IN. T X 5/8 IN.
	6 IN. W X 9 IN. T X 5/8 IN.
NO. OF UPRIGHTS	20
NO. OF UPRIGHTS TO ADD OR SUBTRACT	0
HORIZONTAL BRACING	NONE
TARP BAR	YES, SINGLE
BULKHEAD	3/16 IN.
BULKHEAD STEPS	NONE
FRONT FENDERS WITH FLAPS	NONE
BOTTOM RAIL	SQUARE, NO CLEAN OUT
UPPER CROSS TUBES / CAPS	(1) SPRING-MID & (1) TUBE-REAR
TIRE CARRIER	NONE

LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (IN TAILGATE) OOO ooo OOO
APRON	NONE
STD. MARKER LIGHTS	(3) EACH SIDE
MID-TURNS	(1) PAIR L.E.D. (NON-COMBO)

BACK-UP LIGHTS	NONE
	INSTALL BELL STYLE BACK-UP ALARM ON PASSENGER SIDE REAR AXLE.
AUXILIARY CABLE	NONE
REAR POCKET LIGHTS	1 PAIR

GATE

GATE SHEET THICKNESS	SMOOTH SIDE PANELS
	INSTALL DECAL IN LOWER RIGHT CORNER OF GATE "THIS VEHICLE MAKES WIDE RIGHT TURNS."
GATE OPERATION	MECHANICAL SIDE LATCH
HINGE TYPE	C.S. SIDE SWING
GATE BRACING	NO BRACING (SMOOTH SIDE PANELS)
SAFETY CHAIN	YES
WINDERS / SAFETY LATCH	WINDERS (1) SIDE ONLY
GATE STEPS	UP CENTER OF GATE OUTSIDE ONLY
TARP HOOKS	NONE

PRIMARY AXLES

MODEL	CLOSED TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	MAC FABBED GALVANIZED SINGLE LEAF TAN. (49)
AXLE SPACING	49
SUB-FRAME	TANDEM, HI-TENSILE FAB. (SPRING RIDE ONLY)
AXLES	71.5 IN., HEND. 5/8 IN. WALL TP W/ 25K
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	NONE
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	MICHELIN XZE-2 11R 24.5 16 PLY
WHEELS	STEEL HP 24.5X8.25 - WHITE POWDER COATED
PRIMARY AXLE TIRE INFLATION SYSTEM	MOVED TO CHASSIS

LIFT AXLES

NO. OF LIFT AXLES	0
LIFT AXLE SUSPENSION	NONE
LIFT KIT	NONE
LIFT AXLE DISTANCE	N/A
LIFT AXLE	NONE
LIFT AXLE BRAKES	NONE
LIFT AXLE CAM GUARDS	NONE
LIFT AXLE HUB AND DRUM	NONE
LIFT AXLE TIRES	NONE
LIFT AXLE WHEELS	NONE
LIFT AXLE CONTROLS	NONE
FREE WHEEL VALVE	NONE
LIFT AXLE TIRE INFLATION SYSTEM	MOVED TO CHASSIS

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE
STEERABLE AXLE LIFT KIT	NONE

CHASSIS

PIN SETTING	36
5TH WHEEL PLATE	3/8 LOW PROFILE
5TH WHEEL PLATE HEIGHT	52 IN. HIGH

GALVANIZED SUSPENSION HANGERS	INCLUDED W/ SUSPENSION
SUSPENSION CONTROL	NONE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
TIRE INFLATION SYSTEM	NONE
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	24.5, TP, BOLT-ON STEMCO MILES
	LOCATE HUBODOMETER ON DRIVER SIDE REAR AXLE.
DUST COVERS	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	HOLLAND - (62,500 LB.) - MARK V - 10 YEAR GALVANIZED STEEL - REVERSE MOUNT - D.S.
REGISTRATION HOLDER	BETTS PS-1 W/ SIGHT GLASS (ROUND HOLDER)
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	MALE QUICK CONNECT ONLY, NO HOSE
	EATON QUICK COUPLERS #5100-S5-16B AND \$5100-S2-16B.
FLAPS FRONT OF TIRES	NONE
FLAPS REAR OF TIRES	FLAP BEHIND REAR AXLE
BUMPER	MOVER BUMPER
	INSTALL 6" BOLT ON PUSH BLOCKS ON BUMPER VERTICALS. REF. 38093-38094.

TARP

TARP MANUFACTURER	SHURCO DONOVAN SIDEWINDER W/ DS HINGE-BLACK HD GRID
TARP CONTROL	ELECTRIC
	ELECTRIC OVER HYDRAULIC TARP SYSTEM MOUNTED ON DRIVER SIDE OF TRAILER.
TARP COLOR	BLACK
	BLACK HD GRID MESH TARP MATERIAL.
BOW HOLDERS	NONE
TARP BRACKET	NONE

PAINT

SUSPENSION COLOR	BLACK SOFT COAT
PIN STRIPING	REFLEX BLUE (930256)
MAC MACHINE FINISH LOGOS	REFLEX BLUE (930256)
OPTIONAL SIGNS	NONE

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.