

# HALE

## TRAILER

### BRAKE & WHEEL



A031389-A031392  
VIN: 91398-91401

#### SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer



800-232-6535 \*FINANCING AVAILABLE

#### BODY

**LOAD PROFILE** (1) MATERIAL, 80K GVWR

*DUPLICATE OF J74428*

**LENGTH** (1) 44

**WIDTH** (1) 102

**DRIVE UNIT** (1) KEITH, 24 SLAT- 3 1/2 IN CYLINDER

*keith 26 slat drive 2293 horizontal seal 3 1/2 cyl*

**FLOOR** (1) KEITH 2190 (1975), 7/32 IN. (102 W)

*ADD 24 INCH WEAR STRIPS TO END OF SLATS*

**HYDRAULIC PIPE** (2) STAINLESS STEEL HYDRAULIC PIPE

**CROSSMEMBER TYPE** (1) HEAVY FULL

**CROSSMEMBER SPACING** (1) 5-1/4 IN. I-BEAMS, 12 O.C.

**RUBBER SEAL** (1) NONE

**WALL HEIGHT** (1) 92

**FRONT WALL THICKNESS** (1) .062

*ALL BLACK PREPAINTED PANELS*

**MID WALL THICKNESS** (1) .062

**REAR WALL THICKNESS** (1) .062

*LAST SHEET AT REAR TO BE .125" THICKNESS*

**FULL LID** NONE

**TOP RAIL OPTION** (2) STD TOP RAIL

**UPRIGHT SPACING** (1) 18 IN.

*12" UPRIGHT SPACING*

**ADDITIONAL UPRIGHTS AT FRONT** (1) NO

**BULKHEAD** (1) .165

**BULKHEAD STEPS** (1) LADDER ONLY

*16" WIDE LADDER*

**FRONT FENDERS WITH FLAPS** NONE

**BOTTOM RAIL** (2) SQUARE NO CLEAN OUT

**UPPER CROSS TUBES / ARCH** (1) 6 IN

*USE ONLY 3 CROSS TUBES (ROLLED GALVANIZED CROSSTUBES) BETWEEN FRONT AND REAR CAPS*

**FRONT CAP** (1) YES

*W/ GRAB HANDLE*

**REAR CAP** (1) YES

**TIRE CARRIER** NONE

---

**LIGHTS**

---

**LIGHT TYPE** (1) TRUCKLITE L.E.D. W/ GROMMET  
**LIGHT PANEL** (1) 4 LARGE-3 SMALL-4 LARGE (SPLIT LIGHT PANEL) OOOO ooo OOOO  
**APRON** (1) NONE  
**STD. MARKER LIGHTS** (1) (5) EACH SIDE  
(7) *PER SIDE TOP & BOTTOM PENNY LIGHTS.*  
**MID-TURNS** (1) (1) PAIR L.E.D. (COMBO)  
**BACK-UP LIGHTS** (1) (1) PAIR L.E.D. BACK UP LIGHTS  
*ADD ONE PAIR OF WORKLIGHTS TO INSIDE FRONT - TO BE DUAL STOP/WORK LIGHT COMBO 4"*  
*LIGHT . WIRE TO FRONT ON TARP SWITCH - ADD RED INDICATOR LIGHT WHEN WORKLIGHTS*  
*ARE ON*  
**AUXILIARY CABLE** (1) 7 WAY (ISO)  
*B/U ON BLACK MAIN*  
**REAR POCKET LIGHTS** (1) (1) PAIR

---

**GATE**

---

**GATE OPERATION** (1) BI-FOLD  
*SWING DOORS - QUAD LOCKS*  
**GATE OPTIONS** (1) SOLID .080  
*BLACK DURAPLATE*  
**HINGE TYPE** (1) BARN DOORS SIDE SWING (ALUM.)  
*S/S HINGES*  
**SAFETY CHAIN** (1) YES  
**WINDERS / SAFETY LATCH** (1) NONE  
**GATE STEPS** NONE  
**TARP HOOKS** NONE

---

**PRIMARY AXLES**

---

**MODEL** (1) CLOSED TANDEM  
*ADDED CROSSMEMBER GUSSETS OVER SUB FRAME AREA*  
**NO. OF PRIMARY AXLES** (1) 1  
**SUSPENSION** (1) HEND. INTRAAX AA-250 TP - 25K (77.5)  
*GAWR 24K*  
**AXLE SPACING** (1) 52  
*REAR AXLE SET AT 60"*  
**SUB-FRAME** (1) TANDEM (ALUM T-BEAM)  
*60" AXLE SPACING*  
**AXLES** (1) AXLE FOR INTRAAX ONLY  
**BRAKES** (1) DISC BRAKES - HEND. MAXX22T W/ DUCTILE STEEL HUB (23,000 LB ONLY)  
**CAM GUARDS** NONE  
**HUB AND DRUM** (1) NONE, DISC BRAKES  
**TIRES** (4) GENERAL RA 11 R 22.5 16 PLY  
**WHEELS** (4) ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)

---

**LIFT AXLES**

---

**NO. OF LIFT AXLES** (1) 1  
**LIFT AXLE SUSPENSION** (1) HEND. INTRAAX AA-250 TP - 25K (77.5)  
**LIFT KIT** (1) HEND. UBL-002 (INTRAAX AAL)  
**LIFT AXLE DISTANCE** (1) 60  
**LIFT AXLE** (1) AXLE FOR INTRAAX ONLY  
**LIFT AXLE BRAKES** (1) DISC BRAKES - HEND. MAXX22T W/ DUCTILE STEEL HUB (23,000 LB ONLY)  
**LIFT AXLE CAM GUARDS** NONE  
**LIFT AXLE HUB AND DRUM** (1) NONE, DISC BRAKES  
**LIFT AXLE TIRES** (4) GENERAL RA 11 R 22.5 16 PLY  
**LIFT AXLE WHEELS** (4) ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)  
**LIFT AXLE CONTROLS** (1) AIR IN CAB & BALL VALVE NO/ REG.  
*W/ AUTO LIFT*  
**FREE WHEEL VALVE** NONE

---

**STEERABLE LIFT AXLES**

---

**NO. OF STEERABLE AXLES** 0  
**STEERABLE AXLE SUSPENSION** NONE  
**STEERABLE AXLE DISTANCE** N/A  
**STEERABLE AXLES** NONE  
**STEERABLE AXLE BRAKES** NONE  
**STEERABLE AXLE HUB AND DRUMS** NONE  
**STEERABLE AXLE TIRES** NONE  
**STEERABLE AXLE WHEELS** NONE  
**STEERABLE AXLE CONTROLS** NONE  
**STEERABLE AXLE LIFT KIT** NONE

---

**CHASSIS**

---

**PIN SETTING** (1) 36  
**5TH WHEEL PLATE** (1) 3/8 LOW PROFILE GALVANIZED  
**5TH WHEEL PLATE HEIGHT** (1) 48 IN. HIGH  
**GALVANIZED SUSPENSION HANGERS** (1) INCLUDED W/ SUSPENSION  
**SUSPENSION CONTROL** (1) ELECTRIC THRU AUX. & BALL VALVE  
*QUICK RELEASE GLADHANDS*  
**ABS FOR TRAILER** (1) (1) 2S1M MERITOR / WABCO  
**SLACKS** (1) AUTOMATIC  
**TIRE INFLATION SYSTEM** NONE  
**AXLE LUBRICATION** (1) 5 YR. SYNTHETIC GREASE  
**HUBODOMETER** NONE  
**DUST COVERS** NONE  
**DOLLIES - LANDING GEAR - LANDING LEGS** (1) JOST A451 - (62,500 LB.) - 10 YEAR NO LUBE - STEEL - (REVERSE MOUNT) D.S.  
*ADD ONE PAIR OF WORKLIGHTS NEAR DOLLIES. WIRE TO FRONT ON TARP SWITCH - ADD RED INDICATOR LIGHT WHEN WORKLIGHTS ARE ON*  
**REGISTRATION HOLDER** (1) BETTS PS-1 W/ SIGHT GLASS (ROUND HOLDER)  
**AIR GAUGE / SYSTEM** (1) YES, IN FRONT  
**ENCLOSURE FOR SWITCHES** NONE  
**AIR TANKS** (1) 12 IN. ALUMINUM TANK  
**HYDRAULIC HOSE FITTING** (1) 1 IN. X 108 IN. HOSE W/ WING FITTING  
*add 45 degree angle at bulkhead*  
**FLAPS FRONT OF TIRES** NONE  
**FLAPS REAR OF TIRES** (1) FLAP BEHIND REAR AXLE  
**BUMPER** (1) D.O.T. BUMPER  
*SET UP LIKE TIPPER WITH DOCK BUMPERS-- THE SHIELD/STEP OVER CENTER CLUSTER TO BE A FOLD UP STEP.*

---

**TARP**

---

**TARP MANUFACTURER** NONE  
**TARP CONTROL** NONE  
**TARP COLOR** NONE  
**TARP BRACKET** NONE

---

**PAINT**

---

**SUSPENSION COLOR** (1) BLACK SOFT COAT  
**PIN STRIPING** (1) BLACK (931716)

**DISCLAIMER**

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.  
Equipment availability, prices and specifications are subject to change without notice.