



A033121-A033123

VIN: 92208-92210

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer

800-232-6535 *FINANCING AVAILABLE

BODY

LOAD PROFILE (1) MATERIAL, 80K GVWR

LENGTH (1) 28

WIDTH (1) 96

FLOOR (1) 1/4 IN. FULL

STUB LONGITUDINALS (1) YES

CROSSMEMBER SPACING (1) 12 IN.

COAL BUCKET FLOOR BRACING NONE

SIDE PLACEMENT (1) INSET SMOOTH SIDE PANEL

FLOOR LINER NONE

BODY HOLD DOWN NONE

VIBRATOR NONE

RUBBER SEAL (1) YES

REAR HINGE PIN (1) STANDARD

WALL HEIGHT (1) 60

WALL THICKNESS (1) 67% STANDARD 1.5" PANELS - .150" WALL & 33% - HEAVY 1.5" PANELS - .175"

WALL

WALL LINER NONE

TOP RAIL OPTION (1) ANGLE RADIUS TOP, EVEN WITH TOP (ADD 2-1/2 IN. TO WALL HEIGHT)

FLUSH WITH TAILGATE AND BULKHEAD

REAR POCKET SLOPE (1) 2.75

HOIST (1) 8-5-235 - CUSTOM

REMOTE GREASE (1) REMOTE HOIST GREASE

BULKHEAD (1) 3/16 IN.

BULKHEAD TYPE (1) RADIUS CORNERS

BULKHEAD DOOR (1) BULKHEAD DOOR D.S. W/ GRAB HANDLE

BULKHEAD SLOPE PLATES (1) YES, 18 IN.

5" SLOPE PLATES

LOWER BULKHEAD WRAP (1) YES

BULKHEAD STEPS (1) NONE

SIDES STEPS D.S. (8) FIRST & LAST OUTSIDE

SIDES STEPS C.S. NONE

SHOVEL HANGER NONE

FRONT FENDERS WITH FLAPS (1) CORNER W/ FLAPS

ALUMINUM ROLL CAP NONE

REAR END STYLE (1) STANDARD

LIGHTS

LIGHT TYPE (1) GROTE L.E.D. W/ GROMMET

LIGHT PANEL (1) 3 LARGE-3 SMALL-3 LARGE (FULL LIGHT PANEL) OOO ooo OOO

APRON (1) 3/8 IN. X 1-1/2 IN. FULL LIGHT SHIELD

STD. MARKER LIGHTS (1) (5) EACH SIDE TOP & BOTTOM

MID-TURNS (1) (1) PAIR L.E.D. (NON-COMBO)

MOVE MMTS 1 REAR OF STNADARD POSITION FOR ARM TARP BRACKETSBEING INSTALLED

BACK-UP LIGHTS NONE

AUXILIARY CABLE (1) 6 WAY

BACK-UP LIGHT WIRE NONE

REAR POCKET LIGHTS (1) 1 PAIR

GATE

GATE SHEET THICKNESS (1) VERTICAL PANELS
GATE OPERATION (1) ELECTRIC THRU AUX. & BALL VALVE
HINGE TYPE (1) O. S. SWING C.S. W/ INPOCKET GROUND CONTROL
COAL DOOR NONE
CHUTE NONE
DOUBLE HANDLE DOOR NONE
GATE BRACING (1) NO BRACING (SMOOTH SIDE PANELS)
GATE STIFFENER NONE
PUSHER BLOCK NONE
HALF ROUND ON GATE NONE
ANGLE ON TOP OF GATE (1) YES
SPREADER CHAINS NONE

WINDERS / SAFETY LATCH (1) WINDERS (1) EACH SIDE
GATE STEPS NONE
TARP HOOKS NONE
GATE LINER NONE

PRIMARY AXLES

MODEL (1) CLOSED TANDEM
NO. OF PRIMARY AXLES (2) 2
SUSPENSION (2) HEND. INTRAAX AAT-30K W/ HXL-5
AXLE SPACING (1) 52
AXLES (2) AXLE FOR INTRAAX ONLY
BRAKES (2) 7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS (1) HEND. INTRAAX
HUB AND DRUM (2) CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES (8) GENERAL RA 11R 24.5 16 PLY
WHEELS (8) ALUMINUM HP 24.5X8.25 - ALL POLISHED (XP)
PRIMARY AXLE TIRE INFLATION SYSTEM NONE
PREP FOR TIREDAXX PRO

LIFT AXLES

NO. OF LIFT AXLES 0
LIFT AXLE SUSPENSION NONE
LIFT KIT NONE
LIFT AXLE DISTANCE N/A
LIFT AXLE NONE
LIFT AXLE BRAKES NONE
LIFT AXLE CAM GUARDS NONE
LIFT AXLE HUB AND DRUM NONE
LIFT AXLE TIRES NONE
LIFT AXLE WHEELS NONE
LIFT AXLE CONTROLS NONE
FREE WHEEL VALVE NONE
LIFT AXLE TIRE INFLATION SYSTEM NONE

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES 0
STEERABLE AXLE SUSPENSION NONE
STEERABLE AXLE DISTANCE N/A
STEERABLE AXLES NONE
STEERABLE AXLE BRAKES NONE
STEERABLE AXLE HUB AND DRUMS NONE
STEERABLE AXLE TIRES NONE
STEERABLE AXLE WHEELS NONE
STEERABLE AXLE CONTROLS NONE

CHASSIS

FRAME RAILS (1) 17 IN. ALUMINUM BEAMS
RUBBER CUSHION RIDE (1) 3/8 FRAME RUBBER
NO. OF INCHES FOR GOOSENECK (1) NO GOOSENECK, 9.25 I.O. IN. HEIGHT
LID FOR GOOSENECK NONE
PIN SETTING (1) 18
5TH WHEEL PLATE (1) GALVANIZED 3/8
5TH WHEEL PLATE HEIGHT (1) 51 IN. HIGH
KING PIN (1) .375 KING PIN ONLY
NO. OF INCHES FOR REAR OVERHANG (1) 6
TRACTOR DRIVE MODEL (1) TANDEM DRIVE
GALVANIZED SUSPENSION HANGERS (2) YES
STIFFENER PLATE NONE
HOIST & MOUNT STYLE (1) 3 IN. X 6 IN. X 3/8 IN.
SUSPENSION CONTROL (1) ELECTRIC THRU AUX. & BALL VALVE
ABS FOR TRAILER (1) (1) 2S1M MERITOR / WABCO
SLACKS (1) AUTOMATIC
AXLE LUBRICATION (1) HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER NONE
DUST COVERS NONE
TIRE CARRIER(S) NONE
DOLLIES - LANDING GEAR - LANDING LEGS (1) JOST AX-150 - (55,000 LB.) - 10 YEAR ALUMINUM - D.S.
SHIMS (1) MYLAR
REGISTRATION HOLDER (1) BETTS PS-1 W/ SIGHT GLASS (ROUND HOLDER)
AT DRIVER SIDE LANDING GEAR.(TRUCKLITE)
AIR GAUGE / SYSTEM (1) YES, IN FRONT
ENCLOSURE FOR SWITCHES (1) STAINLESS STEEL
TAILGATE AND SUSPENSION IN ENCLOSURE
AIR TANKS (1) ALUMINUM TANK
HYDRAULIC HOSE FITTING (1) 1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES (1) FLAP IN FRONT OF FRONT AXLE
FLAPS REAR OF TIRES (1) FULL RUBBER ACROSS REAR OF TRAILER
FRAME POCKET (1) ALUM REAR FRAME POCKET & HINGE BUSHING
TOW HOOKS NONE
BUMPER NONE

TARP

TARP MANUFACTURER NONE
TARP CONTROL NONE
TARP COLOR NONE
BOW HOLDERS NONE
TARP BRACKET NONE

PAINT

HANGERS (1) GALVANIZED
SUSPENSION COLOR (1) BLACK SOFT COAT
DOLLIES (1) BLACK (931716)
HOIST COLOR (1) BLACK (931716)
5TH WHEEL PLATE COLOR (1) GALVANIZED
PIN STRIPING (1) BLACK (931716)
MAC MACHINE FINISH LOGOS (1) BLACK (931716)
OPTIONAL SIGNS NONE

ACCESSORIES

NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION) NONE
TOW MOTOR PACKAGE NONE
COIL RACK ANGLES NONE
LOAD LEVEL INDICATOR NONE
3-1/2 IN. ANGLES UNDER RAIL NONE

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.