



A033702-A033711  
VIN: 92293-92302

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer

**800-232-6535** \*FINANCING AVAILABLE

## BODY

REGION (1) DOMESTIC  
LOAD PROFILE (1) 72K  
VESSEL THICKNESS (1) 0.190 5454-H32 ALUMINUM  
CUBIC FT CAPACITY (1) 1050  
COMMODITY (1) CEMENT  
MODEL SUB TYPE NONE  
TRAILER OPERATION TYPE (1) PNEUMATIC  
FOOD GRADE NONE  
VESSEL FINISH (1) MILLED  
LENGTH (1) 42 FT. / 12.80 M.  
WIDTH (1) 96  
OPERATING TEMPERATURE (1) 185 F / 85 C  
OPERATING PRESSURE (1) 14.7 PSI / 101.35 KPA  
COMPARTMENT OPTIONS (1) SINGLE COMPARTMENT  
LOWER HOPPER CONES (1) WELD-ON 45 DEG (STANDARD)  
MANLID QUANTITY (1) 2  
MANLID LOCATION LAYOUT (1) FRONT & CENTER  
FIRST MANLID TYPE (1) KNAPPCO 20IN. ALUMINUM MANLID  
SECOND MANLID TYPE (1) KNAPPCO 20IN. ALUMINUM MANLID  
THIRD MANLID TYPE NONE

## LOAD LINE

LOAD LINE QTY NONE  
LOAD LINE LOCATION #1 NONE  
LOAD LINE LOCATION #2 NONE

## AERATION

AERATOR FORMAT (1) 3 PER HOPPER (STANDARD)  
AERATOR TYPE (1) BTI SPIN FLOW AERATION KIT W/ WEAR PLATES AND 2 IN. BTI BLACKMAXX INDIVIDUAL AERATION CONTROLS AT EACH HOPPER  
AERATION LOCATION (1) DRIVER SIDE  
AERATOR LINE CONTROL (1) 3" BTI BLACKMAX BUTTERFLY VALVE  
AERATOR SEAT (1) WHITE RUBBER (FOOD GRADE) SEAT  
AERATOR DISK (1) ALLOMAXX DISC  
AERATOR HANDLE TYPE (1) ALUMINUM  
AERATOR HANDLE POSITION (1) MANUAL 10 - POSITION

## AIR INLET

AIR INLET SIZE (1) 3 IN. SCH. 10 ALUMINUM PIPE  
TEATHER DUST CAP ON INLET  
AIR INLET LOCATION (1) DRIVER SIDE  
CHECK VALVES (1) (2) BTI OPTIMA CHECK VALVES - (1) AT AIR INLET & (1) UP STREAM OF FRONT HOPPER DISCHARGE  
AIR INLET SILENCER NONE

## PROP / PRES CONTROL VALVE

CONTROL VALVE HOUSING (1) 3" BTI BLACKMAX BUTTERFLY VALVE

**PROP / PRES CONTROL VALVE**

CONTROL VALVE DISK (1) ALLOMAXX DISC  
CONTROL VALVE HANDLE TYPE (1) ALUMINUM  
CONTROL VALVE HANDLE POSITION (1) MANUAL 10 - POSITION

**BLOW DOWN LINE**

BLOW DOWN LINE HOUSING (1) 3" BTI BLACKMAX BUTTERFLY VALVE

**BLOW DOWN LINE**

BLOW DOWN LINE DISK (1) ALLOMAXX DISC  
BLOW DOWN LINE SEAT (1) WHITE RUBBER (FOOD GRADE) SEAT  
BLOW DOWN LINE HANDLE TYPE (1) ALUMINUM  
BLOW DOWN LINE LOCATION (1) DRIVER SIDE FRONT  
DRIVER SIDE REAR  
BLOW DOWN LINE HANDLE POSITION (1) MANUAL 10 - POSITION  
BLOW DOWN RELIEF PRESSURE (1) 15 P.S.I.

**TOP AIR**

TOP AIR VALVE HOUSING (1) 3" BTI BLACKMAX BUTTERFLY VALVE  
TOP LINE LOCATION (1) DRIVER SIDE FRONT

**PRODUCT & DISCHARGE**

PRODUCT / DISCHARGE LINE SIZE (1) 4 IN  
PRODUCT / DISCHARGE LINE MATERIAL (1) ALUMINUM  
PRODUCT / LINE MATERIAL GAUGE SCHD.40  
PRODUCT VALVE SIZE (1) 5" BTI BLACKMAXX BUTTERFLY VALVES  
PRODUCT VALVE SEAT (1) WHITE RUBBER (FOOD GRADE) SEAT  
PRODUCT VALVE DISK (1) ALLOMAXX DISC  
PRODUCT LINE CONNECTIONS FR & RR (1) BTI VICTAULIC COUPLERS -BOLT ON  
PRODUCT/DISCHARGE LINE CONNECTION (1) MAC Rubber Sleeves with Stainless Worm Gear Clamp  
PRODUCT VALVE HANDLE TYPE (1) ALUMINUM  
PRODUCT VALVE HANDLE POSITION (1) MANUAL 5 - POSITION  
PRODUCT TEE TYPE (3) 5 X 4 ALUMINUM STRAIGHT TEE  
REAR DISCHARGE LOCATION (1) EXTEND THROUGH AXLES TO REAR  
NO. OF GAUGE ENCLOSURE (1) 1  
GAUGE LOCATION (1) Driver Side -Rear- Forward of Tandem

**LIGHTS**

LIGHT TYPE (1) GROTE L.E.D. W/ GROMMET  
REAR I.D. LIGHTS (1) (3) I.D. LIGHTS TOP  
3 PENNY LIGHTS ADDED TO SECOND RUNG FROM BOTTOM  
LIGHT PANEL (1) (TURN) (STOP) (STOP) - (STOP) (STOP) (TURN)  
STD. MARKER LIGHTS (1) 2 EACH SIDE FRONT & REAR  
MID-TURNS (1) (2 PAIR) LED-BOXED IN  
3 PENNY LIGHTS AS MID TURNS PER SIDE  
BACK-UP LIGHTS NONE  
BACK-UP LIGHT LOCATION NONE  
BACK UP LIGHT CONTROLS NONE  
AUXILIARY CABLE NONE  
NO. OF WORK LIGHTS (2) 2  
WORK LIGHT MODEL (1) L.E.D. CUBE WORK LIGHTS  
WORK LIGHT LOCATION (1) (2) DRIVER SIDE FRONT FENDER  
WORK LIGHT SWITCH LOCATION (1) OUTSIDE

---

**PRIMARY AXLES**

---

**MODEL** (1) TANDEM

**NO. OF PRIMARY AXLES** (2) 2

**SUSPENSION** (2) HEND. INTRAAX AAT W/ RAISED AXLE - TP SPINDLE

**NO. OF LIFT KITS** 0

**AXLES** (1) 71.5" AXLES

**LIFT KIT** NONE

**LIFT CONTROLS** NONE

**WHEEL END PACKAGE** (1) YES (HXL5)

**BRAKES** (2) 7 IN. XL, W/ 30-30 CHAMBERS

**CAM GUARDS** (1) HEND. INTRAAX

**HUB AND DRUM** (2) CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN.

**TIRES** (8) GENERAL RA 11 R 22.5 16 PLY

**WHEELS** (8) ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)

**PRIMARY AXLE TIRE INFLATION SYSTEM** NONE

*PREP AXLES FOR TIRE INFLATION SYSTEM*

---

**CHASSIS**

---

**5TH WHEEL PLATE** (1) BLACK POWDER COATED STEEL, ADJUSTABLE

**5TH WHEEL PLATE HEIGHT** (1) 48 IN. HIGH

**SUSPENSION CONTROL** (1) AUTOMATIC DUMP ON EMERGENCY GLADHAND

**SCALE SYSTEM** (1) LOAD GAUGE - DRIVER SIDE REAR

**ABS FOR TRAILER** (1) (1) 4S2M MERITOR / WABCO

**SLACKS** (1) AUTO

**HUBODOMETER** NONE

**DOLLIES - LANDING GEAR - LANDING LEGS** (1) JOST - 5 YEAR NO LUBE- D.S.

*HOLLAND HARK V LANDING GEAR - DS CRANK*

**AIR TANKS** (1) ALUMINUM TANK

---

**PAINT**

---

**SUSPENSION COLOR** (1) MAC BLACK

**MAC MACHINE FINISH LOGOS** (1) BLACK (931716)

---

**ACCESSORIES**

---

**FOLDING LADDER RAIL** NONE

**FOLDING LADDER RAIL OPERATION TYPE** NONE

**TOE RAIL** (1) FULL LENGTH ON BOTH SIDES

**CABINET** NONE

**CENTER WALKWAY** (1) ADHESIVE BACKED, SKID-RESISTANT TAPE BETWEEN TOE RAILS

**HOSE STORAGE TUBE** (1) (1) 8 IN. X 21 FT. MOUNTED ON CS

**GAUGES** (1) 1 - LINE P.S.I. / 1 TANK P.S.I. - (INSIDE ILLUMINATED ENCLOSURE)

**MUD FLAPS** (1) ANTI-SAIL FLAPS (REAR OF FRONT FENDERS AND REAR OF BACK FENDERS)

**PRODUCT DISCHARGE HOSE** NONE

**FENDERS** (1) ALUMINUM ROLLED EDGE - SINGLE CONTOUR AT FRONT, DOUBLE CONTOUR AT REAR

**DOCUMENT HOLDER** (1) LOCATED DRIVER SIDE NEAR LANDING GEAR

**AIR INLET ACCESSORIES** (1) PTO HOSE HOLDER, MAST, HOOK AND DUMMY ADAPTER LOCATED  
DRIVER SIDE ABOVE FRONT FENDER

---

**DISCLAIMER**

---

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.

Equipment availability, prices and specifications are subject to change without notice.