

HALE

TRAILER

BRAKE & WHEEL



A033971-A033980
VIN: 92639-92648

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer



800-232-6535 *FINANCING AVAILABLE

FRAME TYPE MVP SS

Weight 13527 lbs. *** **Cubic Yards** 53

BODY

LOAD PROFILE MATERIAL, 80K GVWR

ref J91075

LENGTH 39.5

WIDTH 96

FLOOR 1/4 IN. FULL

FILLED AND HINGED CLEANOUTS

STUB LONGITUDINALS YES

CROSSMEMBER SPACING 10 IN.

6 - 2" SMOOTH BORE DRAINS IN FLOOR LOCATED 54 INCHES, 20 FEET, AND 34 FEET FROM REAR WITH STAINLESS STEEL
BALL VALVES INSTALLED

COAL BUCKET FLOOR BRACING NONE

SIDE PLACEMENT INSET SMOOTH SIDE PANEL

FLOOR LINER NONE

BODY HOLD DOWN NONE

VIBRATOR NONE

RUBBER SEAL YES

LEAK PROOF RENDERING TRAILERS

REAR HINGE PIN DOUBLE HINGE W/ DOUBLE DUMP SHOES

WALL HEIGHT 60

WALL THICKNESS 67% STANDARD 1.5" PANELS - .150" WALL & 33% - HEAVY 1.5"
PANELS - .175" WALL

WALL LINER NONE

TOP RAIL OPTION SOLID

SOLID

REAR POCKET SLOPE 2.75

HOIST 8-5-285 - CUSTOM

REMOTE GREASE NONE

BULKHEAD 1/4 IN.

BULKHEAD TYPE RADIUS CORNERS

BULKHEAD DOOR NONE

LADDER - CENTER OF BULKHEAD

BULKHEAD SLOPE PLATES NONE

LOWER BULKHEAD WRAP YES

BULKHEAD STEPS NONE

SIDES STEPS D.S. NO D.S. STEPS

STEPS INSIDE DRIVER SIDE AFTETER SPLASH PAN

SIDES STEPS C.S. NONE

SHOVEL HANGER NONE

FRONT FENDERS WITH FLAPS NONE

ALUMINUM ROLL CAP	NONE
38" SPLASH PAN IN FRONT & BACK OF BODY	
REAR END STYLE	STANDARD

LIGHTS

LIGHT TYPE	TRUCKLITE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (FULL LIGHT PANEL) OOO ooo OOO
APRON	1/4 IN. X 6 IN. LIGHT APRON
STD. MARKER LIGHTS	(3) EACH SIDE
MID-TURNS	(1) PAIR L.E.D. (NON-COMBO)
BACK-UP LIGHTS	NONE
AUXILIARY CABLE	NONE
BACK-UP LIGHT WIRE	NONE
REAR POCKET LIGHTS	1 PAIR

GATE

GATE SHEET THICKNESS	VERTICAL PANELS
GATE OPERATION	BALL VALVE
MANUAL TAILGATE CONTROL ONLY	
HINGE TYPE	OVERSLUNG ONLY
COAL DOOR	NONE
CHUTE	NONE
DOUBLE HANDLE DOOR	NONE
GATE BRACING	NO BRACING (SMOOTH SIDE PANELS)
GATE STIFFENER	NONE
PUSHER BLOCK	NONE
HALF ROUND ON GATE	NONE
ANGLE ON TOP OF GATE	NONE
SPREADER CHAINS	NONE
WINDERS / SAFETY LATCH	WINDERS (1) EACH SIDE & (2) BOTTOM
GATE STEPS	NONE
TARP HOOKS	GATE ONLY
INSTALL 2 TARP HOOKS ON LOWER TAILGATE BOX BRACING DIRECTLY ABOVE BOTTOM WING NUT LOCKS	
GATE LINER	NONE

PRIMARY AXLES

MODEL	CLOSED TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	MAC SPRING RIDE 3 LEAF TAN. (49) (5YR WARRANTY)
HUTCH CH9700 3 LEAF SUSPENSION 50K RATING	
AXLE SPACING	49
AXLES	71.5 IN., 5/8 IN. WALL TP W/ 25K
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	GENERAL RA 11 R 22.5 16 PLY
WHEELS	A & S HP 22.5X8.25 - INSIDE STEEL, OUTSIDE POLISHED (XP)
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE

LIFT AXLES

NO. OF LIFT AXLES	0
LIFT AXLE SUSPENSION	NONE
LIFT KIT	NONE
LIFT AXLE DISTANCE	N/A
LIFT AXLE	NONE
LIFT AXLE BRAKES	NONE
LIFT AXLE CAM GUARDS	NONE
LIFT AXLE HUB AND DRUM	NONE
LIFT AXLE TIRES	NONE
LIFT AXLE WHEELS	NONE
LIFT AXLE CONTROLS	NONE

FREE WHEEL VALVE	NONE
LIFT AXLE TIRE INFLATION SYSTEM	NONE

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE

CHASSIS

FRAME RAILS	16 IN. X 26# BEAMS
RUBBER CUSHION RIDE	3/8 FRAME RUBBER
NO. OF INCHES FOR GOOSENECK	NO GOOSENECK, 9.25 I.O. IN. HEIGHT
LID FOR GOOSENECK	NONE
PIN SETTING	18
5TH WHEEL PLATE	3/8
5TH WHEEL PLATE HEIGHT	48 IN. HIGH
KING PIN	.375 KING PIN ONLY
NO. OF INCHES FOR REAR OVERHANG	6
TRACTOR DRIVE MODEL	TANDEM DRIVE
GALVANIZED SUSPENSION HANGERS	NO
STIFFENER PLATE	NONE
HOIST & MOUNT STYLE	3 IN. X 6 IN. X 3/8 IN.
SUSPENSION CONTROL	NONE
ABS FOR TRAILER	MERITOR ROLL STABILITY
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 LB.) - 10 YEAR ALUMINUM - D.S.
SHIMS	MYLAR
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	MALE QUICK CONNECT ONLY, NO HOSE

INSTALL 45 DEGREE ELBOW & QUICK DISCONNECT MALE COUPLER

FLAPS FRONT OF TIRES	FLAP IN FRONT OF FRONT AXLE
FLAPS REAR OF TIRES	FLAP BEHIND REAR AXLE
FRAME POCKET	NONE
TOW HOOKS	NONE
BUMPER	NONE

TARP

TARP MANUFACTURER	NONE
TARP CONTROL	NONE
TARP COLOR	NONE
BOW HOLDERS	NONE
TARP BRACKET	YES

PAINT

HANGERS	OTHER (NON GALVANIZED)
SUSPENSION COLOR	BLACK PAINT
DOLLIES	BLACK (931716)
HOIST COLOR	BLACK (931716)
5TH WHEEL PLATE COLOR	BLACK (931716)

PIN STRIPING	BLACK (931716)
MAC MACHINE FINISH LOGOS	BLACK (931716)
OPTIONAL SIGNS	NONE

ACCESSORIES

NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	NONE
TOW MOTOR PACKAGE	NONE
COIL RACK ANGLES	NONE
LOAD LEVEL INDICATOR	NONE
3-1/2 IN. ANGLES UNDER RAIL	NONE

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.