

HALE

TRAILER

BRAKE & WHEEL



A034475-A034476
VIN: 92671-92672

SALES | RENTALS | PARTS | SERVICE

| | | | |
|-------------------|--------------|------------------|--------------|
| Allentown, PA: | 800-383-8894 | Little Rock, AR: | 833-424-8944 |
| Baltimore, MD: | 888-601-7500 | Portland, ME: | 800-325-4253 |
| Concord, NC: | 800-438-2250 | Raleigh, NC: | 833-418-9777 |
| Delmar, DE: | 866-486-1400 | Scranton, PA: | 800-569-1400 |
| Des Moines, IA: | 888-673-5011 | Springfield, MA: | 800-854-5306 |
| Elkton, MD: | 800-544-7127 | Voorhees, NJ: | 866-315-0235 |
| Jacksonville, FL: | 800-828-3055 | Walpole, MA: | 800-854-5310 |

haletrailer.com | @haletrailer     

800-232-6535 *FINANCING AVAILABLE

FRAME TYPE MVP SS

Weight 13551 lbs. *** **Cubic Yards** 47

BODY

| | |
|--|--|
| LOAD PROFILE | MATERIAL, 107K GVWR |
| LENGTH | 33 |
| WIDTH | 96 |
| FLOOR | 1/4 IN. FULL |
| STUB LONGITUDINALS | YES |
| CROSSMEMBER SPACING | 12 IN. |
| COAL BUCKET FLOOR BRACING | NONE |
| SIDE PLACEMENT | INSET SMOOTH SIDE PANEL |
| FLOOR LINER | NONE |
| BODY HOLD DOWN | NONE |
| VIBRATOR | NONE |
| RUBBER SEAL | YES |
| REAR HINGE PIN | STANDARD |
| WALL HEIGHT | 64 |
| WALL THICKNESS | 67% STANDARD 1.5" PANELS - .150" WALL & 33% - HEAVY 1.5" PANELS - .175" WALL |
| WALL LINER | NONE |
| TOP RAIL OPTION | SOLID |
| SOLID | |
| REAR POCKET SLOPE | 2.75 |
| HOIST | 8-5-265 - CUSTOM |
| REMOTE GREASE | REMOTE HOIST & DUMP SHOE GREASE |
| BULKHEAD | 3/16 IN. |
| NO ACCESS HOLE ON BULKHEAD, MOUNT ON DOGHOUSE BOX INSIDE | |
| BULKHEAD TYPE | RADIUS CORNERS |
| BULKHEAD DOOR | BULKHEAD DOOR D.S. W/ GRAB HANDLE |
| BULKHEAD SLOPE PLATES | YES, 18 IN. |
| 5" SLOPE PLATES | |
| LOWER BULKHEAD WRAP | YES |
| BULKHEAD STEPS | NONE |
| SIDES STEPS D.S. | LAST OUTSIDE ONLY |
| SIDES STEPS C.S. | NONE |
| SHOVEL HANGER | YES, CURB SIDE |
| INSIDE P/S OF DOGHOUSE | |
| FRONT FENDERS WITH FLAPS | 18 IN. W/ FLAPS |
| ALUMINUM ROLL CAP | NONE |
| REAR END STYLE | STANDARD |
| TAPERED WITH DIAMOND PLATE COVER | |

LIGHTS

| | |
|--------------------|--|
| LIGHT TYPE | GROTE L.E.D. W/ GROMMET |
| LIGHT PANEL | 4 LARGE-3 SMALL-4 LARGE (FULL LIGHT PANEL) 0000 000 0000 |
| APRON | 3/8 IN. X 1-1/2 IN. FULL LIGHT SHIELD |
| STD. MARKER LIGHTS | (13) EACH SIDE TOP & BOTTOM |
| MID-TURNS | (1) PAIR L.E.D. (NON-COMBO) |
| BACK-UP LIGHTS | (1) PAIR L.E.D. BACK-UP LIGHTS |
| AUXILIARY CABLE | 7 WAY (ISO) |

ADD JUNCTION BOX @ INSIDE FRAME RAIL W/ 7WAY FROM AUXILIARY PLUGIN TO JUNCTION BOX

| | |
|--------------------|----------------------|
| BACK-UP LIGHT WIRE | AUXILARY (BLUE WIRE) |
| REAR POCKET LIGHTS | 1 PAIR |

GATE

| | |
|-------------------------------------|---|
| GATE SHEET THICKNESS | VERTICAL PANELS |
| GATE OPERATION | ELECTRIC THRU AUX. & BALL VALVE |
| REMOTE GREASE LINES FOR HARWARE BAR | |
| HINGE TYPE | O. S. SWING C.S. W/ INPOCKET GROUND CONTROL |
| COAL DOOR | NONE |
| CHUTE | NONE |
| DOUBLE HANDLE DOOR | NONE |
| GATE BRACING | NO BRACING (SMOOTH SIDE PANELS) |
| GATE STIFFENER | NONE |
| PUSHER BLOCK | NONE |
| HALF ROUND ON GATE | NONE |
| ANGLE ON TOP OF GATE | NONE |
| SPREADER CHAINS | NONE |
| WINDERS / SAFETY LATCH | WINDERS (1) EACH SIDE |
| GATE STEPS | NONE |
| TARP HOOKS | NONE |
| GATE LINER | NONE |

PRIMARY AXLES

| | |
|-------------------------------------|--|
| MODEL | TRI-AXLE |
| NO. OF PRIMARY AXLES | 1 |
| SUSPENSION | HEND. INTRAAX AAT-30K DISC BRAKES W/ HXL-5 |
| LEVELING VALVE TO BE ON CENTER AXLE | |
| AXLE SPACING | 52 |
| AXLES | AXLE FOR INTRAAX ONLY |
| BRAKES | DISC BRAKES - HEND. MAXX22T ADI HUB (23,000 LB ONLY) |
| CAM GUARDS | NONE |
| HUB AND DRUM | NONE, DISC BRAKES |
| TIRES | GENERAL RA 11R 24.5 16 PLY |
| WHEELS | ALUMINUM HP 24.5X8.25 - ALL POLISHED (XP) |

PLASTIC INSULATORS BETWEEN WHEEL/DRUM & WHEEL/HUB

| | |
|------------------------------------|-----------------------------------|
| PRIMARY AXLE TIRE INFLATION SYSTEM | HENDRICKSON SYSTEM (TIREMAAX PRO) |
|------------------------------------|-----------------------------------|

LIFT AXLES

| | |
|------------------------|--|
| NO. OF LIFT AXLES | 2 |
| FRONT & REAR AXLE LIFT | |
| LIFT AXLE SUSPENSION | HEND. INTRAAX AAL-30K DISC BRAKES W/ HXL-5 |
| LIFT KIT | HEND. UBL-002 (INTRAAX AAL) |
| LIFT AXLE DISTANCE | 52 |
| LIFT AXLE | AXLE FOR INTRAAX ONLY |
| LIFT AXLE BRAKES | DISC BRAKES - HEND. MAXX22T ADI HUB (23,000 LB ONLY) |
| LIFT AXLE CAM GUARDS | NONE |
| LIFT AXLE HUB AND DRUM | NONE, DISC BRAKES |
| LIFT AXLE TIRES | GENERAL RA 11R 24.5 16 PLY |
| LIFT AXLE WHEELS | ALUMINUM HP 24.5X8.25 - ALL POLISHED (XP) |

PLASTIC INSULATORS BETWEEN WHEEL/DRUM & WHEEL/HUB

LIFT AXLE CONTROLS ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.)

LIFT AXLES (INDEPENDTLY LIFTING & CONTROLLED) TO BE FRAME SWITCH & ELEC CC (WIRED TO AUX. PLUG) TO HAVE BRAKE RELEASE AXLE 1 WIRED TO BALCK AND AXLE 3 WIRED TO YELLOW ON AUX.

FREE WHEEL VALVE YES
LIFT AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO)

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES 0
STEERABLE AXLE SUSPENSION NONE
STEERABLE AXLE DISTANCE N/A
STEERABLE AXLES NONE
STEERABLE AXLE BRAKES NONE
STEERABLE AXLE HUB AND DRUMS NONE
STEERABLE AXLE TIRES NONE
STEERABLE AXLE WHEELS NONE
STEERABLE AXLE CONTROLS NONE

CHASSIS

FRAME RAILS 17 IN. ALUMINUM BEAMS
RUBBER CUSHION RIDE YES
NO. OF INCHES FOR GOOSENECK 18
LID FOR GOOSENECK NONE
PIN SETTING 18
5TH WHEEL PLATE GALVANIZED 1/2
5TH WHEEL PLATE HEIGHT 50 IN. HIGH
KING PIN .500 KING PIN ONLY
NO. OF INCHES FOR REAR OVERHANG 6
TRACTOR DRIVE MODEL TANDEM DRIVE
GALVANIZED SUSPENSION HANGERS YES
STIFFENER PLATE NONE
HOIST & MOUNT STYLE 3 IN. X 6 IN. X 3/8 IN.
SUSPENSION CONTROL ELECTRIC THRU AUX. & BALL VALVE
ABS FOR TRAILER (1) 2S1M MERITOR / WABCO
SLACKS NONE (DISC BRAKES)
AXLE LUBRICATION HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER NONE
DUST COVERS YES (DISC BRAKES)
TIRE CARRIER(S) NONE
DOLLIES - LANDING GEAR - LANDING LEGS JOST AX-150 - (55,000 LB.) - 10 YEAR ALUMINUM - D.S.
SHIMS MYLAR
REGISTRATION HOLDER NONE
AIR GAUGE / SYSTEM YES, IN FRONT
ENCLOSURE FOR SWITCHES STAINLESS STEEL

ALL FRAME SWITCHES TO BE IN ENCLOSURE.

AIR TANKS ALUMINUM TANK
HYDRAULIC HOSE FITTING 1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES FULL RUBBER ACROSS FRONT OF FRONT AXLE
FLAPS REAR OF TIRES FULL RUBBER ACROSS REAR OF TRAILER
FRAME POCKET NONE
TOW HOOKS (2) IN POCKET
BUMPER NONE

TARP

TARP MANUFACTURER NONE
TARP CONTROL NONE
TARP COLOR NONE
BOW HOLDERS NONE
TARP BRACKET NONE

PAINT

HANGERS GALVANIZED
SUSPENSION COLOR BLACK SOFT COAT

| | |
|--------------------------|------------------------------|
| DOLLIES | BLACK (931716) |
| HOIST COLOR | BLACK (931716) |
| 5TH WHEEL PLATE COLOR | GALVANIZED |
| PIN STRIPING | BLACK (931716) |
| MAC MACHINE FINISH LOGOS | BLACK (931716) |
| | NONE SHIP LOOSE WITH TRAILER |
| OPTIONAL SIGNS | NONE |

ACCESSORIES

| | |
|---|------|
| NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION) | NONE |
| TOW MOTOR PACKAGE | NONE |
| COIL RACK ANGLES | NONE |
| LOAD LEVEL INDICATOR | NONE |
| 3-1/2 IN. ANGLES UNDER RAIL | NONE |

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.