

HALE TRAILER

BRAKE & WHEEL

EAST GENESIS UNLOADER

OPEN TOP



A034548-A034551
VIN: 92950-92953

SALES | RENTALS | PARTS | SERVICE

Allentown, PA: 800-383-8894 Little Rock, AR: 833-424-8944
 Baltimore, MD: 888-601-7500 Portland, ME: 800-325-4253
 Concord, NC: 800-438-2250 Raleigh, NC: 833-418-9777
 Delmar, DE: 866-486-1400 Scranton, PA: 800-569-1400
 Des Moines, IA: 888-673-5011 Springfield, MA: 800-854-5306
 Elkton, MD: 800-544-7127 Voorhees, NJ: 866-315-0235
 Jacksonville, FL: 800-828-3055 Walpole, MA: 800-854-5310

haletrailer.com | @haletrailer
800-232-6535 *FINANCING AVAILABLE

BODY: "GENESIS"		TAILGATE:		CHASSIS:	
WIDTH (INCHES)	102	HEIGHT	FULL	MODEL	TRIAxLE-2 FIXED-1 LIFT
LENGTH (FEET)	50	TYPE	SPLIT VAN DOORS	TYPE	ALUM SUB FRAME
HEIGHT (INCHES)	104-107 WEDGE(5)	STYLE	GENESIS	AXLE TO AXLE	60" - 60"
SIDE MAT'L (OUTBOARD)	"GENESIS"	MAT'L THICKNESS	0.100	REAR AXLE SETTING	54" (9)(10)(11)(12)
FRONT	0.135	S / S HINGE ON	BOTH 4-3-4	5TH WHEEL HT	50"
MIDDLE	0.135	GATESEAL	RUBBER	PIN SETTING	36" + 3/8" KP PLATE
REAR	0.135	GATE LADDER	N/A	SUSPENSION	AAT30K/E1-2 L LIFT-E-3
POLISHED SIDES	YES	TARP HOOKS	NONE	SPRINGS	AIR
ROOF	NONE	WINDERS	N/A	AXLES	TP -GREASED
ROOF MAT'L	NONE	GATE GUIDE	N/A	BRAKES	HEND. MAXX 22T
BULKHEAD	3/16" (1)(2)(4)	GATE CONTROL	DBL LOCK RODS	DUSTSHIELDS	YES
TARP HOOKS	NONE	POCKETS	EXTRUDED	BRAKE CHAMBERS	ADB
TARP BASKET	NONE	CROSSPIPE (S)	TWO	ABS	2S / 1M
TARP	NONE		MIDDLE - TUBE TYPE	HUBS	10 S LW STEEL
CATWALK	YES-74" INTRMDTE		REAR - TUBE TYPE	DRUMS	HXL-5
B.H. LADDER	D/S-LADDER	COMPACTOR:		WHEELS	8.25 X 24.5 6HP/6MP
CROSSMEMBER	"1"BEAM- 12" C/L	SIDE LATCH	N/A	TIRES	11R 24.5 R268 (14) 16PLY ECOPIA BS
FLOOR MAKE	KEITH - 3.5" DRIVES	CENTER LATCH		DOLLIES	2 SPD JOST HX151
FLOOR MAT'L	#2295-24" WEAR STRIP	PIN DIA.		LOCATION	D/S CRANK (16)
WEARPADS	REAR + FILLER STRIP FRONT	HYDRAULICS:		BUMPER	STEEL UNDERRIDE
TAPE COLOR	NONE	HOSES	TWO-4000 PSI	TOW HOOK(S)	TWO
LIGHT PANEL	LED IN BODY(7)	LENGTH	144"W/ BOX ON BH	PUSH BLOCKS	YES
MARKER LIGHTS	LED (8)	FITTINGS	WINGNUT	PAINT	BLACK
MIDMOUNT SIGNALS	LED - MODEL 60(15)	HP	1" MALE		
MUDFLAPS	STD (13)(17)	LP	1" FEMALE		
HOSE HANGER	YES	HOSE LOCATION	P/S-REF 90169		
TIRE CARRIER	NONE	AIR & ELECTRICAL	CENTER (3)(6)		

REMARKS: PRICING SUBJECT TO CHANGE 12 WEEKS PRIOR ESTIMATED BUILD DATE.

- NO CAST STEPS INSIDE OF BULKHEAD OPPOSITE OUTSIDE LADDER ON D/S
- RIGHT WEIGH OIL FILLED GAUGE (LBS.) MOUNTED ON NOSE TOWARDS D/S- REFERENCE PIC BELOW.
- ADD AUXILIARY ISO 7 WAY PLUG LABELED '7 WAY ISO'.
- MANDOOR IN CENTER OF BULKHEAD.
- TOP RAIL SECTION 99246 - LIGHT WEIGHT TOP RAIL
- JUNCTION BOX LOCATED ON INSIDE OF FRAME RAIL DIRECTLY OPPOSITE CONTROL BOX W/ WIRING HARNESS RUN TO IT.
- LIGHT PANEL IN BODY AND TO HAVE LED BACK UP LIGHTS OOOX ooo XOOO X= B/U LIGHTS
- LED-5 PR OF 30385Y/R MARKER LIGHTS BOTTOM & TOP -NO PROTECTORS. TOP ROW 16" DOWN FROM TOP OF TOP RAIL. EVENLY SPACED.
- AAT30K FOR AXLES #1 & #2 AND AAL30K LIFT AXLE AS AXLE #3 (REAR AXLE) - ALL AXLES TO EQUALIZE.
- REAR LIFTING AXLE TO HAVE BRAKE RELEASE VALVE - REAR AXLE ACTUATED WITH FRAME SWITCH + ELEC CC (WIRED THROUGH AUX. PLUG)
- ALL CONTROLS IN POLY. BOX AHEAD OF AXLE #1 AND WIRED FOR CC THROUGH AUX PLUG-REF.87082 - OLD STYLE, NOT AIR IN THE BOX-REF PIC BELOW
- GALVANIZED SUSPENSION HANGERS.
- 16" BLACK MUDFLAPS AHEAD OF TIRES FOR AXLE #1, #2, #3
- TIREMAXX PRO ON ALL AXLES.
- ONE PAIR OF LED BOXED IN BACK UP LIGHTS LOCATED AHEAD OF SUSPENSION SHINING REARWARD AND WIRED WITH OTHER B/U LIGHTS
- C/L OF LANDING GEAR TO END OF THE FLOOR TO BE APPROXIMATELY 34'.
- ADD CENTER BLACK MUDFLAP AHEAD OF AXLE #1, ADD CENTER REAR CHASSIS BLACK MUDFLAP-REF PIC, MOVE REAR MUDFLAPS FORWARD SO THEY ARE INLINE WITH THE CENTER FLAP-REF PICS
- ADD ONE 24" X 24" X 48" 1/8" MATERIAL EXTREME WEATHER TOOLBOX WITH CAMLOCK DOUBLE DOOR; D/S AHEAD OF SUSPENSION
- INSTALL PHILLIPS TRACKER SPRING KIT(PRT# 17-1488) TO HYDRUALIC HOSES & CATWALK

OVERALL HEIGHT (FT)

#VALUE!

EMPTY WEIGHT (#)

20,481

CUBIC YARDS

#VALUE!

20. GALVANIZED 5TH WHEEL PLATE W/ REPLACEABLE KINGPIN

21. ROUND BETTS REGISTRATION HOLDER @ D/S LANDING GEAR





DISCLAIMER

Specifications are for the equipment at the time it was produced and may not accurately reflect its current condition. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.