

# HALE

## TRAILER

### BRAKE & WHEEL



A034561-A034568

VIN: S033336-S033343

Flip: A034569-A034576

VIN: S033344-S033351

#### SALES | RENTALS | PARTS | SERVICE

Allentown, PA: 800-383-8894

Baltimore, MD: 888-601-7500

Concord, NC: 800-438-2250

Delmar, DE: 866-486-1400

Des Moines, IA: 888-673-5011

Elkton, MD: 800-544-7127

Jacksonville, FL: 800-828-3055

Little Rock, AR: 833-424-8944

Portland, ME: 800-325-4253

Raleigh, NC: 833-418-9777

Scranton, PA: 800-569-1400

Springfield, MA: 800-854-5306

Voorhees, NJ: 866-315-0235

Walpole, MA: 800-854-5310

haletrailer.com | @haletrailer     

**800-232-6535** \*FINANCING AVAILABLE

### TK90MED-HED Double Drop Extendable Trailer, 70,000 lbs. in 10' (closed)

18242-90MED-HED\_New 8242-Base

Item #	Category	Description	Weight (lbs)	Qty
18242	Open Deck	TK90MED-HED Double Drop Extendable Trailer, 70,000 lbs. in 10' (closed)		

#### 18242-General - TK90MED/HED

Item #	Category	Description	Weight (lbs)	Qty
18500	Overall Width	102" deck width		
18245	Overall Length	Max 53' Length Trailer with two (2) fixed axles		
18296	Overall Length	Open Loading Capacity - Load to be placed within 4' of each end of open deck. No concentrated capacity.		
08024	Paint	S7203 Black with white decals		
17866	Paint	Zinc-rich Primer		
18508	Paint	Red & white conspicuity markings		
18294	Flagholders	Flag holder tubes - 1 pair on front of GN (full-width GN only), 1 pair at front of load deck, 1 pair at side of deck split, and 1 pair at rear of trailer		

**18242-Gooseneck - TK90MED/HED**

Item #	Category	Description	Weight (lbs)	Qty
14051	Gooseneck	Steel gooseneck		
14053	Gooseneck	No lift arm on mech GN (Lift arm std on all hyd GN's) <i>Gooseneck support arm standard on Hydraulic neck</i>		
14058	Gooseneck	Dual hydraulics with diverter valve (includes 389cc Honda SCU and PTO hydraulics) (only available on hyd GN)		
14063	Gooseneck	36" Flip for Hyd GN (14" KP) (GN base must state reinforced for GN flip)		
14066	Gooseneck	Quick coupler air connection between gooseneck and main deck		
14069	Gooseneck	Air operated gooseneck lock pin release		
14071	Gooseneck	Chain rack for hydraulic neck (only available with PTO hyd)		
18286	Gooseneck	Hyd 10'-2" (14" KP removable / 78" SC) narrow; reinforced for GN flip (reduces deck length)		
14050	Fifth Wheel / King Pin	Hyd 5-position w/ 50" 5th wheel height, single stirrups, greaseable door pivot pins (only available on hyd GN)		
14143	Decking, Gooseneck	No decking GN outer bays (to be used with narrow gooseneck)		
14146	Decking, Gooseneck	No decking GN inner bay (to be used with Narrow Gooseneck)		
14739	Tie Downs	No D-rings available (narrow gooseneck only)		

**18242-Deck - TK90MED/HED**

Item #	Category	Description	Weight (lbs)	Qty
18516	Main Deck	Double box beam frame construction with steel grease-able rollers		
09998	Main Deck	See Custom Option Below.		
11140	Main Deck	8" mill channel side rail (reversed) with 9 pair bent style d-rings, delete rub rail and stake pockets		
15519	Main Deck	6" I-beam crossmembers alternating with knee braces for 12" centers		
09998	Main Deck	See Custom Option Below.		
18272	Ramps	Tapered front approach (down to 9" at front)		
14730	Main Deck	3/4" Traction aids on front approach		

18262	Main Deck	9" Swingout Outriggers (not removable) with brackets 24" O.C.(requires reversed mill channel side rail )(does not include planks)
18293	Main Deck	Extension stops, no more than 24" O.C. with spring lock and air actuated release.
11160	Main Deck	Multiple locations for connecting air and electrical to allow for extension of deck
14147	Decking, Main Deck	1-3/8" Apitong decking main deck outer bays (raised)
14150	Decking, Main Deck	1-3/8" Apitong decking main deck inner bay (raised)
15720	Main Deck	34" rear stationary deck
205345	Custom Options	Custom Option 205345 - TK90HED: 20" Loaded Deck Height ILO Std 22"

#### 18242-Wheel Area - TK90MED/HED

Item #	Category	Description	Weight (lbs)	Qty
14124	Wheel Area	Steel wheel area, includes steel outer rails, cross members and tail channel		
14735	Wheel Area	3/4" Traction aids on wheel area transition		
14736	Wheel Area	Mini boom trough		
14737	Wheel Area	Dock bumpers at rear of wheel area (Commercial style wheel area only)		
18268	Wheel Area	Reinforced for flip axle - includes brackets, air, and electrical; with deck access cover (includes lid over glad hands)		
14153	Decking, Wheel Area	1-1/8" Apitong decking wheel area outer bays (Flush)		
14155	Decking, Wheel Area	1-1/8" Apitong decking Wheel Area inner bay (Flush)		
14741	Tie Downs	1-Pr Straight D-Rings on wheel area transition		
14742	Tie Downs	1-Pr Straight pan style D-Rings on front wheel area corners, 1-Pr recessed D-rings on rear wheel area corners		
15530	Tie Downs	1-Pr Straight D-Rings on tail channel		
14759	Flaps, Mud Guards & Fenders	Mudflaps		
14765	Miscellaneous	Wide load sign brackets		

**18242-Suspension - TK90MED/HED**

Item #	Category	Description	Weight (lbs)	Qty
14743	Suspensions / Axles	Air ride suspension with cable adjustable ride height control		
14744	Suspensions / Axles	Air suspension control panel (includes liquid filled air gauge) located on side of wheel area ahead of rear axle		
14753	Suspensions / Axles	2 Axle		
14133	Suspensions / Axles	25,000-lb. (5/8" wall) axles (per complete axle)		2
14757	Suspensions / Axles	Wheel end lube type - Oil		
14130	Axle Spacing	54.5" Axle spacing		
14758	Brakes	4S2M anti-lock brakes with spring brakes		
14135	Brakes	16 1/2" x 7" Air Drum Brakes with automatic slack adjusters (for 22.5 wheels)		
14138	Hub / Drum	Steel hub piloted, Cast drum, Tapered (D) spindle (per complete axle)		2
12849	Wheels (inside)	8.25 x 22.5 10-hole steel disc wheel		4
15052	Wheels (outside)	8.25 x 22.5 10-hole polished (XP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(120)	4
10058	Spare Wheel	No Spare Wheel		
16219	Tires	Continental 255/70R22.5 HSR2 SA - 16 ply (tire only) (per tire)		8
10059	Spare Tires	No Spare Tire		
18813	Limiters / Chains	Limiters/Chain Ups on 1st axle		
14178	Suspensions / Axles	Hubodometer		

**18242-Electrical - TK90MED/HED**

Item #	Category	Description	Weight (lbs)	Qty
18228	Lights / Electrical	No remote flasher w/ battery backup		
14648	Lights / Electrical	Grote LED Lights		
17489	Lights / Electrical	One (1) license light		

18726	Lights / Electrical	Grote sealed electrical harness system
14760	Lights / Electrical	1 pair of oval penny lights on side of gooseneck
O9998	Lights / Electrical	See Custom Option Below.
14762	Lights / Electrical	3 pair of oval penny lights on main deck with (2) pair of mid-turn lights, OXOXO
14763	Lights / Electrical	1 pair of oval penny lights on side wheel area and (3) oval penny ID lights at rear of wheel area
17513	Lights / Electrical	3rd Tail Light package plus additional 4" round quad flash amber strobes at rear with switch by suspension controls
18230	Lights / Electrical	Center cluster lights illuminated for marker lights
14649	Lights / Electrical	7-pole electrical connector
14167	Lights / Electrical	4-pole electrical socket at rear wired to clearance light
14173	Lights / Electrical	Stainless inserts around lights in tail channel

**18242-Miscellaneous - TK90MED/HED**

Item #	Category	Description	Weight (lbs)	Qty
18819	FleetPulseG O	Delete FleetPulseGO Track		

**TKFA1 Flip Axle**

**10988-TKFA1\_New**

**10988-Base**

Item #	Category	Description	Weight (lbs)	Qty
10988	Open Deck	TKFA1 Flip Axle		

**18242-Miscellaneous - TK90MED/HED**

Item #	Category	Description	Weight (lbs)	Qty
18819	FleetPulseG O	Delete FleetPulseGO Track		

## TKFA1 Flip Axle

10988-TKFA1\_New

### 10988-Base

Item #	Category	Description	Weight (lbs)	Qty
10988	Open Deck	TKFA1 Flip Axle		

### 10988-General - TKFA1

Item #	Category	Description	Weight (lbs)	Qty
10991	Overall Width	102" overall width		
17866	Paint	Zinc-rich Primer		
08024	Paint	S7203 Black with white decals		
18508	Paint	Red & white conspicuity markings		
15772	Flagholders	Flag Holders		

### 10988-Wheel Area - TKFA1

Item #	Category	Description	Weight (lbs)	Qty
17714	Beam Depth	For correct beam depth, specify the Serial # of the corresponding trailer.		
10995	Position	Rear flip axle		
11000	Flip Axle Styles	Wood filled, full width 1-1/8" apitong (requires trailer with full width rear)		
11003	Upper Bracket Style	Tension Upper Links (Includes lobed style lower pins) (required for use when attached to hydraulic booster extension)		
14671	Tie Downs	(2) D-rings on rear channel		
14759	Flaps, Mud Guards & Fenders	Mudflaps		
14765	Miscellaneous	Wide load sign brackets		

**10988-Suspension - TKFA1**

Item #	Category	Description	Weight (lbs)	Qty
18812	Suspensions / Axles	Air Ride Suspension - no ride height control or dump valve		
11006	Suspensions / Axles	25,000 lb. (5/8" wall) axle with chain ups		
14757	Suspensions / Axles	Wheel end lube type - Oil		
10989	Axle Spacing	55" axle spacing		
14135	Brakes	16 1/2" x 7" Air Drum Brakes with automatic slack adjusters (for 22.5 wheels)		
18506	Brakes	No ABS		
14138	Hub / Drum	Steel hub piloted, Cast drum, Tapered (D) spindle (per complete axle)		
12849	Wheels (inside)	8.25 x 22.5 10-hole steel disc wheel		2
15052	Wheels (outside)	8.25 x 22.5 10-hole polished (XP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(60)	2
16219	Tires	Continental 255/70R22.5 HSR2 SA - 16 ply (tire only) (per tire)		4
11018	Suspensions / Axles	Air Lift (requires tension upper links)		

**10988-Electrical - TKFA1**

Item #	Category	Description	Weight (lbs)	Qty
14648	Lights / Electrical	Grote LED Lights		
18726	Lights / Electrical	Grote sealed electrical harness system		
15765	Lights / Electrical	Side marker lights and (3) ID lights on tail channel. Light type to match all trailer components		
15768	Lights / Electrical	3rd tail light package plus additional 4" round quad flash amber strobes at rear with switch		
18230	Lights / Electrical	Center cluster lights illuminated for marker lights		
14167	Lights / Electrical	4-pole electrical socket at rear wired to clearance light		
14173	Lights / Electrical	Stainless inserts around lights in tail channel		

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.