

HALE TRAILER BRAKE & WHEEL



A034825-VIN: 029801-STEER DOLLY
 A034826-VIN: 029800-JEEP DOLLY
 A034827-A034829
 VIN: T9801N,T9801B,T9801A

SALES | RENTALS | PARTS | SERVICE

Allentown, PA: 800-383-8894	Little Rock, AR: 833-424-8944
Baltimore, MD: 888-601-7500	Portland, ME: 800-325-4253
Concord, NC: 800-438-2250	Raleigh, NC: 833-418-9777
Delmar, DE: 866-486-1400	Scranton, PA: 800-569-1400
Des Moines, IA: 888-673-5011	Springfield, MA: 800-854-5306
Elkton, MD: 800-544-7127	Voorhees, NJ: 866-315-0235
Jacksonville, FL: 800-828-3055	Walpole, MA: 800-854-5310

haletrailer.com | @haletrailer     

800-232-6535 *FINANCING AVAILABLE

203186 - TK100JLW: 295" Wheelbase, 60" Axle Spacing, 102"

O9999-01-Add

Custom Option 1
TK100JLW

Custom Option 1

Item #	Category	Description	Weight (lbs)	Qty
203186	Custom Options	203186 - TK100JLW: 295" Wheelbase, 60" Axle Spacing, 102" Wide, 5th 10.7" Sliding 5th Wheel, Aluminum Wheels (Polished Outer), 275/70R X 22.5 Tires, Intraax 25K Suspension, Dura-Light Hubs, X-30 Drums, Aluminum 2-Speed Landing Gear with Crank on Driver's Side, Individual Poly Fenders. Ref spec sheet SP-203186.		
11970	Hydraulics / Controls	389cc Honda self-contained power unit for hydraulic hatbox		
15585	Brakes	2S1M Anti-lock brakes (includes spring brakes)		
15310	Spare Wheel	8.25 x 22.5 10-hole polished (XP) aluminum wheel (per wheel) Accuride		2
16907	Spare Tires	Continental 275/70R22.5 HSR2 - 18 ply (tire only) (per tire)		2
08569	Miscellaneous	DOT Inspection		
08030	Paint	S7205 IH Red with white decals		
14160	Additional Options	Custom Option PSI Tire Inflation System (3 Axle)		
200672	Additional Options	Custom Option 200672 - 100JLW: Spare Tire Carrier Mounted Vertically on Gooseneck Jeep Frame For 22.5 Wheel/Tire. Specify Curbside or Roadside <i>(1) each side</i>		2

208378	Additional Options	Custom Option 208378 - TK100JLW: (1) aluminum toolbox mounted on top of gooseneck, size 18"x 24" x 36"	
200507	Custom Options	200507 - LPSD-HS/JLW: IGX700 Engine ILO STD 13HP Honda	
207316	Custom Options	207316 - General: Install Remote Start for Honda IGX 700 Engine.	
204158	Custom Options	204158 - General: 8-5/8" Brake Lining (29K Rated) for Trailer With 27,000-lb Axles (3/4" Wall) With 22.5 In Lieu of Std Brake Lining, GAWR to Be a Minimum of 25,000 lb (11,340KG) if Tire Rating Supports It (Price Per Axle)	3
	Custom Options	Registration holder as standard	
200511	Custom Options	200511 - Jeep: Mudflap to be mounted separate on spring arm when using poly fenders.	
200473	Custom Options	200473 - TK100JLW: Black Plastic Fenders (Like EFX ILO Poly)	
200249	Custom Options	200249 - General: Crank on driver's side ILO curb side	
200471	Custom Options	200471 - General: Larger Liquid Filled Pressure Gauge for Suspension with More Increments ILO Std Gauge	
200491	Custom Options	200491 - TK100J: Dunnage Storage Tray with Lips and Ratchet Slots, Approx 36 Wide x 30 Deep, Outboard Curb Side Before Axle 1 of Jeep (Steel Flat Floor with Drainage)	
200495	Custom Options	200495 - TK100J: Anti Slip Tape Applied to All Top Surfaces of Jeep That Would Be Under Front Neck	
200475	Custom Options	200475 - General: Grease Kingpin Plate on Bottom Side and the Kingpin	

201254	Custom Options	201254 - TK100JLW: Aluminum removable platform above axles 1 & 2, 24" wide x approximately 9' long bolted to top of cross beams.
200478	Custom Options	200478 - TK100J: Expanded metal in 2nd and 3rd bays behind kingpin of jeep GN, on top of the bottom flanges for storage.
200503	Custom Options	200503 - TK100JLW W/SCU: Plumb After Paint
208739	Custom Options	208739 - TK100JLW: Install (1) additional pair of clearance lights on gooseneck, (2) additional pair on main frame, and (1) additional pair between each axle, located as close as practicable to the top. Space all lights evenly.
202656	Custom Options	202656 - TKJeep: "P" Type Spindle, Synthetic Grease, Timken Bearings ILO Std, Per Axle
207356	Custom Options	207356 - TK100JLW: Install Aluminum Removable Platform Above 3rd Axle. Platform to be 24" Wide & Bolted to the Top of X-members. (To be Compatible w/ Option 201254)
	Misc	Chain Ups per axle as Standard 3
14561	Paint	Zinc-rich primer

208096 - TK160MDG: 24'-0" Front Gooseneck Expandable from O9999-01-Add

Custom Option 1

Custom Option 1

TK160MDG 24' Front Gooseneck Hydraulically Assisted

Item #	Category	Description	Weight (lbs)	Qty
208096	Custom Options	208096 - TK160MDG: 24'-0" Front Gooseneck Expandable from 12'-20' outside. 36" Hatbox. Hydraulically Assisted Expandable/Retractable with cylinders on box gate and X bracing. Single upper box gate with spring locking/air releasing pins. (Trailer capacity to be rated as 160,000 lbs. uniform, 150,000 lbs. in 16 ft centered in deck)		
17866	Paint	Zinc-rich Primer		
08024	Paint	S7203 Black with white decals S7205 IH Red on hatbox		

207203	Additional Options	207203 - TK160MDG: Install Dual GN H-brace Supports - Front Perimeter Frame GN.
200499	Custom Options	200499 - TK160MDG: Perimeter Frame Expandable Gooseneck (Front or Rear) Plumb After Paint
200485	Custom Options	200485 - TK160MDG: Color code all shims by thickness.
200487	Custom Options	200487 - TK160MDG: Level for Gooseneck x-member (slope indicator similar to schnable necks), per neck.
200479	Custom Options	200479 - TK160MDG: (Front GN) Flashing Amber Lights (Oval Strobes) (2) on Forward Facing Flanges of Lower S Bend, Positioned at the Same Height as the Top of the Main Deck Beams. To Have Switches on Inboard Webs.
200488	Custom Options	200488 - TK160MDG: expanding gooseneck -4 LED work lights with single switch illuminating the x bracing, h gates, and crossmembers (price per gooseneck).
200494	Custom Options	200494 - TK160MDG: Perimeter Frame Gooseneck: Add Links to Hold Gooseneck Up When Jeep or Dolly Is Removed. Include Storage Provisions for Links and Pins (Per Gooseneck)
208580	Custom Options	208580 - PF GN: Additional (5) Pair of Clearance Lights

202132 - 30' perimeter frame base deck beams for expandable

O9999-01-Add

Custom Option 1

Custom Option 1

0110140-ADB-14-TK160MDG: 30' Perimeter Hyd Expanding Deck

Item #	Category	Description	Weight (lbs)	Qty
--------	----------	-------------	--------------	-----

202132	Custom Options	202132 - 30' perimeter frame base deck beams for expandable trailer, 160K Uniform capacity, 150K in 16', 26" beam height. Crossmembers not included. Requires 6 crossmembers sold separately.	
200509	Custom Options	200509 - TK160MDG: Threaded removable tie-down ring, 15,000 lbs. capacity, 1.25-7 thread (Each). <i>(1) tie down to be on (1) crossmember, which crossmember TBD</i>	
17494	Tie Downs	Straight D-rings - per pair <i>As evenly spaced as possible</i>	12
17866	Paint	Zinc-rich Primer	
08030	Paint	S7205 IH Red with white decals <i>Deck only</i>	
09999-01	Custom Options	Crossmembers to be painted S7203 Black	
200485	Custom Options	200485 - TK160MDG: Color code all shims by thickness.	
208621	Custom Options	208621 - TKPerimeter Decks: Light Package 25'-35' Deck Extension - OOXOO Package.	
206118	Custom Options	206118 - TK160MDG: 32,000 lbs. capacity Heavy duty 4" expandable cross member for perimeter frame deck extension beams. (each) Expandable width 12'-0" to 20'-0" overall, 10'-8" to 18'-8" inside well. Includes pins and fasteners.	6
200516	Custom Options	200516 - TK160MDG: Additional Deck Shims (1) Pair 3/16" & (1) Pair 10 Gauge	
200497	Custom Options	200497 - TK160MDG: Perimeter Frame Deck or Extension - Install Pin Bushings on Each End of the Beams to Work with Gooseneck Support Link on Gooseneck	
200500	Custom Options	200500 - TK160MDG: Perimeter Frame Deck Section - Plumb AFTER Paint	
200508	Custom Options	200508 - TK160MDG: Male End of Extendable Crossmember Setup for a 1-1/4"-7 Threaded Removable D-ring on Each Side. (Each crossmember).	

**207841 - TK160MDG: 25'-11" Rear Gooseneck Expandable from
O9999-01-Add**

Custom Option 1

Custom Option 1

**TK160MDG: 25'-10.5" Rear Gooseneck Hyd
Assisted**

Item #	Category	Description	Weight (lbs)	Qty
207841	Custom Options	207841 - TK160MDG: 25'-11" Rear Gooseneck Expandable from 12'-20' outside. 36" Hatbox. Hydraulically Assisted Expandable/Retractable with cylinders on box gate and X bracing. Single upper box gate with spring locking/air releasing pins. (Trailer capacity to be rated as 160,000 lbs. uniform, 150,000 lbs. in 16 ft centered in deck)		
17866	Paint	Zinc-rich Primer		
08024	Paint	S7203 Black with white decals S7205 IH Red on hatbox		
200485	Custom Options	200485 - TK160MDG: Color code all shims by thickness.		
208580	Custom Options	208580 - PF GN: Additional (5) Pair of Clearance Lights		
200487	Custom Options	200487 - TK160MDG: Level for H gates (slope indicator similar to schnable necks), per neck.		
200480	Custom Options	200480 - TK160MDG: (Rear GN) Flashing Amber Lights (Oval Strobes) (2) on Rearward Facing Flanges of Lower S Bend, Positioned at the Same Height as the Top of the Main Deck Beams. To Have Switches on Inboard Webs.		
200494	Custom Options	200494 - TK160MDG: Perimeter Frame Gooseneck: Add Links to Hold Gooseneck Up When Jeep or Dolly Is Removed. Include Storage Provisions for Links and Pins (Per Gooseneck)		
200488	Custom Options	200488 - TK160MDG: expanding gooseneck -4 LED work lights with single switch illuminating the x bracing, h gates, and crossmembers (price per gooseneck).		

200513	Custom Options	200513 - TK160MDG: Perimeter Frame Expandable Rear Neck to Have (1) Pair of LED Work Lights on Gooseneck X-member Gate to Shine Back on Dolly. One Switch for All Lights.
--------	----------------	---

200499	Custom Options	200499 - TK160MDG: Perimeter Frame Expandable Gooseneck (Front or Rear) Plumb After Paint
--------	----------------	---

200460 - TK120LPSD-HS: Standard Specifications per 200460
O9999-01-Add

Custom Option 1
TK120LPSD-HS

Custom Option 1

Item #	Category	Description	Weight (lbs)	Qty
200460	Custom Options	200460 - TK120LPSD-HS: Standard Specifications per 200460 Specification Sheet TK120LPSD-HS Low Profile Steering Dolly Load capacity – 120,000 lbs 10'-0" Wide 60" axle spacing, 14'-1" group spacing Front steer design Hydraulic steering 60 deg. (each way) hatbox rotation Auto steer or Manual steer 34 deg. 1st axle in auto, 39.5 deg. 1st axle in manual Adjustable steering ratio Manual steer by wireless or wire type remote Auto- alignment after manual steer 235/75R 17.5 Continental Radial tires 6.75 X 17.5 Machine finished Aluminum wheels 12.25 X 7.5 brakes (20,000 GAWR) Individual Poly fenders on all axles <i>Spring brakes on rear axle group, Axle chain ups need to be put on bag side, Stainless steel lines - Axle truss modification</i>		
14176	Flagholders	Quickmount flag holders (2 for front of the trailer and 2 for rear of trailer)		
08569	Miscellaneous	DOT Inspection		
17866	Paint	Zinc-rich Primer		
08030	Paint	S7205 IH Red with white decals		

200461	Additional Options	Custom Option 200461 - TK120LPSD-HS: Delete Hat Box, Frame to Be 'Straight', No Double Drop
203112	Additional Options	Custom Option 203112 TK120LPSD Add PSI System
205281	Additional Options	205281 - TKLPSD-HS: Lodar Remote for Steering Functions ILO Tritronic (Deletes Auto-Align Feature)
200029	Custom Options	200029 - General: 4" Amber Strobes in Tail Channel Wired to a Switch
207207	Custom Options	207207 - TKLPSD-HS: Install (1) Pair of Amber Pedestal Strobe Lights Located on the Sides of the Cylinder Mount of the Accelerator Arm Crossmember. <i>Includes additional set of wide load sign brackets on crossmember for sign</i>
207205	Custom Options	207205 - TKLPSD-HS: Install Whisker Switch to Activate an Audible Alarm w/ High Intensity Strobe Light Located in the Tail Channel When Turntable Reaches 50°.
200507	Custom Options	200507 - LPSD-HS/JLW: IGX700 Engine ILO STD 13HP Honda
207316	Custom Options	207316 - General: Install Remote Start for Honda IGX 700 Engine. <i>Includes Lodar Remote for Engine, Hatbox, and Hyd Expanding, Tritonic is for steering only</i>
207845	Custom Options	207845 - General: 4" Amber Light to Show When SCU Is Running
200464	Custom Options	200464 - General: Lighted Removable Oversize Load Sign. Requires 4-Pole Socket and Oversize Load Sign Brackets on Trailer/Dolly (Not Included in This Quote)
200467	Custom Options	200467 - General: Electrical Socket for Use with Option 200464 - Lighted Oversize Load Sign
200474	Custom Options	200474 - TK150LPSD-HS: Black Plastic Fenders on All 6 Axles in Lieu of Poly Formed Style
200748	Custom Options	200748 - TK120LPSD-HS: (2) Additional Steel Air Tanks for 7 Total

200468	Custom Options	200468 - TK120LPSD-HS: Grease Bank for Accelerator Plate
200490	Custom Options	200490 - TK120LPSD-HS: Dunnage Storage at Axle #5 of Dolly (Steel Flat Floor with Drainage)
200496	Custom Options	200496 - LPSD-HS: Anti-Slip Tape Applied to All Top Pieces of Dolly That Would Be Under Rear Neck.
200468	Custom Options	200462 - TK120LPSD: "P" Type Spindle, Synthetic Grease, Timken Bearings ILO Std, 6 Axles
200471	Custom Options	200471 - General: Larger Liquid Filled Pressure Gauge for Suspension with More Increments ILO Std Gauge
200510	Custom Options	200510 - TK120LPSD-HS: 4S2M ABS on Non-Steered Axle Group Only.
200517	Custom Options	200517 - TKLPSD-HS: (1) Pair of Grease Zerk to Top of Friction Plate
201213	Custom Options	201213 - LPSD-HS: Hose Shield for Hydraulic Lines on Back Side of Engine Box
200501	Custom Options	200501 - TK120LPSD-HS: Plumb After Paint
	Custom Options	Air ride with raising and lowering 13HP Honda SCU 8" lift hydraulic hat box Aux air outlet for power tools Power beyond for hydraulics Wide load sign brackets at rear Support plate for gooseneck support arm Grote sealed wiring harness 4S2M ABS on Non-Steered Axle Group Only Steering Speed Lockout "P" type spindle Spring brakes on rear axle group LED light package Electrical system per DOT regulations 7-pole electrical connector Mud flaps Red & white conspicuity markings

208740	Custom Options	208740 - TK120LPSD-HS: Install (5) additional pair of clearance lights spaced evenly.
208766	Custom Options	208766 - TKLPSD-HS: (1) Aluminum toolbox, mounted to the opposite side of SCU, size 18" x 24" x 36"
207206	Custom Options	207206 - TKLPSD-HS: Install Aluminum Removable Platform Located Over the Front Axle Group. Platform to be Bolted to the Top of the Cross Beams. (3 Pieces)

Jeep SN 1TKR03334TM029800
TK120LPSD SN 1TKH0396XTM029801
24' PF Front GN Job # T9801A
25'11" PF Rear GN Job # T9801B
30' PF Rear GN Job # T9801N

***This order may be subject to tariff related surcharges.**

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.