

HALE TRAILER BRAKE & WHEEL



A035690-A035691
VIN: 71476 & 071477

SALES | RENTALS | PARTS | SERVICE

Allentown, PA: 800-383-8894	Little Rock, AR: 833-424-8944
Baltimore, MD: 888-601-7500	Portland, ME: 800-325-4253
Concord, NC: 800-438-2250	Raleigh, NC: 833-418-9777
Delmar, DE: 866-486-1400	Scranton, PA: 800-569-1400
Des Moines, IA: 888-673-5011	Springfield, MA: 800-854-5306
Elkton, MD: 800-544-7127	Voorhees, NJ: 866-315-0235
Jacksonville, FL: 800-828-3055	Walpole, MA: 800-854-5310

haletrailer.com | @haletrailer
800-232-6535 *FINANCING AVAILABLE

TK102HDG Advantage Plus Hydraulic Detachable 102,000 Lbs 10002-102HDG AdvPlus_New

10002-Base

Item #	Category	Description	Weight (lbs)	Qty
10002	Open Deck	TK102HDG Advantage Plus Hydraulic Detachable 102,000 Lbs in 16 feet		

10002-General - TK102HDG+

Item #	Category	Description	Weight (lbs)	Qty
10027	Overall Width	102" deck width		
17866	Paint	Zinc-rich Primer		
08024	Paint	S7203 Black with white decals		
18508	Paint	Red & white conspicuity markings		

10002-Gooseneck - TK102HDG+

Item #	Category	Description	Weight (lbs)	Qty
10012	Gooseneck	12' 11" gooseneck length (16" and 40" KP setting with 110" and 86" swing)		
18513	Gooseneck	Gooseneck arched for increased truck fender clearance		
10007	Gooseneck	PTO Hydraulics		
14223	Gooseneck	7-position gooseneck height adjustment +3"/-7" (N/A on paver style)		
14553	Gooseneck	Hydraulic gooseneck support arm		
14554	Gooseneck	Air-activated, positive self-locking pin		
14555	Fifth Wheel / King Pin	50" 5th wheel height		
14224	Gooseneck	1 pr straight d-rings on rear flange of gooseneck riser section		

10002-Deck - TK102HDG+

Item #	Category	Description	Weight (lbs)	Qty
10018	Deck Length	25' 9" deck length		
10017	Deck Length	24" loaded deck height, 8" ground clearance		
10028	Deck Width	Full-width deck - 4 beam main frame construction		
14632	Main Deck	I-beam crossmembers on 24" centers		
14633	Main Deck	4" stubs between crossmembers in outer bays for 12" centers in outer bays		
14634	Main Deck	Triangle cut-outs on deck beams and bolster		
14635	Main Deck	Knuckle trough at rear of deck - 72" long, covered with 1/4" steel		
14250	Decking	1 3/4 Apitong decking (raised)		
14257	Outriggers / Side Extensions	Swingout outriggers, with pullout HD outrigger at front, double swingouts at center, and 4' storage pan		
11375	Outriggers / Side Extensions	Delete outrigger planks		
14255	Ramps	Fixed 16" front ramps tapered to 2.5" (reduces swing clearance by 8")		
14314	Tie Downs	14 bent-style D-rings on deck		
11373	Deck - Misc	Top flange reinforcement		
17737	Deck - Misc	Fully enclose knuckle trough		
14260	Deck - Misc	Additional bent d-rings to fill out deck		
201032	Custom Options	201032 - TK102HDG+: 102,000 lb Rating in 16' ILO 102,000 lb in 12'		
200211	Custom Options	200211 - HDG: (5) Additional Pair of D-Rings in Center Bay: (1) Pair of D-Rings in First Bay, (1) Pair of D-Rings in 2nd Bay, (1) Pair of D-Rings in 6th Bay, (2) Pair of D-Rings in Knuckle Trough		

10002-Wheel Area - TK102HDG+

Item #	Category	Description	Weight (lbs)	Qty
10037	Wheel Area	Fixed wheel area - includes front half bolster		
10038	Wheel Area	No wheel covers		
14636	Wheel Area	Full depth open boom trough with lowered crossmembers between axles in wheel area		
14281	Wheel Area	No boom plates		
10050	Axle Spacing	55" axle spacing (no additional axle reinforcement)		
14765	Miscellaneous	Wide load sign brackets		

17738	Tie Downs	2 straight D-rings mounted at rear of WA on top flange
14759	Flaps, Mud Guards & Fenders	Mudflaps
11372	Wheel Area - Misc	1 pr straight d-rings to be on flange of front slope of wheel area

10002-Suspension - TK102HDG+

Item #	Category	Description	Weight (lbs)	Qty
14133	Suspensions / Axles	25,000-lb. (5/8" wall) axles (per complete axle)		3
14284	Suspensions / Axles	Air suspension control panel in end of bolster ahead of rear axle		
14641	Suspensions / Axles	3rd axle air lift with dual ride height control		
14642	Suspensions / Axles	Raising/lowering air control panel (includes liquid filled air gauge)		
14672	Suspensions / Axles	Air ride suspension		
14757	Suspensions / Axles	Wheel end lube type - Oil		
10055	Brakes	No ABS		
14135	Brakes	16 1/2" x 7" Air Drum Brakes with automatic slack adjusters (for 22.5 wheels)		
14139	Hub / Drum	Dura-Light hub piloted, Light weight drum, Tapered (D) spindle (N/A on 17.5) (per complete axle)		3
15051	Wheels (inside)	8.25 x 22.5 10-hole machined (SP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(180)	6
15052	Wheels (outside)	8.25 x 22.5 10-hole polished (XP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(180)	6
10058	Spare Wheel	No Spare Wheel		
16221	Tires	Continental 275/70R22.5 HSR2 - 18 ply (tire only) (per tire) ILO Std Continental 255/70R22.5		12
10059	Spare Tires	No Spare Tire		
18813	Limiters Chains	Limiters/chain-ups on 1st axle		

10002-Electrical - TK102HDG+

Item #	Category	Description	Weight (lbs)	Qty
14648	Lights / Electrical	Grote LED Lights		

18726	Lights / Electrical	Grote sealed electrical harness system
17498	Lights / Electrical	Oval penny side marker lights w/ single mid-turn and (3) oval penny ID lights at rear of wheel area
11013	Lights / Electrical	3rd Tail light package (two red stop/tail, amber turn in center)
18230	Lights / Electrical	Center identification lights illuminated for marker lights
14649	Lights / Electrical	7-pole electrical connector
10064	Lights / Electrical	Remote flasher w/ battery back-up with switch mounted on drivers side rear bolster
10062	Lights / Electrical	4-pole socket wired to clearance light
10066	Lights / Electrical	Stainless inserts around lights in tail channel

10002-Miscellaneous - TK102HDG+

Item #	Category	Description	Weight (lbs)	Qty
14650	Flagholders	Flag holders, front of deck and rear of trailer		
18818	FleetPulseGO	FleetPulseGO Track asset tracker for fleet visibility and asset recovery with up to 7-year battery life. Subscription required.		

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.