

HALE

TRAILER

BRAKE & WHEEL



A037763-A037766

VIN: 94098-94101

SALES | RENTALS | PARTS | SERVICE

Allentown, PA: 800-383-8894

Little Rock, AR: 833-424-8944

Baltimore, MD: 888-601-7500

Portland, ME: 800-325-4253

Concord, NC: 800-438-2250

Raleigh, NC: 833-418-9777

Delmar, DE: 866-486-1400

Scranton, PA: 800-569-1400

Des Moines, IA: 888-673-5011

Springfield, MA: 800-854-5306

Elkton, MD: 800-544-7127

Voorhees, NJ: 866-315-0235

Jacksonville, FL: 800-828-3055

Walpole, MA: 800-854-5310

haletrailer.com | @haletrailer



800-232-6535 *FINANCING AVAILABLE

BODY

LOAD PROFILE (1) MATERIAL, 107K GVWR

LENGTH (1) 33

WIDTH (1) 96

FLOOR (1) 1/4 IN. FULL

STUB LONGITUDINALS (1) YES

CROSSMEMBER SPACING (1) 12 IN.

COAL BUCKET FLOOR BRACING NONE

SIDE PLACEMENT (1) INSET SMOOTH SIDE PANEL

FLOOR LINER NONE

BODY HOLD DOWN NONE

VIBRATOR NONE

RUBBER SEAL (1) YES

REAR HINGE PIN (1) STANDARD

WALL HEIGHT (1) 64

WALL THICKNESS (1) 67% STANDARD 1.5" PANELS - .150" WALL & 33% - HEAVY 1.5" PANELS - .175" WALL

WALL LINER NONE

TOP RAIL OPTION (1) SOLID

REAR POCKET SLOPE (1) 2.75

HOIST (1) 8-5-265 - CUSTOM

REMOTE GREASE (1) REMOTE HOIST GREASE

BULKHEAD (1) 3/16 IN.

BULKHEAD TYPE (1) RADIUS CORNERS

BULKHEAD DOOR (1) BULKHEAD DOOR D.S. W/ GRAB HANDLE

BULKHEAD SLOPE PLATES (1) YES, 18 IN.

5" SLOPE PLATES

LOWER BULKHEAD WRAP (1) YES

BULKHEAD STEPS (1) NONE

SIDES STEPS D.S. (4) LAST OUTSIDE ONLY

SIDES STEPS C.S. NONE

SHOVEL HANGER (1) YES, CURB SIDE

INSIDE P/S OF DOUGHOSE SIDE

FRONT FENDERS WITH FLAPS (1) 18 IN. W/ FLAPS

ALUMINUM ROLL CAP NONE

REAR END STYLE (1) STANDARD

LIGHTS

LIGHT TYPE (1) GROTE L.E.D. W/ GROMMET

LIGHT PANEL (1) 4 LARGE-3 SMALL-4 LARGE (FULL LIGHT PANEL) OOOO ooo OOOO

APRON (1) 3/8 IN. X 1-1/2 IN. FULL LIGHT SHIELD

STD. MARKER LIGHTS (1) (5) EACH SIDE TOP & BOTTOM

MID-TURNS (1) (1) PAIR L.E.D. (NON-COMBO)

BACK-UP LIGHTS (1) (1) PAIR L.E.D. BACK-UP LIGHTS

AUXILIARY CABLE (1) 7 WAY (ISO)

ADD JUNCTION BOX @ INSIDE FRAME RAIL W/ 7 WIRE FROM AUX. PLUG INTO JUNCTION BOX

BACK-UP LIGHT WIRE AUXILIARY (BLACK WIRE)

REAR POCKET LIGHTS (1) 1 PAIR

GATE

GATE SHEET THICKNESS (1) VERTICAL PANELS
GATE OPERATION (1) ELECTRIC THRU AUX. & BALL VALVE
HINGE TYPE (1) O. S. SWING C.S. W/ INPOCKET GROUND CONTROL
COAL DOOR NONE
CHUTE NONE
DOUBLE HANDLE DOOR NONE
GATE BRACING (1) NO BRACING (SMOOTH SIDE PANELS)
GATE STIFFENER NONE
PUSHER BLOCK NONE
HALF ROUND ON GATE NONE
ANGLE ON TOP OF GATE NONE
SPREADER CHAINS NONE

WINDERS / SAFETY LATCH (1) WINDERS (1) EACH SIDE
GATE STEPS NONE
TARP HOOKS NONE
GATE LINER NONE

PRIMARY AXLES

MODEL (1) TRI-AXLE
NO. OF PRIMARY AXLES (1) 1
LEVELING VALVE ON CENTER AXLE
SUSPENSION (1) HEND. INTRAAX AAT-30K W/ HXL-5
AXLE SPACING (1) 52
AXLES (1) AXLE FOR INTRAAX ONLY
BRAKES (1) 7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS (1) HEND. INTRAAX
HUB AND DRUM (1) CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES (4) GENERAL RA 11 R 22.5 16 PLY
WHEELS (4) ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)
PLASTICS INSULATORS BETWEEN WHEEL/DRUM & WHEEL/HUB ALL AXLES
PRIMARY AXLE TIRE INFLATION SYSTEM (1) HENDRICKSON SYSTEM (TIREMAAX PRO)

LIFT AXLES

NO. OF LIFT AXLES (2) 2
FRONT AND REAR AXLE LIFT
LIFT AXLE SUSPENSION (2) HEND. INTRAAX AAL 30K (4) TIRES W/HXL-5
rear axle must be a "T" suspension
LIFT KIT (2) HEND. UBL-002 (INTRAAX AAL)
LIFT AXLE DISTANCE (1) 52
LIFT AXLE (2) AXLE FOR INTRAAX ONLY
LIFT AXLE BRAKES (2) 7 IN. XL, W/ 30-30 CHAMBERS
LIFT AXLE CAM GUARDS (1) HEND. INTRAAX
LIFT AXLE HUB AND DRUM (2) CAST W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN.
LIFT AXLE TIRES (8) GENERAL RA 11 R 22.5 16 PLY
LIFT AXLE WHEELS (8) ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)
PLASTICS INSULATORS BETWEEN WHEEL/DRUM & WHEEL/HUB ALL AXLES
LIFT AXLE CONTROLS (2) ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.)
FREE WHEEL VALVE (1) YES
ON FRONT AXLE
LIFT AXLE TIRE INFLATION SYSTEM (2) HENDRICKSON SYSTEM (TIREMAAX PRO)

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES 0
STEERABLE AXLE SUSPENSION NONE
STEERABLE AXLE DISTANCE N/A
STEERABLE AXLES NONE
STEERABLE AXLE BRAKES NONE
STEERABLE AXLE HUB AND DRUMS NONE
STEERABLE AXLE TIRES NONE
STEERABLE AXLE WHEELS NONE
STEERABLE AXLE CONTROLS NONE

CHASSIS

FRAME RAILS (1) 17 IN. ALUMINUM BEAMS
RUBBER CUSHION RIDE (1) 3/8 FRAME RUBBER
NO. OF INCHES FOR GOOSENECK (1) 18
LID FOR GOOSENECK (1) FIXED LID
PIN SETTING (1) 18
5TH WHEEL PLATE (1) 3/8
1/2"
5TH WHEEL PLATE HEIGHT (1) 50 IN. HIGH
KING PIN (1) .375 KING PIN ONLY
.500
NO. OF INCHES FOR REAR OVERHANG (1) 6
TRACTOR DRIVE MODEL (1) TANDEM DRIVE
STIFFENER PLATE NONE

HOIST & MOUNT STYLE (1) 3 IN. X 6 IN. X 3/8 IN.
SUSPENSION CONTROL (1) ELECTRIC THRU AUX. & BALL VALVE
ABS FOR TRAILER (1) (1) 2S1M MERITOR / WABCO
SLACKS (1) AUTOMATIC
AXLE LUBRICATION (1) HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER NONE
DUST COVERS NONE
TIRE CARRIER(S) NONE
DOLLIES - LANDING GEAR - LANDING LEGS (1) JOST AX-150 - (55,000 LB.) - 10 YEAR ALUMINUM - D.S.
SHIMS (1) MYLAR
REGISTRATION HOLDER NONE
AIR GAUGE / SYSTEM (1) YES, IN FRONT
ENCLOSURE FOR SWITCHES (1) STAINLESS STEEL
AIR TANKS (1) ALUMINUM TANK
HYDRAULIC HOSE FITTING (1) 1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES (1) 30 IN. ALUM / 12 IN. RUBBER FULL ACROSS FRONT OF FRONT AXLE
FLAPS REAR OF TIRES (1) FULL RUBBER ACROSS REAR OF TRAILER
FRAME POCKET NONE
DIAMOND PLATE COVER OVER REAR CHASSIS CROSSMEMBER
TOW HOOKS (2) (2) BOLT ON
BUMPER NONE

TARP

TARP MANUFACTURER NONE
TARP CONTROL NONE
TARP COLOR NONE
BOW HOLDERS NONE
TARP BRACKET NONE

PAINT

HANGERS (1) GALVANIZED
SUSPENSION COLOR (1) BLACK SOFT COAT
DOLLIES (1) BLACK (931716)
HOIST COLOR (1) BLACK (931716)
5TH WHEEL PLATE COLOR (1) BLACK (931716)
PIN STRIPING (1) BLACK (931716)
MAC MACHINE FINISH LOGOS (1) BLACK (931716)
OPTIONAL SIGNS NONE

ACCESSORIES

NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION) NONE
TOW MOTOR PACKAGE NONE
COIL RACK ANGLES NONE
LOAD LEVEL INDICATOR NONE
3-1/2 IN. ANGLES UNDER RAIL NONE

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.