



Hale Trailer Brake & Wheel

071355-071357



GENESIS FRAMELESS DUMP

BODY SPECIFICATIONS

Length	40'	Body	* FRONT TARP CAP W/ 12" RISE
Width	102" INBOARD	Tarp	NONE
Side Height	72" SOLID	Bow Holders	NONE
Top Rail	9" DUMP	Tarp Bows	NONE
Side Matl-front	20' - .100" WALL	Tarp Basket	NONE
-middle	10' - .140" WALL	Tarp Hooks	NONE
-rear	10' - .180" WALL	Bulkhead Mat'l	3/16"
Side Options	NONE	Bulkhead	D/S-MANDOOK
Floor Mat'l	1/4"	Options	
Crsmbr Spacing	12"	Body Fenders	SQUARE OFF
		Ladders (Out)	D/S-LAST PANEL
Floor Options	NONE	Inside	NONE
		Shovel Hgr	NONE
Tailgate Control	AIR FRAME+ ELEC CC (1)(9)(10)	Light Panel	FULL - LED; X=LED BACK UP OOOXXOOXOOO (8)
Body Pkg	NONE	Marker Lights	LED - 12 PR BOTTOM
Options		MMTS	OVAL LED - PIVOT BRACKET
Vibrator	NONE	Apron	NONE
Mudflaps	STD (2)(3)(4)(5)(6) ACROSS REAR CHASSIS		

Accessories	AND 10 MARKER LIGHTS * REAR ALUM CAP W/ 12" RISE BOLTED TO GATE & W/ 10 LIGHTS WIRED AS CLEARANCE.
TAILGATE	
Height	FULL - GENESIS
Mat'l Thkness	.140 WALL
Slope	NONE
Hinges	OVERSLUNG
Side Swing	YES-INTRL GRND CTRL-P/S HINGE
Gate Seal	RUBBER
Safety Latch	ONE EACH SIDE
Coal/Grain Door	20"
Coal Chute	NONE
Gate Options	NONE

CHASSIS SPECIFICATIONS

Model	TANDEM - SPREAD (7)	ABS	2S / 1M	Tire Carrier	NONE
Length	PER ENGINEERING			Landing Gear	2 SPEED JOST ALUMILIGHT X D/S CRANK
Width	102"				
Draft Arms	ALUMINUM	Independ. Susp(s)			
Hoist	85-285		NONE	Elec Coupler	7 WAY + 7 WAY ISO LABELED 'AUXILIARY'
King Pin Setting	16"	Distance:			
5TH WP	3/8"	From:		Hyd Hose Fitting	WINGNUT
5th Whl Ht	49"			Hyd Hose Length	108"
		Controls		Tow Hooks	NONE
Rear Axle Setting	21.5"			Paint	BLACK
K/P To Rear Axle	442-1/2"	Location			
Suspension	AAT30K / E2 / L- LIFT (9)(10)(11)	Axle(s)		Chassis	
Susp Control	FRAME + ELEC CC (9)(10)			Options:	
Susp Spacing	121"	Accessories			
Susp Options	GALVANIZED HANGERS(12)				
Springs	AIR	Brakes			
Axles	TP SPINDLES	Drums			
Accessories	NONE	Hubs			
Brakes	16-1/2" x 7"	Wheels			
Drums	CAST				
Hubs	10 STUD LWSTEEL	Tires			
Wheels	8.25 X 24.5 8 CB				
Tires	11R 24.5 R196A 14 PLY BS				

REMARKS:

- LATCH BAR GREASE: REMOTE ZERKS (073-70003-00) REMOTE FITTINGS TO THREE BEARINGS.
- 30" ALUM FLAP W/ 3" LIP AND 10" BLACK RUBBER ON BOTTOM AND THREE 4" MODEL 40 LIGHTS WIRED AS MARKER AHEAD OF EACH AXLE. REF PIC BELOW.
- CENTER ALUMINUM CHASSIS FLAP AHEAD OF EACH AXLE W/ BLACK RUBBER ON BOTTOM AND FIVE 4" MODEL 40'S WIRED AS MARKERS-REF PIC BELOW.
- 30" ALUM FLAP W/ 3" LIP AND 10" BLACK RUBBER ON BOTTOM AND THREE 4" MODEL 40 LIGHTS WIRED AS BRAKE REARWARD OF FORWARD AXLE-REF PIC BELOW.
- CENTER ALUMINUM CHASSIS FLAP REARWARD OF FORWARD AXLE W/ BLACK RUBBER ON BOTTOM AND FIVE 4" MODEL 40'S WIRED AS BRAKES-REF PIC BELOW.
- ALL ALUMINUM OUTWARD FLAPS AND CENTER FLAPS TO BE FLUSH HORIZONTALLY AND VERTICALLY.
- BOLT ON SUBFRAME COVER. WEIGHT: 12,223
- LIGHT PANEL TO BE ALL 4" LED AND SPACED EVENLY

9. TAILGATE, SUSPENSION EXHAUST, LIFT AXLE (W/ BRAKE RELEASE) ALL TO BE FRAME SWITCHES AND ELECTRIC CAB CONTROL WIRED TO AUXILIARY PLUG.
10. ALL FRAME SWITCHES TO BE IN POLYCARBONATE BOX ON D/S BETWEEN SPREAD.
11. AIR GAUGE (LBS.) PLUMBED TO SUSPENSION AND MOUNTED AT COUPLER PLATE.
12. STRAP STOPS ON FRONT AXLE ONLY.





DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.