



Hale Trailer Brake & Wheel

072013-072030

ALUMINUM "BST-II" PLATFORM TRAILER


LENGTH:	48' - 24" BEAM	SUSPENSION:	AAT25K / E2-1 REAR AXLE SLIDER (2)
WIDTH:	102"		
NOSE:	SQUARE + EXTRA 6-WAY CONNECTOR (1) (4)	LOWERING KIT:	AUTOMATIC
KING PIN SETTING:	30" - 5/16" PLATE - NO ACCESS HOLES	AXLE TO AXLE:	56" & 125" (2)
FLOOR:	KNURLED ALUMINUM 3 NAILERS INTEGRATED SIDE RAIL	AXLE TO REAR:	46"
XMEMBER SPACING:	16" SPACING	LIFT / AXLE:	N/A
COIL PACKAGE:	YES - w / 8 PCS BAR INSERTS	SPACING:	
SPOOLS:	DOUBLE	F.W. HEIGHT:	49"
POCKETS:	HD FRONT TO ACCEPT AERO BH SEE DWG	CONTROLS:	
ROPE HOOKS:	NONE	AXLES:	TP SPINDLES 23,000 GAWR RATED
TIE DOWNS:	Two Tie Down Storage Pipes D/S @ LG	AUTO SLACKS:	MERITOR
MARKER LIGHTS:	LED - 7 EACH SIDE	BRAKES:	16-1/2" x 7"
MID TURN SIGNAL:	MMTS BELOW RAIL - Inboard & Angled	ABS SYSTEM:	4S / 2M (SENSOR ALL)
LIGHT PANEL:	LED - STD 9 LIGHTS OOO ooo OOO 1/2 STEPS ON REAR FULL WIDTH BUMPER	HUBS:	10 STUD LWSTEEL / LW DRUMS LIGHT WEIGHT BRAKE DRUMS
BULKHEAD:	NONE	WHEELS:	8.25 x 22.5 ALUMINUM 4 CLEAN BUFF / 4 POLISHED
TYPE:		TIRES:	11R 22.5 R196 14 PLY BS
HEIGHT:		LANDING GEAR:	2 SPEED JOST ALUMILGHT AX150 (3) FORWARD BRACING - D/S CRANK
RETURNS:		TIRE CARRIER:	BRACKETS ONLY - P/S ACCESS MID TRAILER
MAT'L:		TOOLBOX:	QTY: NONE SIZE: LOCATION: MAT'L:
ACCENT TAPE:	BLACK	MUDFLAPS:	STD
PAINT:	BLACK SOFT COAT BLACK ON SUSPENSION	TYPE:	SILVER PLASTIC
WINCH TRACK:	INTEGRATED BOTH SIDES	LOCATION:	ON REAR OF SLIDER BOX + 3/16" ALUM ON TOP OF SLIDER FLAP BENT TOWARD TIRE.
LOCATION:			
WINCHES:	12 - STEEL SLIDING - D/S		
WINCH CLIPS:	12 - ALUM SLIDING - P/S		
STRAPS:	NONE		

REMARKS: USE STD EAST FLAPS/LOGOS-NOT 50TH ANNIVERSARY FLAPS/LOGOS.

(1) EXTRA 6-WAY WIRED TO JUNCTION BOX D/S INSIDE FRAME IN FRONT OF MOST FORWARD AXLE	
(2) 2 POSITION REAR AXLE SLIDER - SLIDER BOX INSIDE MAIN FRAME RAILS	WEIGHT: 9911
SLIDER BOX & REAR HANGERS TO BE BLACK SOFTCOAT - GALVANIZED HANGERS FRONT AXLE ONLY	
(3) TRUCKLITE REGISTRATION HOLDER D/S @ LG	
(4) WIRING BACK 3" FROM INSIDE NOSE - SEE PICTURE	

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.



ELECTRICAL HARNESS TO BE BELOW OR ABOVE 1/2" HOLE



WIRING HARNESS TO BE LOCATED 3" REARWARD OF INSIDE 90 DEGREE ANGLE (STANDARD LOCATION OF HARNESS) ALL THE WAY ACROSS THE FRONT OF THE TRAILER

Hale Trailer
 X JB 4/25/18
 X

SIZE	DRAWING NO.	SHEET OF	REV
A	0610-4810210-2	1	A


OUT SIDE VIEW


101" 21/32
OD

INSIDE VIEW

97.375 IN SIDE LEG
TO IN SIDE LEG

NOTES:

1. DO NOT SCALE DRAWING.
2. REMOVE ALL BURRS AND SHARP EDGES.
3. INDUSTRY STANDARDS AND PRACTICES MUST BE APPLIED IN FABRICATION OF PARTS.
4. PART TO BE FREE FROM SURFACE IMPERFECTIONS OTHER THAN SURFACE FINISH REQUIREMENTS.
5. CRITICAL DIMENSIONS ARE INDICATED BY .
6. THIS DRAWING WAS ORIGINATED BY AND IS THE EXCLUSIVE PROPERTY OF AERO INDUSTRIES, INC. AND/OR ITS OWNER. IT IS NOT AN AUTHORIZATION OR LICENSE TO MAKE THIS CONSTRUCTION OR TO FURNISH THIS INFORMATION TO OTHER PARTIES.



7	0611-960125	LEG ASSY BULKHEAD ALUM P.S	1
6	0611-960126	LEG ASSY BULKHEAD ALUM D.S	1
5	0611-960132	GUSSET BULKHEAD DOT	4
4	TOP RAIL ASSY 102W		1
3	BOTTOM RAIL ASSY 102W		1
2	860159		1
ITEM	PART NUMBER	DESCRIPTION	QTY

REV	DESCRIPTION	BY	DATE
REVISIONS			

TOLERANCES UNLESS OTHERWISE SPECIFIED		MATERIAL NOTE		<div>  Aero </div>	
DIMENSIONS IN INCHES		<div>  Aero </div>		<div> TITLE BULKHEAD ALUM 48"x102" 10" WRAP </div>	
X(X) = ± .116					
A = ± .01					
.00 = ± .00					
.000 = ± .010					
.000 = ± .005					
BUSH = ± .10					
SURFACE = 125✓					
USED ON		MATERIAL FINISH		<div> <div> PAGE 1 </div> <div> DRAWN BY MJB </div> <div> APPROVED BY </div> <div> DATE 1/28/2012 </div> </div>	
SCALE		<div> DRAWING NO. 0610-4810210-2 </div> <div> SHEET 1 OF 1 </div>	<div> REV A </div>		

P:\INVENTOR 2012\0610\0610-4810210-2.idw

BULKHEAD ALUM 48"x102"
10" WRAP