

## Hale Trailer Brake & Wheel 073550-073554



## **ALUMINUM "BST" PLATFORM TRAILER**

				PINTLE HOOK SET UP
LENGTH:	48'	SUSPENSIO	N:	AAT25K / E2-L-LIFT FRONT AXLE LIFT w / "K" BRACING(4
WIDTH:	102" (1)			GALVANIZED HANGERS & SOFT COAT PAINT(7)
NOSE:	SQUARE +	LOWERING	KIT:	AUTOMATIC
	EXTRA STD 7-WAY CONNECTOR (1) (3) (4)	(7) AXLE TO AX	(LE:	121"
KING PIN SETTING:	30" - 5/16" PLATE	AXLE TO RE	AR:	30"
FLOOR:	KNURLED	LIFT / AXLE:		NONE
***************************************	3 NAILERS	SPAC	ING:	
***************************************	INTEGRATED RAIL	F.W. HEI	SHT:	49"
XMEMBER SPACING:	16"	CONTRO	DLS:	
COIL PACKAGE:	YES - 8 PCS BAR INSERTS	AXLES:		TP SPINDLES - 23,000 # RATING
SPOOLS:	DOUBLE			
POCKETS:	HD FRONT TO ACCEPT AERO BH SEE DWG	AUTO SLAC	KS:	STD
ROPE HOOKS:	NONE	BRAKES:		16-1/2" x 7"
		ABS SYSTE	M:	4S / 2M
TIE DOWNS:	10 PR J-HOOKS + STORAGE - TWO D/S @ L	.G		
MARKER LIGHTS:	LED - 6 EACH SIDE ON RAIL +	HUBS:		10 STUD LWSTEEL / LW DRUMS
MID TURN SIGN	IAL: LED COMBO MARKER / MMTS BELOW RAIL	-		LIGHTWEIGHT BRAKE DRUMS
LIGHT PANEL:	LED - STD 9 LIGHTS OOO ooo OOO	WHEELS:		8.25 x 22.5 ALUMINUM
	1/2 STEPS ON REAR			4 CLEAN BUFF / 4 DURABRIGHT
	FULL WIDTH BUMPER			
		TIRES:		11R 22.5 R196 14 PLY BS
BULKHEAD:				
TYPE: NONE		LANDING GI	EAR:	2 SPEED JOST ALUMINUM AX150 D/S CRANK (2) FORWARD BRACING
HEIGHT:				
RETURNS:		TIRE CARRI	ER:	MTNG BRKTS ONLY MID TRAILER- P/S ACCESS
MAT'L:		TOOLBOX:		TWO
***************************************			SIZE:	24" x 24" x 60"
ACCENT TAPE:	BLACK		LOCATION:	D/S & P/S - BETWEEN AXLES
PAINT:	BLACK SOFT COAT		MAT'L:	AERO DOUBLE DOOR - SMOOTH SHEET
***************************************	BLACK SOFT COAT ON SUSPENSIONS			LO-MOUNT FOR WINCH CLEARANCE
WINCH TRACK:	INTEGRATED BOTH SIDES	MUDFLAPS:		STD
***************************************		TYPE:		SILVER PLASTIC
LOCATION:		LOCATION:		ON REAR
WINCHES:	16 STEEL SLIDING - P/S			
WINCH CLIPS:	16 ALUM SLIDING - D/S			
STRAPS:	16 STRAPS 4" X 30' W/ FLATHOOK			
		1		
REMARKS:				
1. EXTRA STD-7 WAY A	T FRONT AND PINTLE HOOK, WIRE TO J-BOX A	T REAR		
2. TRUCKLITE REGISTR	ATION HOLDER D/S AT LANDING GEAR			

WIRING BACK 3" FROM INSIDE NOSE - SEE PICTURE


4. MERITOR 10 MPH AUTO REINFLATE ON REAR AXLE WIRED TO AUXILIARY STD 7 WAY ON BLACK WIRE. **CHANGE 1** 

> WEIGHT: 10188

5. PINTLE HOOK SET UP. PH400

6. AIR AND ELECTRIC TO REAR OF TRAILER FOR PINTLE HOOK SET UP

7. FRONT AXLE LIFT TO BE FRAME SWITCH AND ELEC CC WIRED TO AUXILIARY STD WAY ON YELLOW WIRE.



ELECTRICAL HARNESS TO BE BELOW OR ABOVE 1/2" HOLE

