

EAST

2018

“GENESIS” ALUMINUM FRAME DUMP TRAILER

63344 - 63348

BODY SPECIFICATIONS

LENGTH:	34'
WIDTH:	96" INBOARD
OVERALL SIDE HEIGHT:	64" Solid
TOP RAIL:	9" Dump
SIDE MATERIAL:	Front: 6'-.100 Wall, Middle: 22'-.140 Wall, Rear: 6'-.180 Wall
FLOOR MATERIAL:	¼" (3/8" LAST 8')
SIDE OPTIONS:	NONE
FLOOR MATERIAL:	¼" (3/8" LAST 8')
CROSSMEMBER SPACING:	12" SPACING
FLOOR OPTIONS:	STUB LONGITUDINALS 85-285 HOIST
TAILGATE CONTROL:	AIR/FRAME + ELEC CC (1)
BODY PACKAGE:	NONE
VIBRATOR:	NONE
MUDFLAPS:	STD + ACROSS REAR CHASSIS
TARP:	NONE
BOW HOLDERS:	NONE
TARP BOWS:	NONE:
TARP BASKET:	NONE
TARP HOOKS:	4 ON TAILGATE
BULKHEAD MAT'L:	3/16"
BULKHEAD:	5" SLOPE PLATES IN NOSE
OPTIONS:	MAN DOOR D/S
BODY FENDERS:	SQUARE OFF
LADDERS OUT:	BULKHEAD – P/S LAST PANEL – D/S
LADDERS INSIDE:	REAR D/S – USE ANGLE
SHOVEL HANGER:	BULKHEAD P/S INSIDE STEPS
LIGHT PANEL:	LED – 000 000 000
MARKER LIGHTS:	LED – 7 PR BOTTOM
MMTS:	LED – BOX IN BELOW RAIL
APRON:	NONE
BODY – ACCESSORIES:	NONE

TAILGATE

HEIGHT:	Full – GENESIS STYLE
MAT'L THICKNESS:	.140 WALL
SLOPE:	None
HINGES:	Overslung
SIDE SWING:	YES, With Ground Control
BOTTOM LATCH TRIP:	Air Cylinder
GATESEAL:	RUBBER
SAFETY LATCH:	ONE EA SIDE – ANGLED
COAL/GRAIN DOOR:	12"
COAL CHUTE:	2-1/2"
GATE OPTIONS:	4 TARP HOOKS ACROSS TAILGATE

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.

CHASSIS SPECIFICATIONS

MODEL:	TANDEM + STEERABLE
BEAM MAT'L:	17" ALUMINUM
LENGTH:	33' – 6"
WIDTH:	96"
HOIST:	8-5-285 W/ REMOTE GRSR TOP
CHASSIS NECK:	TANDEM
KINGPIN SETTING:	18"
5 TH WHEEL PLATE:	½" + 3/8" X 3" X 7"
5TH WHEEL HEIGHT:	50"
OVERHANG:	6"
REAR AXLE SETTING:	22 ½"
KING PIN TO REAR AXLE:	361 – ½"
SUSPENSION:	AAT30K / E2-1 (2)
SUSPENSION CONTROL:	FRAME + ELEC CC (1)
SUSPENSION SPACING:	52"
SUSPENSION OPTIONS:	ALL 17" MTNG HGT ON SUSP. HNGR
SPRINGS:	AIR
AXLES:	TP SPINDLES
ACCESSORIES:	METAL HUBCAPS
BRAKES:	16-1/2" X 7"
DRUMS:	CAST
HUBS:	10 STUD STEEL – PILOTED
WHEELS:	8.25 X 24.5 ALUM 4CB/4P
TIRES:	11R 24.5 R250ED 16 PLY
ABS:	2S/1M
INDEPEND. SUSP(S):	ONE, IMT / ISS W/ IMT STEERABLE AXLE, GALVANIZED HANGERS
DISTANCE:	55"
FROM:	NEAREST AXLE
CONTROLS:	REGULATED AXLE FRAME SWITCH + ELEC CC LIFT CONTROLS IN WEATHERPROOF BOX W/ REGULATOR IN 2 ND BOX
LOCATION:	D/S FRAME AT LANDING GEAR
AXLES:	TP SPINDLES
ACCESSORIES:	NONE
BRAKES:	16-1/2" X 7"
DRUMS:	CAST
HUBS:	10 STUD STEEL- PILOTED
WHEELS:	9" X 22.5 ALUM – POLISHED, 2 CS TOTAL
TIRES:	315 / 80R 22.5 M860A, 2 PCS TOTAL
TIRE CARRIER:	YES – P/S ACCESS
LANDING GEAR:	2-Speed Jost A450 D/S CRANK(3)
CHASSIS LIGHTS:	1 PR NON-LED B/UP LIGHTS WIRE TO BROWN ON X'TRA
ELEC COUPLER:	7-WAY + X'TRA 7-WAY LABEL "ACCESSORY"
HYD TANK:	NONE
HYDRAULIC HOSE FITTING:	Wingnut
HYDRAULIC HOSE LENGTH:	108" 4K RATED

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.

TOW HOOKS: NONE
PAINT: BLACK
CHASSIS OPTIONS: MUDFLAP ACROSS CENTER REAR CHASSIS
SQUARE OFF REAR CHASSIS
BACK-UP LIGHTS IN FRAME

REMARKS:

- (1) FRAME SWITCHES IN WEATHERPROOF BOX – D/S AT LANDING GEAR.
- (2) GALVANIZED HANGERS.
- (3) TRUCK-LITE REGISTRATION HOLDER 536-05015-20 D/S NEAR LANDING GEAR

WEIGHT: 14,448

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.