

HALE TRAILER

BRAKE & WHEEL

FRAME DUMP TRAILER

Resale Inventory

A014504

VIN: 059912



SALES | RENTALS | PARTS | SERVICE

Allentown, PA: 800-383-8894	Jacksonville, FL: 800-828-3055
Baltimore, MD: 888-601-7500	Little Rock, AR: 833-424-8944
Boston, MA: 800-854-5310	Portland, ME: 800-325-4253
Concord, NC: 800-438-2250	Richmond, VA: 866-839-3495
Delmar, DE: 866-486-1400	Scranton, PA: 800-569-1400
Des Moines, IA: 888-673-5011	Springfield, MA: 800-854-5306
Elkton, MD: 800-544-7127	Voorhees, NJ: 866-315-0235

HaleTrailer.com | @haletrailer

800-232-6535 *FINANCING AVAILABLE

Design Type:	Genesis Design - INBOARD
Length:	35'-0"
Width:	102"
Overall Side Height:	60" SOLID
Aluminum Height:	60"
Top Rail Type:	9" DUMP
Top Options:	NONE
Side Material:	.100 Wall: 7' -Front .140 Wall: 20' -Middle .180 Wall: 8' -Rear
Rear Post:	STANDARD - INBOARD
Floor Design:	SHEET AND CROSSMEMBER
Body Package Options:	NONE
Body Latch:	NONE
Body Vibrator:	NONE
Doghouse Width:	20" WIDE - HOIST ACCESS INSIDE BODY (DO NOT CUT FRONT OF BULKHEAD)
Floor Thickness:	1/4" FULL LENGTH
Floor Overlay:	NONE
Floor Options:	NONE
Floor Cleanout:	1/4" x 5" STANDARD BOTTOM RAIL
Cleanout Overlay:	NONE
Crossmember Spacing:	10" (13 1/2" CENTER TO CENTER)
Crossmember Type:	STANDARD
Body Wear Pads:	QUIET RIDE PADS
Floor Stringers:	TWO ROWS -BOX TYPE - FULL LENGTH
Longitudinals:	STUBBED
Rear Hinge Shoes:	SINGLE - EACH SIDE
Hinge Shoe Lubrication:	GREASE ZERK IN SHOES
Body Guides:	THREE PAIR
Spray Skirts:	STANDARD TRANSITION SKIRT
Body Fenders at Base of Bulkhead:	SQUARED OFF
Apron:	NONE
Flaps:	10" FLAP FRONT, 40" SOLID ALUM FLAP W/ 3" LIPS AHEAD AXLE #1, 42" FLAP BEHIND REAR AXLE
Chassis Flaps:	ACROSS REAR OF CHASSIS + SOLID ALUM. FLAP WITH 3" LIPS ACROSS CHASSIS,EVEN WITH BODY FLAPS AHEAD AXLE #1
Option	NONE
Bulkhead Design:	STANDARD
Bulkhead Material:	3/16"
Cab Shield:	NONE
Doghouse Width:	20" WIDE - HOIST ACCESS INSIDE BODY (DO NOT CUT FRONT OF BULKHEAD)
Doghouse Side Thickness:	1/4"
Slope Plates at Inside Bottom Front:	17" PLATES
BH Inside Joint Reinforcement:	NONE
Tarp Hooks:	NONE
Ladders Out - Front:	NONE
Ladders In - Front	NONE
Shovel Hanger:	DOGHOUSE DRIVER SIDE
Bulkhead Equipment:	NONE

TAILGATE SPECIFICATIONS

Tailgate Height:	FULL
Tailgate Slope:	NONE
Rear Post:	STANDARD - INBOARD
Tailgate Material:	.180 GENESIS PANEL
Top Hinges:	OVERSLUNG
Tailgate Powerlift:	NOT APPLICABLE
Sideswing:	SIDE SWING W/ GROUND CONTROL (HINGED PASSENGER SIDE)
Bottom Latch Trip:	AIR CYLINDER
Mid-Gate Hook Latch:	NONE
Tailgate Seal:	RUBBER
Winder Latches:	ONE EACH SIDE & TWO BOTTOM
Coal Door:	NO COAL DOOR
Coal Chute:	NONE
Spreader Chains:	NONE
Gate Latch Bar Grease:	STANDARD BEARING BLOCK GREASE ZERKS
Tarp Hooks:	NONE
Marker Lights:	6 BOTTOM - 6 TOP
Side Lamp Type:	TRUCKLITE LED GROMMET MOUNT
Mid-Turn Signal:	BELOW RAIL - OVAL LED - 2" IN FROM EDGE - CTR OF BODY
Rear Body Light Panel	FULL WIDTH - 0000 000 0000 - 11 LIGHTS - Center ID Size: 4" - TRUCKLITE LED - GROMMET MOUNT
Backup Lights:	NONE - NOT APPLICABLE
Apron:	NONE
Rear Post Lights:	(1) - 2" TL30 LED MARKER
Tarp Bars:	NONE
Tarp Hooks:	NONE
# of Bow Holders:	NONE
Tarp Bow Design/Location:	NONE
Tarp Bow Qty:	NONE
Tarp Bow Rise:	NONE
Tarp Wiring:	NONE
Splash Shields:	NONE
Ladders Out - Front:	NONE
Ladders Out - Rear	BOTH SIDES
Ladders In - Front	NONE
Ladders In - Rear:	DRIVER SIDE (3" X 3" ANGLE) MATCH OUTSIDE
Shovel Hanger:	DOGHOUSE DRIVER SIDE
Registration Holder:	NONE
Body Fenders at Base of Bulkhead:	SQUARED OFF
Body Latch:	NONE
Body Vibrator:	NONE
Signs and Placards	STANDARD LOGOS FOR BODY, BULKHEAD AND TAILGATE
Wood Color:	N/A
Tarp Bar Tape:	NONE
Top Rail Tape:	NONE
Transition Skirt Tape:	NONE
Body Overhang:	6" OVERHANG

CHASSIS SPECIFICATIONS

Chassis Length	34' 6"		
Chassis Width:	102" (77 1/2" TRACK AXLES)		
Number of Axles:	3		
Chassis Beam Material:	17" ALUMINUM - BODY WEAR PADS: QUIET RIDE PADS		
King Pin Setting:	18"		
Rear Axle Setting:	21 1/2"		
Body Overhang:	6" OVERHANG		
K/P To Rear Axle:	374.5"		
Kingpin to Axle 1:	270.5"		
5th Wheel Height:	50		
Rear Suspension Ride Height:	17"		
Draft from Front to Rear:			
Neck Bracing:	NONE		
5th Wheel Plate:	3/8" WITH 3/8" X 3" X 7" HOIST MOUNT		
Special Frame Bracing at Suspension:	NONE		
Chassis Front Crossmember:	STANDARD LAYOUT		
Chassis Rear Crossmember:	TAPERED		
Chassis Lights:	NONE		
Rear Hinge Shoes:	SINGLE - EACH SIDE		
Rear Hinge Pin:	SOLID BAR - Bushing Lubricant: Grease Zerks Ea. Side		
Hinge Shoe Grease:	GREASE ZERK IN SHOES		
Gate Latch Bar Grease:	STANDARD BEARING BLOCK GREASE ZERKS		
Hoist:	9-5-265 CUSTOM		
Hoist Pin Grease:	GREASE ZERK AT TOP AND BOTTOM PINS		
<u>AXLE - 1</u>			
Axle 1 Suspension:	AAT30K - HENDRICKSON (APPROX. 3" GROUND CLEARANCE)	Brake Lining:	NOT APPLICABLE
Dist. to Prev. Axle:	52 Inches	Axle 1 Brake Drums:	NOT APPLICABLE FOR DISC BRAKES
Axle 1 Spindle type:	TP SPINDLES (UP TO 23,000# GAWR)	Axle 1 Wheel type:	8.25 x 24.5 BUFF IN - DURABRITE OUT
Axle 1 Hubs:	IRON DUCTILE HUB	Axle 1 Tire Selection:	11R 24.5 -16 PLY CONTINENTAL HSR2 LRH
Axle 1 Brake Type:	BENDIX DISC - ADB	Qty of Tires/Wheels:	FOUR TIRES
Brake Shoe Size:	NOT APPLICABLE	Suspension Hangers:	GALVANIZED HANGERS (LIFTABLE SUSPENSION)
<u>AXLE - 2</u>			
Axle 2 Suspension:	AAT30K - HENDRICKSON (APPROX. 3" GROUND CLEARANCE)	Brake Lining:	NOT APPLICABLE
Dist. to Prev. Axle:	52 Inches	Axle 2 Brake Drums:	NOT APPLICABLE FOR DISC BRAKES
Axle 2 Spindle type:	TP SPINDLES (UP TO 23,000# GAWR)	Axle 2 Wheel type:	8.25 x 24.5 BUFF IN - DURABRITE OUT
Axle 2 Hubs:	IRON DUCTILE HUB	Axle 2 Tire Selection:	11R 24.5 -16 PLY CONTINENTAL HSR2 LRH
Axle 2 Brake Type:	BENDIX DISC - ADB	Qty of Tires/Wheels:	FOUR TIRES
Brake Shoe Size:	NOT APPLICABLE	Suspension Hangers:	GALVANIZED HANGERS (LIFTABLE SUSPENSION)
<u>REAR AXLE - 3</u>			
Suspension:	AAT30K HENDRICKSON	Brake Lining:	NOT APPLICABLE
Rear Axle Ride Height:	17"	Brake Drums:	NOT APPLICABLE FOR DISC BRAKES
Rear Axle Type:	AIR - NON-LIFTABLE	Wheel Selection:	8.25 x 24.5 BUFF IN - DURABRITE OUT
Spindle Type:	TP SPINDLES (UP TO 23,000# GAWR)	Tire Selection:	11R 24.5 -16 PLY CONTINENTAL HSR2 LRH
Hubs:	IRON DUCTILE HUB	Qty Wheels/Tires:	FOUR TIRES
Brake Type:	BENDIX DISC - ADB	Rear Axle Susp. Hanger:	GALVANIZED HANGERS (NON-LIFTABLE SUSPENSION)
Brake Size:	NOT APPLICABLE		
Dust Shields:	OEM		
Brake Chambers:	OEM		


Cam Covers:	NONE
Slack Adjusters:	OEM
Chain - Strap Stops:	NONE
Suspension Scale:	RIGHT WEIGH OIL FILLED GAUGE IN (LBS) ON FRONT CHASSIS CROSSMEMBER
Tire Inflation System:	HENDRICKSON TIRE MAAX PRO (ALL AXLES)
Hub Lubrication:	SYNTHETIC GREASE PACK
Hubometer:	NONE
Tire Carrier:	NONE
Landing Gear:	2-SPEED JOST ALUMILIGHT - DRIVER SIDE CRANK - REAR AND CROSS BRACING
Tow Hook:	ONE EACH SIDE
Chassis Flaps:	ACROSS REAR OF CHASSIS + SOLID ALUM. FLAP WITH 3" LIPS ACROSS CHASSIS,EVEN WITH BODY FLAPS AHEAD AXLE #1
Underride Guard:	NONE
ABS and RSS:	4S-2M - WABCO
Auxiliary ABS:	NONE
Back Up Alarm	NONE
Air Tank Quantity	STANDARD (DEFINED BY ENGINEERING)
Air Tank Material:	ALUMINUM TANKS
Air Dryer:	NONE
CONTROLS	
Gate Open-Close:	FRAME SWITCH - DRIVER SIDE (NEAR LANDING GEAR)
Gate Cab Control:	ELECTRIC SOLENOID - WIRE TO AUXILIARY (RED PIN)
Suspension - Primary Fill-Exhaust:	FRAME SWITCH - DRIVER SIDE (NEAR LANDING GEAR)
Suspension - Cab Control:	ELECTRIC SOLENOID - WIRE TO AUXILIARY (BLUE PIN)
Plumbing Note:	NONE
Liftable Suspension Up-Down:	FRAME SWITCH - DRIVER SIDE (NEAR LANDING GEAR)
Liftable Up-Down Cab Control:	ELECTRIC SOLENOID - WIRE TO AUXILIARY (BLACK PIN)
SPIF:	NONE
Down Bag Pressure:	EQUALIZING WITH PRIMARY SUSPENSION
Brake Release:	YES - BRAKES DO NOT APPLY WHEN AXLE IS RAISED
Control Box:	ONE POLYCARBONATE FOR SUSPENSION, GATE, LIFT AXLES/CONTROLS
Electric Coupler:	7-WAY + 7-WAY ISO (MARKED AUXILIARY)
Hydraulic Oil Tank:	NONE
Hydraulic Hose Fitting:	WINGNUT FITTING
Hydraulic Hose:	STANDARD 108" LONG (4,000 LBS. PSI)
Back-Up Alarm:	NONE
Frame Color:	BLACK
Wheel Color:	N/A
Wheel Guard Insulators:	NONE
CHASSIS SPECIAL REQUESTS	
Right weigh oil filled gauge in nose to be in pounds.	

DISCLAIMER

Specifications are for the equipment at the time it was produced and may not accurately reflect its current condition. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.



SERIAL: 1E1D2S382HR059912
Estimated Unit Weight: 15,132 lbs.



NOTICE:
THIS DRAWING DEPICTS GENERAL ARRANGEMENT OF TRAILER DIMENSIONS AND AXLE SPACING ONLY. THIS DRAWING IS NOT REPRESENTATIVE OF SPECIFIC COMPONENTS OR PRODUCT OPTIONS / FEATURES AND IS NOT TO SCALE. EAST MANUFACTURING CORP. MAKES NO WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, AS TO DESCRIPTION, QUALITY, DETAIL OF EVERY COMPONENT, MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, PRODUCTIVENESS, PERFORMANCE, ACCURACY OR ANY OTHER CHARACTERISTIC DEPICTED IN THIS DRAWING.