

HALE

TRAILER

BRAKE & WHEEL



A017092
VIN: 76574

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer



800-232-6535 *FINANCING AVAILABLE

FLATBED COMBO

Model # TNAR48AA0-2024

VIN # 5MAPS4820RN076574

Weight **10473** lbs. *** Cubic Yards **0**

BODY

FRAME RAIL MODEL	STEEL BEAMS GRADE 80 WEB & GRADE 100 FLANGES (50K)
FRAME RAIL ARCH MODEL	3 1/2 IN.
LOAD PROFILE	MATERIAL, 80K GVWR
LENGTH	48
WIDTH	102
NECK STYLE	SQUARE FRONT, 10 IN. NECK, 102 WIDE
CROSSMEMBER SPACING	12 IN. ON CENTER
BULKHEAD	NONE
SPOOLS AND POCKETS	DOUBLE SPOOLS W/ POCKETS
NAILERS	2 NAILERS ON OUTSIDE
NO. OF STUB CROSSMEMBERS (COIL)	6
COIL PLACEMENT STRIPE / DECAL	NONE
(1) FULL WIDTH CROSSMEMBER AT REAR (R EAR LOADING)	NONE
REAR FLOOR, THRESHOLD PLATE (REAR LOADING)	NONE
OUTRIGGERS / TAPERED CROSSMEMBERS	W/ (3) OUTRIGGERS EVENLY SPACED
SIDE RAIL WINCH TRACK	DBL. ENTRY T.D. OUT, BOLT ON LL TRACK D.S. BAR C.S.
REAR END STYLE	REAR OPEN (NO CENTER FILLER PLATE)
REAR STEPS	GRIP STRUT STEP
STAINLESS ON REAR END	NONE
DOCK BUMPERS	(2) 16 IN. OUTSIDE

LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
	TRUCK-LITE
LIGHT PANEL	3 LARGE - 3 SMALL 2 3/4 IN. - 3 LARGE OOO ooo OOO
	ALL LARGE LIGHTS
STROBE LIGHTS	NONE
STD. MARKER LIGHTS	5 EACH SIDE
MARKER LIGHT LOCATION	STD.
MID-TURNS	(1) PAIR OPEN
WIDE TURN DIRECTIONAL LIGHTS	NONE
BACK-UP LIGHTS	NONE
AUXILIARY CABLE	NONE
REAR AUXILIARY PLUG	NONE

PRIMARY AXLES

MODEL	TANDEM
-------	--------

NO. OF PRIMARY AXLES	2
SUSPENSION	HEND. INTRAAX AANT-23K TP (250 BAGS) W/ HXL-5
NO. OF LIFT KITS	0
PRIMARY AXLE LIFT KIT	NONE
SUSPENSION SLIDER	SINGLE AXLE REAR SLIDER
	TANDEM AXLE SLIDE
AXLE SPACING	122
	49"
AXLE SETTING	516 INCHES (43)
AXLES	AXLE FOR INTRAAX ONLY
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
BRAKE STROKE INDICATORS	NO
TIRES	YOKOHAMA RY023 11R 22.5 16PLY
WHEELS	STEEL HP 22.5X8.25 - WHITE POWDER COATED
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE
	PREP FOR TIRE INFLATION- 3 HOLE PREP

CHASSIS

FRAME RAILS	MOVED TO BODY
FRAME RAIL ARCH	MOVED TO BODY
PIN SETTING	30
5TH WHEEL PLATE	1/4 IN. GR-50, 1/4 KP, 102 WIDE
5TH WHEEL PLATE HEIGHT	48 IN. HIGH
	49"
SUSPENSION CONTROL	BALL VALVE (FULL SUSPENSION DUMP)
GLADHAND / ELECTRIC CONNECTION LOCATION	FRONT ONLY
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST A400 - (55,000 lb.) - CUSHION FOOT - STEEL - D.S.
REGISTRATION HOLDER	NONE
	BETTS PS-1 W/ SIGHT GLASS (ROUND HOLDER)
REGISTRATION HOLDER LOCATION	N/A
	D/S BY LANDING GEAR
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
AIR TANK DRAIN COCK WITH CABLE PULL TO D.S.	NO
ADDITIONAL FLAPS	REAR OF REAR AXLE (1 SET)

PAINT

CHASSIS COLOR	BLACK POWDER COAT
PIN STRIPING	BLACK (931716)
	BLUE
LANDING GEAR COLOR	BLACK (930248)
MAC MACHINE FINISH LOGOS	BLACK (931716)

ACCESSORIES

NO. OF TOOLBOXES	NONE
TOOL BOX SIZE	NONE
TOOL BOX DOOR TYPE	NONE
TOOL BOX HARDWARE	NONE
TOOL BOX LOCATION	NONE
TOOL BOX BRACKETS	1 PAIR BRACKETS ONLY (24X24X60)

TOOL BOX BRACKET LOCATION	DRIVER SIDE
IN FRONT OF SLIDER	
NO. OF COMBO J HOOK (CHAIN / STRAP) (PAIRS)	NONE
CHAIN TIE DOWNS BETWEEN EVERY CROSSMEMBERS	NONE
CHAIN TIE DOWNS BETWEEN EVERY OTHER CROSSMEMBERS	NONE
NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	NONE
NO. OF GALVANIZED STD. DOUBLE L SLIDING WINCHES	12
NO. OF GALVANIZED STD. DOUBLE L LOW PRO SLIDING WINCHES	NONE
NO. OF GALVANIZED 3 BAR SLIDING WINCHES	NONE
NO. OF STD. 4 INCH X 30 FT. WINCH STRAPS WITH FLAT HOOK END	NONE

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.