

HALE

TRAILER

BRAKE & WHEEL

Resale Inventory

A017880

VIN: 077522

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Jacksonville, FL:	800-828-3055
Baltimore, MD:	888-601-7500	Little Rock, AR:	833-424-8944
Boston, MA:	800-854-5310	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Richmond, VA:	866-839-3495
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235

HaleTrailer.com | @haletrailer     

800-232-6535 *FINANCING AVAILABLE



Interior Height (at Front)	107.3	Inches
Approx. Cubic Yards	127.8	Water Level
Estimated Weight (Lbs.)	18,915	(+/- 3%)

Trailer Type	FLAT TOP	WALKING FLOOR	Construction	SKINNED LITE-WALKER (SnP)	OVERALL HT' 13.4
Dimensions	LENGTH ' 48	WIDTH " 102	SIDE HT' 13.4	MAXIMUM WEDGE TRAILER	NO WHEEL WELLS
5TH WHEEL HT "	48	KINGPIN SETTING " 36			

Open Top Trailer					
Panels	STD .063" SnP PANELS	.040" OUTSIDE SKIN			
	STD 14.75" POST CENTERS				
Panel Color	BLACK				
NO STRIPE	NO GRAPHICS				

Crossmembers	STD. STEEL CROSSMEMBERS on 12" CENTERS				
Upper Coupler	STD. DOMEX UPPER COUPLER				
Landing Gear	STD JOST (2-SPEED)				
Subframe	10" STEEL I-BEAM	Undercarriage Finish	BLACK UNDERCOAT		

Qty of Axles	3 AXLE TRAILER	Suspension Configuration	AIR RIDE FIXED		
Suspension	INTRAAX AAL-30K				
Axles	77.5" TRACK PRO-PAR (TP)	STD. AXLE	TIREMAAX AIR INFLATION SYSTEM		
Axle Centers	60" AXLE CENTERS				
Axle Functions	FRONT LIFT AXLE (CAB CONTROL)				
Axle Functions	0				
Axle Location	0				
Manual Air Dump	STD. MANUAL AIR DUMP VALVE at LANDING GEAR				

Hub & Drum	DISC BRAKES	GREASE-PACK HUBS			
Brakes	HENDRICKSON DISC BRAKES	25,000 LB (EXTENDED SERVICE) BRAKE LINING			
Rim	10 HOLE UNIMOUNT (HUB-PILOT)		ABS STD. 2S/1M ABS BRAKE SYSTEM		
Wheels	SUPER SINGLES		.56" OUTSET SUPER SINGLE		
Wheel Type	6 "ALCOA WHEELS" - POLISHED DURA-BRITE FINISH"				
Wheel Type	385/65R22.5	Super Singles	6	GOODYEAR G296 MSA	"J"- 18 PLY
Tire Size					
Tire Make					
Tire Make					

Mud Flaps	30" MUD FLAPS AT STD. LOCATIONS				
Mud Flap Hangers	STD. MUD FLAP HANGERS				
Fenders	NO FENDERS				

Drive Unit	KEITH RFI - 3.5" CYLINDER BORE	STD. LONG DRIVE SHOES on DRIVE UNIT
Hydraulic Power	TRACTOR POWERED HYDRAULICS	
Hydraulic Hoses	(2) 10' X 3/4" HYDRAULIC HOSES	
Hose Couplers	TEMA "QUICK" COUPLERS	
Flooring	Perfect Seal Overlap HD	

Slope Board	STD. ALUM REMOVABLE SLOPE BOARD		
Side Seal	STD. FLAT SIDE SEAL		
Side Wall Liners	FULL HEIGHT - .200" VERSITEX LINER		

Nose	19" (BULLNOSE)	Nose Type	NON-INVERTED S&P NOSE
Nose Finish			BLACK
Nose Steps	LADDER ON DRIVERS SIDE NOSE ANGLE		
Front Access Door	FRONT ACCESS DOOR - IN SWINGING		
Catwalk	FULL WIDTH CATWALK		
Sweep Tarp	NO SWEEP TARP		
Front Header	FLAT FRONT HEADER	STD. ALUM FRONT TARP PAN	STD. GRAB BAR on FRONT

Rear Header	FLAT REAR HEADER	STD. SINGLE REAR HEADER	STD. GRAB BAR on HEADER
Rear Tarp Pan	NARROW S/S REAR TARP PAN		
Rear Unit	3/16" S/S REAR UNIT	STD. REAR UNIT EYEBROWS	
Bumper	STD. S/S DOT SAFETY BUMPER		
Product Guard	S/S PRODUCT GUARD in center	PRODUCT GUARD SET FLUSH with REAR PAN	
Product Guard Finish	NATURAL FINISH		
Tow Hook	STD. S/S TOW HOOK ASSEMBLY		

Doors	SQUARE DOORS	STD. COMPOSITE DOOR	DOUBLE BARN DOORS
Door Finish	QUILTED S/S DOOR FINISH		
STD. DECALS on DOOR	Door Latch	STD. 2 DOOR RODS per DOOR	
Door Rod Finish	STD. STEEL DOOR RODS		
Door Hardware	S/S DOOR MOUNTING HARDWARE	STD. HINGES	
Door Steps	NO STEPS ON DOORS		
Interior Door	NATURAL INSIDE DOOR FINISH		

Tarp System	SHUR-LOK TARP SYSTEM	STD. " SIDE DROP	0 " FRT DROP
Tarp Crank	FRONT CRANK with SPLINED HANDLE		
Tarp Roll	STD. ROLL - LATCH on ROADSIDE	Tarp Material	STD. 18OZ. TARP MATERIAL
Tarp Color	BLACK	Tarp Stops	9 3" CAST ALUM QUICK RELEASE TARP STOPS
Tarp Reinforced	TARP DRIP FLAP on FIXED SIDE	REINFORCE TARP at LATCH SIDE	
Fixed Crossbows	FLAT BOWS	4 1.5" X 1.5"	
Std. Lay-Out	STD. SPACING CROSSBOW LAY-OUT		

Air Scale	3rd GLADHAND - AIR SCALE GAUGE
-----------	--------------------------------

Electrical	STD. GROTE #GRT87220 (MAIN 7-WAY) - with PHILLIPS #PH16-826 (AUX 7-WAY) RECEPTACLES
	RECEPTACLES WIRED as STANDARD

--	--

Misc Options	INCLUDE FEDERAL VEHICLE INSPECTION
--------------	------------------------------------

Lights	ALL LIGHTS LED		88 TOTAL LIGHTS on TRAILER
Bottom Rail Lights	15 GROTE LIGHTS	CLEAR	60 Total Lights
Top Rail Lights	15 GROTE LIGHTS	CLEAR	
Nose Lights	1 LIGHTS on EACH TOP CORNER 2 GROTE LIGHTS	CLEAR	2 Total Lights
Rear Header Lights	5 GROTE LIGHTS	CLEAR	5 Total Lights
Instructions	OUTSIDE REAR HEADER - DUAL ACTIVATION - MARKER & TURN SIGNAL		
Rear Unit Lights	11 4" LIGHTS MOUNT in RUBBER GROMMETS	GROTE LIGHTS	C/T c c c I/C CLEAR
Clearance Lights	0 2" LIGHTS MOUNT in RUBBER GROMMETS	STD. GROTE 2" ROUND	11 Total Lights
R/U Back-Up Lights	2 HALOGEN	BACK-UP LIGHTS on REAR UNIT	0 Total Lights
Rear Unit Lay-Out	TRAILER MOUNTED TOGGLE SWITCH for BACK-UP LIGHTS (POWER from MARKER LIGHTS)		
	T B B "Step"	B B B B B "PLATE"	B B T "Step"
Turn Signals	4" ROUND TURN SIGNAL at LANDING GEAR MOUNT in RUBBER GROMMETS	STD. GROTE	
Product Guard Lights	6 4" LIGHTS MOUNT in RUBBER GROMMETS	GROTE LIGHTS	CLEAR 2 Total Lights
P/G Back-Up Lights	2 HALOGEN	BACK-UP LIGHTS on PRODUCT GUARD	
Rear Unit Lay-Out	T B B	B B B B B	B B T
Product Guard Lay-Out		BU plate BU	B B B B B
Back-Up Lights	(1) BACK-UP LIGHT each SIDE at LANDING GEAR	MOUNT on CROSSMEMBER at LANDING GEAR	
Back-Up Lights	HALOGEN BACK-UP LIGHTS		Total Lights

Additional Remarks ~ ~ INSTALL REGISTRATION TUBE @ LANDING GEAR ~ ~
 HOSES ON PASSENGER SIDE LADDER ON DRIVER SIDE
 LIGHTS SHOULD BE CLEAR FRONT OF LANDING GEAR TO REAR OF BUMPER 35 FT

DISCLAIMER

Specifications are for the equipment at the time it was produced and may not accurately reflect its current condition. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.