





HALE TRAILER BRAKE & WHEEL



A019338
VIN: 71228

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Jacksonville, FL:	800-828-3055
Baltimore, MD:	888-601-7500	Little Rock, AR:	833-424-8944
Boston, MA:	800-854-5310	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Richmond, VA:	866-839-3495
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235

HaleTrailer.com | @haletrailer     

800-232-6535 *FINANCING AVAILABLE

FRAMELESS MVP SS

Model # TNAR40NF780-2024

Weight 12328 lbs. *** **Cubic Yards** 75

BODY

LOAD PROFILE	MATERIAL, 80K GVWR
LENGTH	40
WIDTH	102
FLOOR	1/4 IN. FULL
1/4" X 8" CLEANOUTS	
CROSSMEMBER SPACING	12 IN.
SIDE PLACEMENT	INSET SMOOTH SIDE PANEL
FLOOR LINER	NONE
VIBRATOR	NONE
PREP FOR FUTURE COUGER DC3200	
RUBBER SEAL	YES
AIR FAIRINGS	NONE
WALL HEIGHT	78
WALL THICKNESS	67% STANDARD 1.5" PANELS - .150" WALL & 33% - HEAVY 1.5" PANELS - .175" WALL
WALL LINER	NONE
TOP RAIL OPTION	SOLID
SOLID	
REAR POCKET SLOPE	2.75
HOIST	8-5-285 - CUSTOM
REMOTE GREASE	SINGLE POINT REMOTE REAR
BULKHEAD	3/16 IN.
BULKHEAD TYPE	RADIUS CORNERS
BULKHEAD DOOR	BULKHEAD DOOR D.S. W/ GRAB HANDLE & STEP
BULKHEAD SLOPE PLATES	NONE
LOWER BULKHEAD WRAP	NO
BULKHEAD STEPS	BULKHEAD STEPS OUT (D.S.)
SIDES STEPS D.S.	LAST OUTSIDE ONLY
SIDES STEPS C.S.	NONE
SHOVEL HANGER	NONE
FRONT FENDERS WITH FLAPS	CORNER W/ FLAPS
ALUMINUM ROLL CAP	8 IN. RISE ROLL W/ FILLED IN FRONT
12" RISE FRONT AND REAR (REAR TO BE BOLTED TO GATE)- 10 MARKERS ON FRONT AND REAR ROLL CAPS EVENLY SPACED	

LIGHTS

LIGHT TYPE	TRUCKLITE L.E.D. W/ GROMMET
ALL CLEAR LENSE	
LIGHT PANEL	4 LARGE-3 LARGE-4 LARGE (FULL LIGHT PANEL) 0000 000 0000

APRON	3/8 IN. X 1-1/2 IN. FULL LIGHT SHIELD
STD. MARKER LIGHTS	(11) EACH SIDE TOP & BOTTOM
MID-TURNS	(1) PAIR L.E.D. (COMBO)
BACK-UP LIGHTS	(1) PAIR I.C. BACK UP LIGHTS
AUXILIARY CABLE	7 WAY (ISO)
BACK-UP LIGHT WIRE	NONE
REAR POCKET LIGHTS	1 PAIR
	2" truck lite clear lense

GATE

GATE SHEET THICKNESS	VERTICAL PANELS
GATE OPERATION	ELECTRIC THRU AUX. & BALL VALVE
HINGE TYPE	O. S. SWING C.S. W/ AIR GROUND CONTROL (ONLY INSET S.S. AND S&P)
COAL DOOR	24 IN. STAINLESS HANDLE
CHUTE	NONE
DOUBLE HANDLE DOOR	NONE
GATE BRACING	NO BRACING (SMOOTH SIDE PANELS)
HALF ROUND ON GATE	NONE
ANGLE ON TOP OF GATE	NONE
SPREADER CHAINS	NONE
WINDERS / SAFETY LATCH	WINDERS (1) EACH SIDE
TARP HOOKS	NONE
GATE LINER	NONE

PRIMARY AXLES

MODEL	SPREAD TANDEM
	21.5" REAR AXLE SETTING
NO. OF PRIMARY AXLES	1
SUSPENSION	HEND. INTRAAX AAT-30K W/ HXL-5
	ADD RESTRAINING STRAPS TO FRONT AXLE SHOCKS
AXLE SPACING	122
SUB-FRAME	WIDE I-BEAM (17 IN.)
AXLES	AXLE FOR INTRAAX ONLY
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CAST W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN.
TIRES	GOODYEAR MARATHON RSS 11R 24.5 16 PLY
WHEELS	ALUMINUM HP 24.5X8.25 - ALL POLISHED (XP)
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE

LIFT AXLES

NO. OF LIFT AXLES	1
LIFT AXLE SUSPENSION	HEND. INTRAAX AAL 30K (4) TIRES W/HXL-5
LIFT KIT	HEND. UBL-002 (INTRAAX AAL)
LIFT AXLE DISTANCE	122
LIFT AXLE	AXLE FOR INTRAAX ONLY
LIFT AXLE BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
LIFT AXLE CAM GUARDS	HEND. INTRAAX
LIFT AXLE HUB AND DRUM	CAST W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN.
LIFT AXLE TIRES	GOODYEAR MARATHON RSS 11R 24.5 16 PLY
LIFT AXLE WHEELS	ALUMINUM HP 24.5X8.25 - ALL POLISHED (XP)
LIFT AXLE CONTROLS	ELECTRIC UP ON BLACK WIRE & BALL VALVE (NO / REG.)
FREE WHEEL VALVE	NONE
LIFT AXLE TIRE INFLATION SYSTEM	NONE

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE

STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE

CHASSIS

PIN SETTING	16
5TH WHEEL PLATE	BREAK-AWAY PIN
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
TRACTOR DRIVE MODEL	TANDEM DRIVE
GALVANIZED SUSPENSION HANGERS	YES
DRAFT ARM	3/8 ALUM
SUSPENSION CONTROL	BALL VALVE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 LB.) - 10 YEAR ALUMINUM - D.S.
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	YES, IN FRONT
ENCLOSURE FOR SWITCHES	POLYMER
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	30 IN. BUFFED ALUM / 12 IN. RUBBER FRONT OF EACH AXLE
	40" ALUMINUM W/ 3" LIP AND 10" BLACK RUBBER ON BOTTOM AND (3) 4" MODEL 40 LIGHTS WIRED AS MARKER AHEAD OF EACH AXLE - . CENTER ALUMINUM CHASSIS FLAP AHEAD OF EACH AXLE W/ BLACK RUBBER ON BOTTOM AND FIVE 4" MODEL 40S WIRED AS MARKERS
FLAPS REAR OF TIRES	FLAP BEHIND EACH AXLE, FULL RUBBER ACROSS REAR
	40" ALUM FLAP W/ 3" LIP AND 10" BLACK RUBBER ON BOTTOM AND THREE 4" MODEL 40 LIGHTS - CENTER ALUMINUM CHASSIS FLAP REARWARD OF FORWARD AXLE W/ BLACK RUBBER ON BOTTOM AND FIVE 4" MODEL 40S WIRED AS BRAKESWIRED AS BRAKE REARWARD OF FORWARD AXLE -
TOW HOOKS	NONE

TARP

TARP MANUFACTURER	NONE
TARP CONTROL	NONE
TARP COLOR	NONE
BOW HOLDERS	NONE
TARP BRACKET	NONE

PAINT

HANGERS	GALVANIZED
SUSPENSION COLOR	BLACK SOFT COAT
DOLLIES	BLACK (931716)
HOIST COLOR	BLACK (931716)
5TH WHEEL PLATE COLOR	BLACK (931716)
PIN STRIPING	BLACK (931716)
MAC MACHINE FINISH LOGOS	BLACK (931716)
OPTIONAL SIGNS	NONE

ACCESSORIES

NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	NONE
TOW MOTOR PACKAGE	YES, THREE ROWS OF BAR STOCK
	FLOOR STRINGERS - 4 ROWS
COIL RACK ANGLES	NONE
LOAD LEVEL INDICATOR	NONE
3-1/2 IN. ANGLES UNDER RAIL	NONE

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.