






HALE TRAILER BRAKE & WHEEL



A020670
VIN: 81800

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Jacksonville, FL:	800-828-3055
Baltimore, MD:	888-601-7500	Little Rock, AR:	833-424-8944
Boston, MA:	800-854-5310	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Richmond, VA:	866-839-3495
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235

HaleTrailer.com | @haletrailer     

800-232-6535 *FINANCING AVAILABLE

CHIPPER

Model # TNSP45FR920-2025

Weight **13361 lbs.** *** **Cubic Yards** **100**

BODY

LOAD PROFILE	MATERIAL, 80K GVWR
	MATS SHOW UNIT FOR KEITH BOOTH
LENGTH	45
	REF. 73455 (NEW FLOOR)
WIDTH	102
DRIVE UNIT	KEITH, 25 SLAT 3-1/2 IN. CYLINDER (HEAVY DUTY)
	26 SLAT FLOOR, 2293 HORIZONTAL SEAL FLOOR SLATS
FLOOR	KEITH 2190 (1975), 7/32 IN. (102 W)
	ADD 24 INCH WEAR STRIPS TO END OF SLATS with t blocks
HYDRAULIC PIPE	STAINLESS STEEL HYDRAULIC PIPE
CROSSMEMBER TYPE	HEAVY FULL
CROSSMEMBER SPACING	5-1/4 IN. I-BEAMS, 12 O.C.
RUBBER SEAL	NONE
WALL HEIGHT	92
FRONT WALL THICKNESS	.062
	ALL BLACK PREPAINTED PANELS
MID WALL THICKNESS	.062
REAR WALL THICKNESS	.062
	LAST SHEET AT REAR TO BE .125" THICKNESS
FULL LID	NONE
TOP RAIL OPTION	STD TOP RAIL
	STD TOP RAIL
UPRIGHT SPACING	14 IN.
	12" UPRIGHT SPACING
ADDITIONAL UPRIGHTS AT FRONT	NO
BULKHEAD	.165
BULKHEAD STEPS	LADDER ONLY
FRONT FENDERS WITH FLAPS	NONE
BOTTOM RAIL	SQUARE NO CLEAN OUT
	USE NEW 11000576 CHIPPER BOTTOM RAIL TO ALLOW FOR 26 SLATS.
UPPER CROSS TUBES / ARCH	6
	5 ROLLED GALV CROSS TUBES
FRONT CAP	YES
REAR CAP	NO
TIRE CARRIER	(1) IN MIDDLE ONLY

LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
------------	-------------------------

LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (SPLIT LIGHT PANEL) OOO ooo OOO
APRON	NONE
STD. MARKER LIGHTS	(5) EACH SIDE
	(5) PER SIDE TOP & BOTTOM PENNY LIGHTS.
MID-TURNS	(1) PAIR L.E.D. (COMBO)
BACK-UP LIGHTS	(1) PAIR L.E.D. BACK UP LIGHTS
	ADD ONE PAIR OF WORKLIGHTS TO INSIDE FRONT. WIRE TO FRONT IN WATERPROOF SWITCH ON AUX
AUXILIARY CABLE	7 WAY (ISO)
	B/U ON BLACK MAIN
REAR POCKET LIGHTS	(1) PAIR

GATE

GATE OPERATION	BI-FOLD
	QUAD LOCKS
GATE OPTIONS	SOLID .080
	BLACK DURAPLATE
HINGE TYPE	BARN DOORS SIDE SWING (ALUM.)
	S/S GATE HINGE WITH LIFT OFF PINS 3 HINGES PER GATE
SAFETY CHAIN	YES
WINDERS / SAFETY LATCH	NONE
GATE STEPS	NONE
TARP HOOKS	NONE

PRIMARY AXLES

MODEL	CLOSED TANDEM
	added crossmember gussets over sub frame area
NO. OF PRIMARY AXLES	2
SUSPENSION	MAC FABBED GALVANIZED SINGLE LEAF TAN. (49)
AXLE SPACING	49
SUB-FRAME	TANDEM (ALUM T-BEAM)
	USE HENDRICKSON VANTRAAX AIR RIDE SLIDER ASSEMBLY
AXLES	77.5 IN. HEND. 1/2 WALL TP
	prep for future tire inflation drilled and plugged only
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
	use henrickson axles
CAM GUARDS	NONE
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	GOODYEAR MARATHON RSS 11R 22.5 16 PLY
	CHANGED TIRES TO GOOD YEAR MARATHON
WHEELS	ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)
	BLACK ALUMINUM WHEELS

LIFT AXLES

NO. OF LIFT AXLES	0
LIFT AXLE SUSPENSION	NONE
LIFT KIT	NONE
LIFT AXLE DISTANCE	N/A
LIFT AXLE	NONE
LIFT AXLE BRAKES	NONE
LIFT AXLE CAM GUARDS	NONE
LIFT AXLE HUB AND DRUM	NONE
LIFT AXLE TIRES	NONE
LIFT AXLE WHEELS	NONE
LIFT AXLE CONTROLS	NONE
FREE WHEEL VALVE	NONE

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A

STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE
STEERABLE AXLE LIFT KIT	NONE

CHASSIS

PIN SETTING	36
5TH WHEEL PLATE	3/8 LOW PROFILE
5TH WHEEL PLATE HEIGHT	48 IN. HIGH
GALVANIZED SUSPENSION HANGERS	INCLUDED W/ SUSPENSION
SUSPENSION CONTROL	ELECTRIC THRU AUX. & BALL VALVE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
TIRE INFLATION SYSTEM	NONE
AXLE LUBRICATION	5 YR. SYNTHETIC GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST A451 - (62,500 LB.) - 10 YEAR NO LUBE - STEEL - (REVERSE MOUNT) D.S.
REGISTRATION HOLDER	BETTS PS-1 W/ SIGHT GLASS (ROUND HOLDER)
AIR GAUGE / SYSTEM	YES, IN FRONT
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	12 IN. ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	NONE
FLAPS REAR OF TIRES	FLAP BEHIND REAR AXLE
BUMPER	D.O.T. BUMPER

TARP

TARP MANUFACTURER	AERO KWIK LOCK - VINYL
	ADDED (2) RIDGE POLES TO TARP.
TARP CONTROL	MANUAL
TARP COLOR	BLACK
TARP BRACKET	NONE

PAINT

SUSPENSION COLOR	BLACK SOFT COAT
PIN STRIPING	BLACK (931716)

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.