

HALE TRAILER BRAKE & WHEEL



Resale Inventory
A020751
VIN: 41203

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Jacksonville, FL:	800-828-3055
Baltimore, MD:	888-601-7500	Little Rock, AR:	833-424-8944
Boston, MA:	800-854-5310	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Richmond, VA:	866-839-3495
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235

HaleTrailer.com | @haletrailer
800-232-6535 *FINANCING AVAILABLE

MovingFloor MVP SS

Model # TNAR48FR1000

Weight **18860 lbs.** *** **Cubic Yards** **119**

BODY

LOAD PROFILE	MATERIAL, 80K GVWR
LENGTH	48
WIDTH	102
DRIVE UNIT	KEITH, 3-1/2 in. CYLINDER (HEAVY DUTY)
FLOOR	2301 (1841) , CONT. WEAR (102 W)
HYDRAULIC PIPE	STAINLESS STEEL HYDRAULIC PIPE
CROSSMEMBER TYPE	HEAVY-LANDING GEAR TO COUPLER PLATE 12 IN. C/M SPACING
CROSSMEMBER SPACING	5-1/4 in. I-BEAMS, 12 O.C.
RUBBER SEAL	YES
WALL HEIGHT	100
TAPERED SIDES	NONE
WALL LINER	NONE
FULL LID	NONE
TOP RAIL OPTION	HEAVY 2-1/4 in. VERT. PANEL TOP RAIL
HEAVY 2-1/4 in. VERT. PANEL TOP RAIL	
TARP BAR	NONE
BULKHEAD	PANEL BULKHEAD W/ DOOR
ADD PROTECTORS OVER GLADHANDS AND 7-WAY.	
BULKHEAD STEPS	NONE
FRONT FENDERS WITH FLAPS	NONE
TAPER SIDE FENDERWELLS	NONE
BOTTOM RAIL	(STD.) SQUARE NO CLEAN OUT
UPPER CROSS TUBES / CAPS	(1) SPRING-MID & (1) TUBE-REAR
CENTER CABLE ILO TUBE (CENTER LOCATION ONLY)	
TIRE CARRIER	NONE
SIDES	4.5 (2-1/4 X 15-1/2 VERT. PANELS) - (BUFFED)

LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
EXTRA CARE GIVEN TO MAKE SURE ALL WIRING AND AIR LINES ARE ROUTED PROPERLY AND IN PROPER CLAMPS, SECURELY FASTENED SO THEY WONT CHAFE OR RUB.	
LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (IN TAILGATE) OOO ooo OOO
APRON	NONE
STD. MARKER LIGHTS	2 EA. SIDE TOP & 3 EA. SIDE BOTTOM
BAR STOCK PROTECTORS TO PROTECT LIGHTS.	
MID-TURNS	1 PAIR L.E.D. (NON-COMBO)
BACK-UP LIGHTS	NONE
AUXILIARY CABLE	NONE

REAR POCKET LIGHTS 1 PAIR

GATE

GATE SHEET THICKNESS	SMOOTH SIDE PANELS
GATE OPERATION	MECHANICAL SIDE LATCH
HINGE TYPE	C.S. SIDE SWING
GATE BRACING	NO BRACING (SMOOTH SIDE PANELS)
SAFETY CHAIN	YES
WINDERS / SAFETY LATCH	WINDER, (1) SIDE ONLY
GATE STEPS	NONE
TARP HOOKS	NONE

PRIMARY AXLES

MODEL	CLOSED TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	(A)HEND. HT 300
AXLE SPACING	50
SUB-FRAME	TANDEM (ALUM. T-BEAM)
AXLES	77.5 in., AXN 5/8 in. WALL TP W/25K
USE HENDRICKSON AXLES.	
BRAKES	7 IN. XL, W/30-30 CHAMBERS
CAM GUARDS	NONE
HUB AND DRUM	CAST W/STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	GENERAL S-371 11 R 22.5 16 PLY
WHEELS	ALCOA ULTRA HP 22.5X8.25 10 HOLE CLEAN BUFFED
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE

LIFT AXLES

NO. OF LIFT AXLES	0
LIFT AXLE SUSPENSION	NONE
LIFT KIT	NONE
LIFT AXLE DISTANCE	N/A
LIFT AXLE	NONE
LIFT AXLE BRAKES	NONE
LIFT AXLE HUB AND DRUM	NONE
LIFT AXLE TIRES	NONE
LIFT AXLE WHEELS	NONE
LIFT AXLE CONTROLS	NONE
FREE WHEEL VALVE	NONE
LIFT AXLE TIRE INFLATION SYSTEM	NONE

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE
STEERABLE AXLE LIFT KIT	NONE

CHASSIS

PIN SETTING	36
5TH WHEEL PLATE	3/8 LOW PROFILE
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
GALVANIZED SUSPENSION HANGERS	YES
SUSPENSION CONTROL	BALL VALVE (STD.)
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO

NOTE: INSTALL AIR DRYER ON TRAILER AIR SUPPLY LINE.

SLACKS	AUTOMATIC
--------	-----------

TIRE INFLATION SYSTEM	NONE
AXLE LUBRICATION	SYNTHETIC GREASE
HUBDOMETER	NONE
DUST COVERS	YES
DOLLIES - LANDING GEAR - LANDING LEGS	HOLLAND REVERSE MOUNT D.S.
	CUSHION FOOT SHOES ON LANDING GEAR. REINFORCE LANDING GEAR AREA.
REGISTRATION HOLDER	STD BETTS PS-1 WITH SIGHT GLASS (ROUND HOLDER)
AIR GAUGE / SYSTEM	YES, IN FRONT
	LOCATE GAUGE ON DRIVER SIDE CORNER OF BULKHEAD.
ENCLOSURE FOR SWITCHES	STAINLESS STEEL
AIR TANKS	12 in. ALUMINUM TANK
HYDRAULIC HOSE FITTING	1in. X 108 in. HOSE W/WING FITTING
	USE 25601063 H8-63 PARKER MALE QUICK CONNECT AS RETURN. USE 25601062 H8-62 PARKER FEMALE QUICK CONNECT FOR PRESSURE.
FLAPS FRONT OF TIRES	NONE
FLAPS REAR OF TIRES	STD. FLAP BEHIND REAR AXLE
	USE REMOVABLE PIN ON STYLE MUD FLAP HANGER REF# 27020
BUMPER	MOVER BUMPER

TARP

TARP MANUFACTURER	NONE
TARP CONTROL	NONE
TARP COLOR	NONE
BOW HOLDERS	NONE
TARP BRACKET	NONE

PAINT

SUSPENSION COLOR	GALVANIZED HANGERS WITH BLACK SOFT COAT
PIN STRIPING	Safety Blue
	PAINT DOLLIES BLUE
MAC MACHINE FINISH LOGOS	MAC BLUE
OPTIONAL SIGNS	NONE

DISCLAIMER

Specifications are for the equipment at the time it was produced and may not accurately reflect its current condition. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.