

HALE TRAILER BRAKE & WHEEL



Resale Inventory
A021100
VIN: 59849

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Jacksonville, FL:	800-828-3055
Baltimore, MD:	888-601-7500	Little Rock, AR:	833-424-8944
Boston, MA:	800-854-5310	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Richmond, VA:	866-839-3495
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235

HaleTrailer.com | @haletrailer
800-232-6535 *FINANCING AVAILABLE

TIPPER MVP SS

Model # TNSP48FR1000 VIN # 5MAMN4829MW059849

Weight 14130 lbs. *** **Cubic Yards** 118

BODY

LOAD PROFILE	MATERIAL, 80K GVWR
LENGTH	48
WIDTH	102
FLOOR	1/4 IN. W/ 3/8 IN. LAST 10 FT.
CROSSMEMBER SPACING	5 1/4 IN. x 8 IN. U CROSSMEMBERS, 10 IN. SPACE
RUBBER SEAL	YES
WALL HEIGHT	100
TAPERED SIDES	NONE
WALL LINER	NONE
FULL LID	NONE
TOP RAIL OPTION	2-1/4 IN. VERT. PANEL TOP RAIL
	2-1/4 IN. VERT. PANEL TOP RAIL.
TARP BAR	NONE
BULKHEAD	3/16 IN.
BULKHEAD STEPS	CATWALK & LADDER W/ STEPS INSIDE
FRONT FENDERS WITH FLAPS	NONE
TAPER SIDE FENDERWELLS	NONE
POCKET TYPE	2-1/4IN STANDARD POCKETS
BOTTOM RAIL	CLEAN-OUT
UPPER CROSS TUBES / CAPS	(1) SPRING-MID
TIRE CARRIER	NONE
SIDES	4.5 (2-1/4 X 15-1/2 VERT. PANELS) - (BUFFED)

LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE - 3 SMALL - 3 LARGE
APRON	3/8 IN. X 1-1/2 IN. FULL LIGHT SHIELD
STD. MARKER LIGHTS	(3) EACH SIDE
MID-TURNS	(1) PAIR L.E.D. BRACKET
BACK-UP LIGHTS	NONE
AUXILIARY CABLE	NONE
REAR POCKET LIGHTS	1 PAIR

GATE

GATE SHEET THICKNESS	SMOOTH SIDE PANELS
GATE OPERATION	BALL VALVE
HINGE TYPE	OVERSLUNG ONLY
GATE BRACING	NO BRACING (SMOOTH SIDE PANELS)
WINDERS / SAFETY LATCH	WINDERS (1) EACH SIDE

GATE STEPS	UP CENTER OF GATE OUTSIDE ONLY
TARP HOOKS	BULKHEAD AND GATE

PRIMARY AXLES

MODEL	CLOSED TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	MAC FABBED GALVANIZED SINGLE LEAF TAN. (49)
AXLE SPACING	49
SUB-FRAME	TANDEM 10 IN. I-BEAM (ALUM)
AXLES	TP 77.5 5/8W AXN WABCO 7" 25K
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	NONE
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	GENERAL RA 11R 22.5 16 PLY
	CHANGED TIRES TO CONTINENTAL HSR2 11R 22.5 16 PLY
WHEELS	STEEL HP 22.5X8.25 - WHITE POWDER COATED
PRIMARY AXLE TIRE INFLATION SYSTEM	MOVED TO CHASSIS

LIFT AXLES

NO. OF LIFT AXLES	0
LIFT AXLE SUSPENSION	NONE
LIFT KIT	NONE
LIFT AXLE DISTANCE	N/A
LIFT AXLE	NONE
LIFT AXLE BRAKES	NONE
LIFT AXLE CAM GUARDS	NONE
LIFT AXLE HUB AND DRUM	NONE
LIFT AXLE TIRES	NONE
LIFT AXLE WHEELS	NONE
LIFT AXLE CONTROLS	NONE
FREE WHEEL VALVE	NONE
LIFT AXLE TIRE INFLATION SYSTEM	MOVED TO CHASSIS

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE
STEERABLE AXLE LIFT KIT	NONE

CHASSIS

PIN SETTING	36
5TH WHEEL PLATE	3/8 LOW PROFILE
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
GALVANIZED SUSPENSION HANGERS	INCLUDED W/ SUSPENSION
SUSPENSION CONTROL	NONE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
TIRE INFLATION SYSTEM	NONE
AXLE LUBRICATION	SYNTHETIC GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST H451 - (62,500 LB.) - 10 YEAR NO LUBE - GALVANIZED STEEL - D.S.
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	NONE

AIR TANKS	ALUMINUM TANK
FLAPS FRONT OF TIRES	NONE
FLAPS REAR OF TIRES	FLAP BEHIND REAR AXLE
BUMPER	STANDARD GALV. STEEL PUSH BLOCKS
TIPPER PLATFORM BACKSTOP HEIGHT	40 IN (UNLESS NOTED)
TIPPER PLATFORM LENGTH	38 FT

TARP

TARP MANUFACTURER	NONE
TARP CONTROL	NONE
TARP COLOR	NONE
BOW HOLDERS	NONE
TARP BRACKET	NONE

PAINT

SUSPENSION COLOR	BLACK SOFT COAT
PIN STRIPING	BLACK (930248)
MAC MACHINE FINISH LOGOS	BLACK (930248)
OPTIONAL SIGNS	NONE

DISCLAIMER

Specifications are for the equipment at the time it was produced and may not accurately reflect its current condition. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.