

HALE

TRAILER


BRAKE & WHEEL



A021733
VIN: 083805

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Jacksonville, FL:	800-828-3055
Baltimore, MD:	888-601-7500	Little Rock, AR:	833-424-8944
Boston, MA:	800-854-5310	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Richmond, VA:	866-839-3495
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235

HaleTrailer.com | @haletrailer     

800-232-6535 *FINANCING AVAILABLE

FRAME TYPE MVP SS

Model # TNAR32AA606

Weight **11241 lbs.** *** **Cubic Yards** **47**

BODY

LOAD PROFILE	MATERIAL, 80K GVWR
	DUPE OF 66033
LENGTH	32
WIDTH	96
FLOOR	1/4 in. FULL
	3 SETS OF 4" SHINE DOWN LIGHTS FACING DOWN
STUB LONGITUDINALS	YES
CROSSMEMBER SPACING	12 IN.
COAL BUCKET FLOOR BRACING	NONE
SIDE PLACEMENT	INSET SMOOTHSIDE PANEL
FLOOR LINER	NONE
BODY HOLD DOWN	NONE
VIBRATOR	NONE
RUBBER SEAL	YES
REAR HINGE PIN	STANDARD
AIR FAIRINGS	NONE
WALL HEIGHT	60
WALL THICKNESS	3 ALL STANDARD PANELS
WALL LINER	NONE
TOP RAIL OPTION	6 in. WOOD (2X6) (ADD 5 1/2 in. TO WALL HEIGHT)
	PPG-Sovereign Blue Metallic
	6 in. WOOD (2X6) (ADD 5 1/2 in. TO WALL HEIGHT)
REAR POCKET SLOPE	2.75
HOIST	8-5-250 - CUSTOM
REMOTE GREASE	REMOTE HOIST GREASE
BULKHEAD	3/16 IN.
BULKHEAD TYPE	RADIUS CORNERS
BULKHEAD DOOR	BULKHEAD DOOR D.S. W/ GRAB HANDLE
BULKHEAD SLOPE PLATES	NONE
LOWER BULKHEAD WRAP	YES
BULKHEAD STEPS	NONE
SIDES STEPS D.S.	LAST INSIDE & OUTSIDE
SIDES STEPS C.S.	NONE
SHOVEL HANGER	YES, CURB SIDE
	SHOVEL HANGER ON INSIDE SIDE OF DH
FRONT FENDERS WITH FLAPS	12 IN. W/ FLAPS
	INCORPORATE STEP IN FRONT D.S. FENDER FOR ACCESS TO MAN DOOR.

ALUMINUM ROLL CAP

FLAT 12 IN. FRONT FOR FRONT TO BACK

FLAT FRONT TO HAVE 6" FACE - 5- 2" lights in face of cab shield spaced like a truck cab. 3 in center 1 outset on each side. Keep lights at bottom so pulley rod for tarp is not in way. Outside light on each side to be set in 2.5" so bearing clears

REAR END STYLE

STANDARD

LIGHTS

LIGHT TYPE TRUCKLITE L.E.D. FLANGE W/ STAINLESS STEEL SECURITY RING

LIGHT PANEL 2 LARGE-3 SMALL-2 LARGE (FULL LIGHT PANEL) OO ooo OO

NO LIGHTS IN LIGHT PANEL. MOUNT LIGHTS IN REAR OF FRAME

APRON 3/8 IN. X 1-1/2 IN. FULL LIGHT SHIELD

STD. MARKER LIGHTS (7) EACH SIDE

6 LIGHTS PER SIDE IN BOTTOM RAIL - EVERY 3RD PANEL

MID-TURNS 1 PAIR L.E.D. (NON-COMBO)

Add a red penny light in back 45 of midturn wired to shine down lights

BACK-UP LIGHTS (1) PAIR I.C. BACK UP LIGHTS

ADD (1) BACK UP LIGHT INSIDE OF BH AT TOP ON EACH CORNER POINTING BACK AT AN ANGLE - WIRED TO 7WAY - Inside bulkhead lights wired to marker with switch in box

AUXILIARY CABLE 6 WAY

6 WAY ON PS OF HYDRAULIC HOSE - 7 WAY ON DS

BACK-UP LIGHT WIRE AUXILARY (BLUE WIRE)

REAR POCKET LIGHTS 1 PAIR

ADD EXTRA PAIR OF MICRO STROBE PENNY LIGHTS HIGH IN REAR POCKET IN ADDITION TO PENNY LIGHT REAR POCKET LIGHTS. - WIRE STROBES TO TURN SIGNALS

GATE

GATE SHEET THICKNESS VERTICAL PANELS

GATE OPERATION AIR CAB CONTROL AND BALL VALVE

USE QUICK CONNECT ILO GLAD HANDS

HINGE TYPE OVERSLUNG ONLY

COAL DOOR 24 IN. STAINLESS HANDLE

20" COAL DOOR

CHUTE 4 in. WELD ON

DOUBLE HANDLE DOOR NONE

GATE BRACING NO BRACING (SMOOTH SIDE PANELS)

GATE STIFFENER NONE

PUSHER BLOCK NONE

HALF ROUND ON GATE NONE

ANGLE ON TOP OF GATE YES

SPREADER CHAINS NONE

WINDERS / SAFETY LATCH WINDERS (1) EACH SIDE

45 DEGREE WINDERS

GATE STEPS NONE

TARP HOOKS NONE

GATE LINER NONE

PRIMARY AXLES

MODEL CLOSED TANDEM

NO. OF PRIMARY AXLES 1

SUSPENSION HEND. INTRAAX AA-250 TP W/HXL-5

AXLE SPACING 50

AXLES AXLE FOR INTRAAX ONLY.

BRAKES 7 IN. XL, W/30-30 CHAMBERS

CAM GUARDS HEND. INTRAAX

HUB AND DRUM CENT W/DURA L HUB.(23K) HP OB 10 STUD TP, LS, 7 IN.

TIRES GENERAL RA 11 R 22.5 16 PLY

WHEELS ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)

PRIMARY AXLE TIRE INFLATION SYSTEM NONE

LIFT AXLES

NO. OF LIFT AXLES 1

LIFT AXLE SUSPENSION	HEND. INTRAAX AAL 25K (4) TIRES W/HXL-5
	AAT
LIFT KIT	HEND. UBL-001 (INTRAAX AAT)
LIFT AXLE DISTANCE	50
LIFT AXLE	AXLE FOR INTRAAX ONLY
LIFT AXLE BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
LIFT AXLE CAM GUARDS	HEND. INTRAAX
LIFT AXLE HUB AND DRUM	CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN.
LIFT AXLE TIRES	GENERAL RA 11 R 22.5 16 PLY
LIFT AXLE WHEELS	ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)
LIFT AXLE CONTROLS	AIR IN CAB (NO SWITCH) NO / REG.
	USE QUICK CONNECT ILO GLAD HAND
FREE WHEEL VALVE	YES
LIFT AXLE TIRE INFLATION SYSTEM	NONE

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE

CHASSIS

FRAME RAILS	17 in. ALUMINUM BEAMS
RUBBER CUSHION RIDE	YES
NO. OF INCHES FOR GOOSENECK	6
LID FOR GOOSENECK	FIXED LID
	REF. 77372 FOR FRONT FITTING LAYOUT AND ELECTRIC LAYOUT
PIN SETTING	18
5TH WHEEL PLATE	5/16
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
KING PIN	.375 KING PIN ONLY
NO. OF INCHES FOR REAR OVERHANG	6
TRACTOR DRIVE MODEL	TANDEM DRIVE
GALVANIZED SUSPENSION HANGERS	YES
STIFFENER PLATE	NONE
HOIST & MOUNT STYLE	3 in. X 6 in. X 3/8 in.
SUSPENSION CONTROL	ELECTRIC ON BLACK WIRE & BALL VALVE
	CENTER PRONG OF AUX 6-WAY
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	YES
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	HOLLAND MARK V - (62,500 LB.) - 10 YEAR STEEL - D.S.
	TOOLBOX TO BE MOUNTED ON THE BACKSIDE OF DOLLY CROSSMEMBER
SHIMS	MYLAR
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	STAINLESS STEEL
AIR TANKS	12 in. ALUMINUM TANK
HYDRAULIC HOSE FITTING	1in. X 108 in. HOSE W/WING FITTING
FLAPS FRONT OF TIRES	30 IN. BUFFED ALUM / 12 IN. RUBBER FULL ACROSS FRONT OF FRONT AXLE

FLAPS IN FRONT OF LEAD AXLE - Extend flap bracket in front of axle to center of axle when down. Use 11" rubber flap - ADD 5 5"
LIGHTS IN CENTER ALUMINUM FLAP

FLAPS REAR OF TIRES	FULL RUBBER ACROSS REAR OF TRAILER
FRAME POCKET	ALUM REAR FRAME POCKET & HINGE BUSHING
TOW HOOKS	(2) BOLT ON
BUMPER	NONE

TARP

TARP MANUFACTURER	NONE
TARP CONTROL	NONE
TARP COLOR	NONE
BOW HOLDERS	NONE
TARP BRACKET	NONE

PAINT

HANGERS	GALVANIZED
SUSPENSION COLOR	CUSTOM COLOR
	PPG-Sovereign Blue Metallic
DOLLIES	CUSTOM COLOR
HOIST COLOR	CUSTOM COLOR
5TH WHEEL PLATE COLOR	CUSTOM COLOR
PIN STRIPING	CUSTOM COLOR
MAC MACHINE FINISH LOGOS	MAC BLACK
OPTIONAL SIGNS	NONE

ACCESSORIES

NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	NONE
TOW MOTOR PACKAGE	NONE
COIL RACK ANGLES	NONE
LOAD LEVEL INDICATOR	NONE
3-1/2 IN. ANGLES UNDER RAIL	NONE

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.