



A022159 VIN: 081172

SALES RENTALS PARTS | SERVICE

Allentown, PA: Jacksonville, FL: 800-828-3055 800-383-8894 Little Rock, AR: 833-424-8944 Baltimore, MD: 888-601-7500 Boston, MA: 800-854-5310 Portland, ME: 800-325-4253 Concord, NC: Richmond, VA: 800-438-2250 866-839-3495 Delmar, DE: 866-486-1400 Scranton, PA: 800-569-1400 Des Moines, IA: 888-673-5011 Springfield, MA: 800-854-5306 Voorhees, NJ: Elkton, MD: 800-544-7127 866-315-0235

HaleTrailer.com | @haletrailer 👔 😏





800-232-6535 *FINANCING AVAILABLE

DROP DECK

Model # TNAR53AA0

10755 lbs. Weight **Cubic Yards** 0

BODY		
FRAME RAIL MODEL	27" BEAM WITH 2 1/2 INCH ARCH	
LOAD PROFILE	MATERIAL, 80K GVWR	
LENGTH	53	
WIDTH	102	
NECK STYLE	SQUARE FRONT	
UPPER DECK LENGTH	10 FT.	
UPPER DECK CROSSMEMBER SPACING	18 IN. NOMINAL SPACING	
BULKHEAD	NONE	
SPOOLS AND POCKETS	DOUBLE SPOOLS W/ POCKETS	
NAILERS	2 NAILERS ON OUTSIDE	
LOWER DECK CROSSMEMBER SPACING	18 IN. ON CENTER	
NO. OF STUB CROSSMEMBERS (COIL)	8	
COIL PLACEMENT AREA		\$0.00
(1) FULL WIDTH CROSSMEMBER AT REAR (R EAR LOADING)	NONE	
REAR FLOOR, THRESHOLD PLATE (REAR LOADING)	NONE	
OUTER PERIMETER SUPPORTS	KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED)	
NO. OF ADDITIONAL 21 IN. KNEE BRACES	NONE	
NO. OF ADDITIONAL TUBULAR CROSSMEMBERS W/J-FRAME CROSSMEMBERS	NONE	
SIDE RAIL WINCH TRACK	DBL. ENTRY T.D. OUT, BOLT ON LL TRACK D.S. BAR C.S.	
REAR END STYLE	REAR AND FULL REAR, SMOOTH NO FLAPS (19.5 AND 17.5)	
STAINLESS ON REAR END	NONE	
EXTREME DUTY BUMPER REINFORCEMENTS	NO	
DOCK BUMPERS	(2) 8 IN. INSIDE - (2) 16 IN. OUTSIDE (4 TOTAL)	

LIGHTS	
LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE - 3 SMALL 2 3/4 IN 3 LARGE OOO 000 OOO
STROBE LIGHTS	YES, AMBER
STROBE LIGHT LOCATION	OUTSIDE OF CENTER CLUSTER
STROBE LIGHT CONTROLS	WIRE TO AUXILIARY
STD. MARKER LIGHTS	5 EACH SIDE
3/4 IN. PENNY LIGHT MARKER LIGHTS	NONE
MARKER LIGHT LOCATION	STD.
MID-TURNS	(1) PAIR OPEN

BACK-UP LIGHT LOCATION NONE AUXILIARY CABLE 7 WAY (ISO) PAIRS OF WIDE LOAD LIGHTS NONE REAR AUXILIARY PLUG NONE RIMARY AXLES WODEL TANDEM NO. OF PRIMARY AXLES 2 SUSPENSION HEND. INTRAAX AAL 23K (250 BAGS) TP WHXL-5 (19.5 ONLY) NO. OF LIFT KITS 1 HEND. UBL-202 (INTRAAX AAL 2 HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVE SUSPENSION SLIDER SINGLE AXLE REAR SLIDER CALLEGAL AXLE SPACING 12 AXLE SETTING NOTE ALL AXLE SETTINGS AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.) BRAKES 85 NS. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX WHEB AND DRUM CENT W DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALL SITIES ALL FIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAXX PRO) TEERABLE AXLE TIRES NONE STEERABLE AXLE TIRES NONE STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE AIR TANKS NONE STEERABLE AXLE SUSPENSION SONE STEERABLE AXL	\$0
AUXILIARY CABLE 7 WAY (ISO) PAIRS OF WIDE LOAD LIGHTS NOME REAR AUXILIARY PLUG NOME RIMARY AXLES WODEL TANDEM NO. OF PRIMARY AXLES 2 SUSPENSION HEND. INTRAAX AAL 23K (250 BAGS) TP WHXL-5 (19.5 ONLY) NO. OF LIFT KITS 1 PRIMARY AXLE LIFT KIT HEND. USL-202 (INTRAAX AAL 8 HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVE SUSPENSION SLIDER SINGLE AXLE REAR SLIDER CAL LEGAL AXLE SPACING 122 AXLE SETTING NOTE ALL AXLE SETTINGS AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.) BRAKES 8 858 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX HUB AND DRUM CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) **TEERABLE LIFT AXLES NONE STEERABLE AXLE SUSPENSION SONE STEERABLE AXLE SUSPENSION S	\$0
PAIRS OF WIDE LOAD LIGHTS REAR AUXILIARY PLUG NONE RIMARY AXLES MODEL TANDEM NO. OF PRIMARY AXLES SUSPENSION HEND. INTRAAX AAL 23K (250 BAGS) TP WHXL-5 (19.5 ONLY) NO. OF LIFT KITS 1 PRIMARY AXLE LIFT KIT HEND. USL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVE SUSPENSION SLIDER CALLEGAL AXLE SPACING 122 AXLE SPACING 122 AXLE SETTING NOTE ALL AXLE SETTINGS AXLES AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.) BRAKES 8 58 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX HUB AND DRUM CENT WY DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS NO. OF STEERABLE AXLE TIRES NO. OF STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE SUSPENSION SONE STEERABL	\$0
REAR AUXILIARY PLUG NONE RIMARY AXLES MODEL TANDEM NO. OF PRIMARY AXLES SUSPENSION HEND. INTRAAX AAL 23K (250 BAGS) TP WHXL-5 (19.5 ONLY) NO. OF LIFT KITS 1 HEND. UBL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & SATLAS VALVE SUSPENSION SLIDER SINGLE AXLE REAR SLIDER CALLEGAL AXLE SPACING 122 AXLE SPACING AXLES AVER SETTING NOTE ALL AXLE SETTINGS AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS BRAKES 8 58 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX WHEELS MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PERIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE AXLE SUSPENSION NONE STEERABLE AXLE TIRES NONE STEERABLE AXLE TIRE TYPE GALVANIZED STH WHEEL PLATE GALVANIZED STH WHEEL PLATE SHI IN IN IGH	\$0
RIMARY AXLES MODEL TANDEM MODEL TO OF PRIMARY AXLES 2 SUSPENSION HEND. INTRAXX AAL 23K (250 BAGS) TP W/HXL-5 (19.5 ONLY) NO. OF LIFT KITS 1 PRIMARY AXLE LIFT KIT HEND. UBL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVE SUSPENSION SLIDER SUSPENSION SLIDER SINGLE AXLE REAR SLIDER CAL LEGAL AXLE SPACING 122 AXLE SPACING AXLE SETTING NOTE ALL AXLE SETTINGS AXLE SETTINGS AXLE FOR INTRAAX ONLY LIFT CONTROLS ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.) BRAKES A B 58 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX HUB AND DRUM CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 TO PLY WHEELS ALUMINUM HP 19.5X-50. ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TERRABLE AXLE TIRES NO. OF STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE DISTANCE NO. OF STEERABLE AXLE TIRES NONE STEERABLE AXLE TIRES NONE STEERABLE AXLE TIRES NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE AXLE AXLE AXLE SUSPENSION NONE STEERABLE AXLE AXLE AXLE AXLE AXLE SUSPENSION NONE STEERABLE AXLE AXLE AXLE AXLE AXLE SUSPENSION NONE STEERABLE AXLE AXLE AXLE AXLE AXLE AXLE AXLE AX	\$0
MODEL TANDEM NO. OF PRIMARY AXLES 2 SUSPENSION HEND. INTRAAX AAL 23K (250 BAGS) TP WHXL-5 (19.5 ONLY) NO. OF LIFT KITS 1 HEND. UBL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVE SUSPENSION SLIDER CAL LEGAL AXLE SPACING AXLE SPACING AXLE SETTING NOTE ALL AXLE SETTINGS AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS BEAKES AS 18 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX HUB AND DRUM CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) **TEERABLE LIFT AXLES** NO. OF STEERABLE AXLES NONE STEERABLE AXLE DISTANCE N/A STEERABLE AXLE DISTANCE N/A STEERABLE AXLE TIRES NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE ALLE AIR TANKS NONE STEERABLE AXLE AIR TANKS MOVED TO BODY PIN SETTING 16 STH WHEEL PLATE HEIGHT 49 IN. HIGH NON HIGH STH WHEEL PLATE HEIGHT 49 IN. HIGH **IN. HICH **I	\$0
NO. OF PRIMARY AXLES 2	\$0
SUSPENSION HEND. INTRAAX AAL 23K (250 BAGS) TP WHXL-5 (19.5 ONLY) NO. OF LIFT KITS 1 PRIMARY AXLE LIFT KIT HEND. UBL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVE SUSPENSION SLIDER CAL LEGAL AXLE SPACING AXLE SPACING AXLE FOR INTRAAX ONLY LIFT CONTROLS ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.) BRAKES AXLE FOR INTRAAX ONLY LIFT CONTROLS ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.) BRAKES AXLE FOR INTRAAX HUB AND DRUM CENT W DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE LIFT AXLES NO. OF STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE DISTANCE N/A STEERABLE AXLE DISTANCE N/A STEERABLE AXLE TIRES NONE STEERABLE AXLE RIES NONE STEERABLE AXLE AIR TANKS	\$0
NO. OF LIFT KITS 1 PRIMARY AXLE LIFT KIT HEND. UBL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVE SUSPENSION SLIDER SINGLE AXLE REAR SLIDER CAL LEGAL AXLE SPACING 12 AXLE SETTING NOTE ALL AXLE SETTINGS AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.) BRAKES & 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX HUB AND DRUM CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE LIFT AXLES NO. OF STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE STRACE NONE STEERABLE AXLE HIRES NONE STEERABLE AXLE HIRANS NONE HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 STH WHEEL PLATE TYPE GALVANIZED STH WHEEL PLATE 15/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	\$0
PRIMARY AXLE LIFT KIT HEND. UBL-202 (INTRAAX AAL & HT 25K) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVE SUSPENSION SLIDER SINGLE AXLE REAR SLIDER CAL LEGAL AXLE SPACING 122 AXLE SPACING AXLES AXLES AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.) BRAKES 8 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX HUB AND DRUM CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. THIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE LIFT AXLES NO. OF STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE DISTANCE NA STEERABLE AXLE DISTANCE NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE ONTROLS NONE STEERABLE AXLE TIRANS NONE STEERABLE AXLE AXLE AIR TANKS NONE STEERABLE AXLE AIR TANKS NONE STEERABLE AXLE AIR TANKS NONE STEERABLE AXLE AIR TANKS NONE HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 516 IN. GR-50, 3/8 KP 517 WHEEL PLATE 5176 IN. GR-50, 3/8 KP 517 WHEEL PLATE HEIGHT 49 IN. HIGH	\$0
FREE WHEEL VALVE & ATLAS VALVE SUSPENSION SLIDER CAL LEGAL AXLE SPACING AXLE SPACING AXLE SETTING NOTE ALL AXLE SETTINGS AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.) BRAKES AS 18 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX HUB AND DRUM CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE AXLE SUSPENSION NONE STEERABLE AXLE DISTANCE N/A STEERABLE AXLE DISTANCE NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE AXLE AXLES NONE STEERABLE AXLE AXLE AXLE AXLES NONE STEERABLE AXLE AXLE AXLE AXLES NONE STEERABLE AXLE AXLE AXLES NONE STEERAB	\$C
CAL LEGAL AXLE SPACING AXLE SETTING AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS BRAKES BRAKES B 55 BIN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX HUB AND DRUM CENT W DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TERRABLE LIFT AXLES NO. OF STEERABLE AXLES NO. OF STEERABLE AXLES NO OS STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE TIRES NONE STEERABLE AXLE TIRES NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE CONTROLS NONE HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 STH WHEEL PLATE TYPE GALVANIZED STH WHEEL PLATE TYPE GALVANIZED STH WHEEL PLATE HEIGHT 49 IN. HIGH	\$0
AXLE SPACING AXLE SETTING AXLE SETTING AXLE SETTING AXLE FOR INTRAAX ONLY LIFT CONTROLS ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.) BRAKES AXLE FOR INTRAAX ONLY ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.) BRAKES AS /8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX HUB AND DRUM CENT W. DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE LIFT AXLES NO. OF STEERABLE AXLES O STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE USITANCE N/A STEERABLE AXLE WHEELS NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE AIR TANKS NONE THASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 65TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	\$0
AXLE SETTING AXLE SETTING AXLE SETTING AXLE FOR INTRAAX ONLY LIFT CONTROLS ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.) BRAKES 8 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX HUB AND DRUM CENT W DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE LIFT AXLES NO. OF STEERABLE AXLES 0 STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE DISTANCE N/A STEERABLE AXLE TIRES NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE AXLE AIR TANKS NONE STEERABLE A	
AXLES AXLE FOR INTRAAX ONLY LIFT CONTROLS ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.) BRAKES 8 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX HUB AND DRUM CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE LIFT AXLES NO. OF STEERABLE AXLES 0 STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE DISTANCE N/A STEERABLE AXLE UISTANCE NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE ONTROLS NONE STEERABLE AXLE AXLE AIR TANKS NONE HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
LIFT CONTROLS ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.) BRAKES 8 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX HUB AND DRUM CENT W. DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE LIFT AXLES NO. OF STEERABLE AXLES O STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE DISTANCE N/A STEERABLE AXLE TIRES NONE STEERABLE AXLE TIRES NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE CONTROLS NONE THASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 STH WHEEL PLATE TYPE GALVANIZED 5716 IN. GR-50, 3/8 KP 5716 IN. HIGH	
BRAKES 8 5/8 IN. X 15 IN. FOR 19.5 TIRES CAM GUARDS HEND. INTRAAX HUB AND DRUM CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE LIFT AXLES NO. OF STEERABLE AXLES STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE TIRES NONE STEERABLE AXLE TIRES NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE AIR TANKS NONE HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
CAM GUARDS HEND. INTRAAX HUB AND DRUM CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE LIFT AXLES NO. OF STEERABLE AXLES O STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE DISTANCE N/A STEERABLE AXLE DISTANCE N/A STEERABLE AXLE WHEELS NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE AIR TANKS NONE HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
HUB AND DRUM CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN. TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE LIFT AXLES NO. OF STEERABLE AXLES NO. OF STEERABLE AXLES NO. OF STEERABLE AXLES NONE STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE DISTANCE N/A STEERABLE AXLE DISTANCE NONE STEERABLE AXLE HIRES NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE CONTROLS NONE HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE 5/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE LIFT AXLES NO. OF STEERABLE AXLES 0 STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE DISTANCE N/A STEERABLE AXLE TIRES NONE STEERABLE AXLE TIRES NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE AXLE AXLE AXLE AXLE ONDRE STEERABLE AXLE AXLE ONTROLS NONE STEERABLE AXLE AXLE AXLE AXLE AXLE AXLE AXLE AX	
TIRES MICHELIN X-ENERGY 265/70R 19.5 16 PLY WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE LIFT AXLES NO. OF STEERABLE AXLES 0 STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE DISTANCE N/A STEERABLE AXLE TIRES NONE STEERABLE AXLE TIRES NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE AXLE AXLE AXLE AXLE SONDE HASSIS FRAME RAILS NOVE HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE TYPE 5/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
WHEELS ALUMINUM HP 19.5X7.50 - ALL POLISHED (XP) PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE LIFT AXLES NO. OF STEERABLE AXLES NO. OF STEERABLE AXLES NO. OF STEERABLE AXLES NO. OF STEERABLE AXLES NONE STEERABLE AXLE DISTANCE N/A STEERABLE AXLE DISTANCE NONE STEERABLE AXLE TIRES NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE AIR TANKS NONE HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE 5/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
PRIMARY AXLE TIRE INFLATION SYSTEM HENDRICKSON SYSTEM (TIREMAAX PRO) TEERABLE LIFT AXLES NO. OF STEERABLE AXLES O STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE DISTANCE N/A STEERABLE AXLE TIRES NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE AXLE AIR TANKS NONE HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE 5/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
TEERABLE LIFT AXLES NO. OF STEERABLE AXLES O STEERABLE AXLE SUSPENSION NONE STEERABLE AXLE DISTANCE N/A STEERABLE AXLE TIRES NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE AXLE AIR TANKS NONE STEERABLE AXLE AIR TANKS	
STEERABLE AXLE DISTANCE N/A STEERABLE AXLE TIRES NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE AIR TANKS NONE HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE 5/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
STEERABLE AXLE TIRES NONE STEERABLE AXLE WHEELS NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE AIR TANKS NONE HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE 5/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
STEERABLE AXLE WHEELS NONE STEERABLE AXLE CONTROLS NONE STEERABLE AXLE AIR TANKS NONE HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE 5/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
STEERABLE AXLE CONTROLS STEERABLE AXLE AIR TANKS NONE CHASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE 5/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
STEERABLE AXLE AIR TANKS NONE HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE 5/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
HASSIS FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE 5/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE 5/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
FRAME RAILS MOVED TO BODY PIN SETTING 16 5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE 5/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
5TH WHEEL PLATE TYPE GALVANIZED 5TH WHEEL PLATE 5/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
5TH WHEEL PLATE 5/16 IN. GR-50, 3/8 KP 5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
5TH WHEEL PLATE HEIGHT 49 IN. HIGH	
DECK HEIGHT AT REAR (SLIDING AXLE ADD. 38 IN. 19.5 TIRES	
1 IN. TO HEIGHT)	
SUSPENSION CONTROL BALL VALVE (FULL SUSPENSION DUMP)	
GLADHAND / ELECTRIC CONNECTION FRONT ONLY LOCATION	
ABS FOR TRAILER (1) 4S2M MERITOR / WABCO	
SLACKS AUTOMATIC	
AXLE LUBRICATION HXL, SYNTHETIC SEMI-FLUID GREASE	
HUBODOMETER NONE	
DUST COVERS NONE (NOT AVAILABLE FOR 17.5 TIRES)	
TIRE CARRIER(S) NONE	
DOLLIES - LANDING GEAR - LANDING LEGS JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S.	
REGISTRATION HOLDER NONE	
REGISTRATION HOLDER LOCATION N/A	

AIR GAUGE / SYSTEM

ADDITIONAL FLAPS

AIR TANKS

TO D.S.

ENCLOSURE FOR SWITCHES

AIR TANK DRAIN COCK WITH CABLE PULL

NONE

NONE

NO

ALUMINUM TANK

REAR OF REAR AXLE (1 SET)

TARP			
SIDE KIT, SLIDING AND CURTAIN SIDE	NONE		
SYSTEMS			

PAINT		
HANGERS	BLACK SOFT COAT	
SUSPENSION COLOR	BLACK SOFT COAT	
PIN STRIPING	BLACK (931716)	
LANDING GEAR COLOR	BLACK (930248)	
MAC MACHINE FINISH LOGOS	BLACK (931716)	

ACCESSORIES NO. OF TOOLBOXES	2
TOOL BOX DOOR TYPE	18X18X60 DOUBLE DOOR
TOOL BOX LIABBLIANE	ALUMINUM
TOOL BOX HARDWARE	CAM LOCKS
TOOL BOX LOCATION	CENTER OF TRAILER BOTH SIDES
ROPE HOOKS (24 IN. SPACING)	NONE
NO. OF 8 FT. DUNNAGE HOLDERS	NONE
8 FT. DUNNAGE HOLDER TYPE	NONE
8 FT. DUNNAGE HOLDER LOCATION	NONE
V-RACK	NONE
NO. OF LOAD LEVELERS	NONE
NO. OF COMBO J HOOK (CHAIN / STRAP) (PAIRS)	12
NO. OF BOLT ON CARGO HOOKS	NONE
J-HOOK STORAGE	NONE
CHAIN TIE DOWNS BETWEEN EVERY CROSSMEMBERS	NONE
CHAIN TIE DOWNS BETWEEN EVERY OTHER CROSSMEMBERS	NONE
NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	NONE
NO. OF D-RINGS - RECESSED IN DECK PER PAIR	NONE
NO. OF GALVANIZED STD. DOUBLE L SLIDING WINCHES	12
NO. OF GALVANIZED STD. DOUBLE L LOW PRO SLIDING WINCHES	NONE
NO. OF GALVANIZED STD. DOUBLE L SLIDING LARGE CAP WINCHES	NONE
NO. OF GALVANIZED SIDE MOUNTED FIXED WINCHES	NONE
NO. OF GALVANIZED RECESSED FIXED WINCHES	NONE
NO. OF GALVANIZED 3 BAR SIDE MOUNT WINCHES	NONE
NO. OF GALVANIZED 3 BAR RECESSED WINCHES	NONE
NO. OF GALVANIZED 3 BAR SLIDING WINCHES	NONE
NO. OF GALVANIZED 3 BAR LOW PRO WINCHES	NONE
NO. OF STD. 4 INCH X 30 FT. WINCH STRAPS WITH FLAT HOOK END	NONE
NO. OF 4 IN. X 30 FT. WINCH STRAPS WITH CHAIN HOOK END	NONE
NO. OF 4 IN. X 30 FT. WINCH STRAPS WITH W/D-RING ENDS	NONE
NO. OF KINDEDYNE STRAP HOOK HOLDERS	NONE
NO. OF ANCRA GLIDELOCK STRAP HOLDERS	NONE
NO. OF MAC LOW PROFILE STRAP RECEIVERS	NONE
NO. OF SLIDING CARGO HOOK	NONE
CONTAINER LOCKS	NONE
NO. OF DECK POCKETS (PER PAIR)	NONE

NO. OF DECK POCKETS WITH POP UPS	NONE
NO. OF LOG POCKETS (PER PAIR)	NONE
NO. OF 1/4 IN. X 3 IN. X 3 IN. X 48 IN.STAKES (PER PAIR)	NONE
NO. OF 1/2 IN. X 3 IN. X 3 IN. X 96 IN. LOG STAKES (PER PAIR)	NONE
NO. OF 9/16 IN. X 3 IN. X 3 IN. X 116 IN. LOG STAKES	NONE
BEAVER TAIL	NONE
NONE	
WARNING PLACARDS	NONE
FLAG HOLDERS	NONE