

HALE

TRAILER

BRAKE & WHEEL



A022160
VIN:080007

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Jacksonville, FL:	800-828-3055
Baltimore, MD:	888-601-7500	Little Rock, AR:	833-424-8944
Boston, MA:	800-854-5310	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Richmond, VA:	866-839-3495
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235

HaleTrailer.com | @haletrailer

800-232-6535 *FINANCING AVAILABLE

FRAMELESS SP

Model # TNAR40NF600-2025

Weight 11675 lbs. *** **Cubic Yards** 54

BODY

LOAD PROFILE	MATERIAL, 80K GVWR	
LENGTH	40	
WIDTH	96	
FLOOR	3/8 in. FULL	
CROSSMEMBER SPACING	10 IN.	
INSTALL 24x24x60" SMOOTH SINGLE DOOR TOOL BOX ON DRIVER SIDE BETWEEN SPREAD.		\$1,200.00
FLOOR LINER	NONE	
VIBRATOR	NONE	
RUBBER SEAL	YES	
AIR FAIRINGS	NONE	
WALL HEIGHT	60.375	
WALL THICKNESS	0.175	
WALL LINER	NONE	
TOP RAIL OPTION	SOLID	
SOLID		
REAR POCKET SLOPE	2.75	
UPRIGHTS	FORMED UPRIGHTS	
NO. OF UPRIGHTS	14	
NO. OF UPRIGHTS TO ADD OR SUBTRACT	0	
SHEDDERS	5 IN. DIAMOND	
TARP BAR	YES, SINGLE	
HOIST	8-5-265 - CUSTOM	
REMOTE GREASE	REMOTE HOIST GREASE	
BULKHEAD	3/16 IN.	
BULKHEAD TYPE	RADIUS CORNERS	
BULKHEAD DOOR	BULKHEAD DOOR D.S. W/ GRAB HANDLE & STEP	
BULKHEAD SLOPE PLATES	NONE	
LOWER BULKHEAD WRAP	NO	
BULKHEAD STEPS	BULKHEAD STEPS OUT (C.S.)	
SIDES STEPS D.S.	LAST INSIDE & OUTSIDE	
SIDES STEPS C.S.	NONE	
SHOVEL HANGER	YES, CURB SIDE	
PUT INSIDE OF TRAILER BULKHEAD PASSENGER SIDE		\$0.00
FRONT FENDERS WITH FLAPS	CORNER W/ FLAPS	
ALUMINUM ROLL CAP	NONE	

LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (FULL LIGHT PANEL) OOO ooo OOO
APRON	3/8 IN. X 4 IN. LIGHT SHIELD

STD. MARKER LIGHTS	EVERY POST	
	IN POST	\$0.00
MID-TURNS	(1) PAIR L.E.D. (NON-COMBO)	
BACK-UP LIGHTS	(1) PAIR I.C. BACK UP LIGHTS	
AUXILIARY CABLE	7 WAY (ISO)	
BACK-UP LIGHT WIRE	AUXILIARY (BLACK WIRE)	
REAR POCKET LIGHTS	1 PAIR	

GATE

GATE SHEET THICKNESS	3/16 IN. SHEET & POST	
GATE OPERATION	ELECTRIC THRU AUX. & BALL VALVE	
HINGE TYPE	O. S. SWING C.S. W/ INPOCKET GROUND CONTROL	
COAL DOOR	12 IN. STAINLESS HANDLE	
CHUTE	4 IN. WELD ON	
DOUBLE HANDLE DOOR	NONE	
GATE BRACING	(3) PANEL	
HALF ROUND ON GATE	NONE	
ANGLE ON TOP OF GATE	NONE	
SPREADER CHAINS	NONE	
WINDERS / SAFETY LATCH	WINDERS (1) EACH SIDE & (2) BOTTOM	
TARP HOOKS	NONE	
GATE LINER	NONE	

PRIMARY AXLES

MODEL	SPREAD TANDEM	
NO. OF PRIMARY AXLES	1	
SUSPENSION	HEND. INTRAAX AAT-25K DISC BRAKES W/ HXL-5	
AXLE SPACING	122	
SUB-FRAME	WIDE I-BEAM (17 IN.)	
AXLES	AXLE FOR INTRAAX ONLY	
	USE HXL-3 DUE TO OIL LUBRICATION AXLES	\$0.00
BRAKES	DISC BRAKES - HEND. MAXX22T ADI HUB (23,000 LB ONLY)	
CAM GUARDS	NONE	
HUB AND DRUM	NONE, DISC BRAKES	
TIRES	GENERAL RA 11R 24.5 16 PLY	
WHEELS	ALUMINUM HP 24.5X8.25 - ALL POLISHED (XP)	
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE	

LIFT AXLES

NO. OF LIFT AXLES	1	
LIFT AXLE SUSPENSION	HEND. INTRAAX AAL 25K - DISC BRAKES W/HXL-5	
	AAT	\$0.00
LIFT KIT	HEND. UBL-001 (INTRAAX AAT)	
LIFT AXLE DISTANCE	122	
LIFT AXLE	AXLE FOR INTRAAX ONLY	
	USE HXL-3 DUE TO OIL LUBRICATION AXLES	\$0.00
LIFT AXLE BRAKES	DISC BRAKES - HEND. MAXX22T ADI HUB (23,000 LB ONLY)	
LIFT AXLE CAM GUARDS	NONE	
LIFT AXLE HUB AND DRUM	NONE, DISC BRAKES	
LIFT AXLE TIRES	GENERAL RA 11R 24.5 16 PLY	
LIFT AXLE WHEELS	ALUMINUM HP 24.5X8.25 - ALL POLISHED (XP)	
LIFT AXLE CONTROLS	ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.)	
FREE WHEEL VALVE	NONE	
LIFT AXLE TIRE INFLATION SYSTEM	NONE	

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0	
STEERABLE AXLE SUSPENSION	NONE	
STEERABLE AXLE DISTANCE	N/A	
STEERABLE AXLES	NONE	
STEERABLE AXLE BRAKES	NONE	

STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE

CHASSIS

PIN SETTING	16
5TH WHEEL PLATE	BREAK-AWAY PIN
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
TRACTOR DRIVE MODEL	TANDEM DRIVE
GALVANIZED SUSPENSION HANGERS	YES
DRAFT ARM	3/8 ALUM
SUSPENSION CONTROL	ELECTRIC THRU AUX. & BALL VALVE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	NONE (DISC BRAKES)
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	YES (DISC BRAKES)
TIRE CARRIER(S)	(1) FACING FORWARD
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 LB.) - 10 YEAR ALUMINUM - D.S.
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	YES, IN FRONT
ENCLOSURE FOR SWITCHES	STAINLESS STEEL
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	30 IN. BUFFED ALUM / 12 IN. RUBBER FULL ACROSS FRONT OF EACH AXLE
FLAPS REAR OF TIRES	FULL RUBBER ACROSS REAR OF TRAILER
TOW HOOKS	(2) BOLT ON

TARP

TARP MANUFACTURER	NONE
TARP CONTROL	NONE
TARP COLOR	NONE
BOW HOLDERS	NONE
TARP BRACKET	NONE

PAINT

HANGERS	GALVANIZED
SUSPENSION COLOR	BLACK SOFT COAT
DOLLIES	BLACK (931716)
HOIST COLOR	BLACK (931716)
5TH WHEEL PLATE COLOR	BLACK (931716)
PIN STRIPING	BLACK (931716)
MAC MACHINE FINISH LOGOS	BLACK (931716)
OPTIONAL SIGNS	(2) FLIP SIGNS 18 IN. X 30 IN.

(2) FLIP SIGNS 15 INCH X 30 INCH. INSTALL BELOW TARP BAR ON EACH SIDE. FRONT OF THE TRAILER FOR FLIP SIGNS.	\$0.00
---	--------

ACCESSORIES

NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	NONE
TOW MOTOR PACKAGE	NONE
COIL RACK ANGLES	NONE
LOAD LEVEL INDICATOR	NONE
3-1/2 IN. ANGLES UNDER RAIL	NONE

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.